

SPARE PARTS FOR CATERING EQUIPMENT

Food preparation equipment



Blenders

Cutters

Dough mixers

Meat mincers

Slicers



About the GEV GROUP



The GEV Group is the leading international distributor network for spare parts for catering equipment. Active now on a worldwide basis, it has developed considerably since the German parent company, GEV GmbH, was founded in 1991. Seven GEV sales offices are now operating in England, France, Italy, Austria, Czech Republic, Hungary and Switzerland; besides these, it has alliances with leading distributors in many other international markets.

GEV consistently holds in stock 50,000 parts suitable for 300 brands of equipment. Due to its modern warehousing, its experienced team of specialist technicians and its extensive supplier network, we are able to guarantee high quality and service levels at all times. Over 20,000 customers around the world have grown to appreciate this unrivalled level stock availability and 24 hour delivery service.

GEV's catalogues are now regarded by catering equipment service technicians as indispensable works of reference. Moreover, the following online shops can boast of the most powerful search engines in the sector.

The GEV Group is a powerful supplier of spare parts to the catering equipment industry, as well as being a competent partner for equipment manufacturers, distributors and service technicians.



United Kingdom: www.gev-online.co.uk
Austria: www.gev.at
Czechia: www.vnd.cz
France: www.pcp-cuisine.fr
Germany: www.gev-online.de

Hungary: www.gevkft.hu
Italy: www.fastricambi.it
Netherlands: www.hgo.nl
Switzerland: www.gev-online.ch
Other Countries: www.gev-online.com

www.gev-group.com

YOUR SPARE PARTS SEARCH ENGINE

www.gev-online.co.uk

www.gev-online.com

Navigate intuitively through the different product groups using photos

Search efficiently according to the original manufacturer's number

The screenshot displays four distinct search panels on the GEV website:

- Product Groups:** Features the heading "Product Groups" and the text "50.000 parts, including technical information and availability". Below the text is a collage of various electrical and mechanical components.
- Original Ref. No.:** Features the heading "Original Ref. No." and the text "Search for 700.000 parts". It includes a diagram of a component with three callouts labeled "107012", "437098", and "417120". Below the diagram is a search form with a "Manufacturer" dropdown menu set to "All", an "Original Ref. No." input field, and a "Search" button.
- Appliance:** Features the heading "Appliance" and the text "Please name the appliance and get a list with suitable spare parts (Number behind manufacturer name indicates recorded appliance) SEARCH FUNCTION UNDER CONSTRUCTION - DATA BASE NOT COMPLETE YET". It includes a search form with "Manufacturer" and "Description" dropdown menus both set to "All", and a "Search" button.
- Part Information:** Features the heading "Part Information" and an image of a barcode with text: "500071", "D Motor 0,15 PS", "GB motor 0,15 hp", "F moteur 0,15ch", "I motore 0,15CV". Below the image is a search form with "Part Code" and "Description" input fields, and a "Search" button.

Research all leading brands of equipment with spare parts lists and exploded drawings

Try a word search or search on a GEV part number

CONTENTS

Food preparation equipment

Band saws	page 6
Bar blenders	page 8
Cheese graters	page 14
Cutters	page 17
Dough dividers	page 22
Dough mixers	page 22
Dough rollers	page 41
Hand blenders	page 50
Meat mincers	page 55
Mozzarella cutters	page 68
Pizza presses	page 70
Potato peelers	page 72
Salad spinner	page 76
Slicers	page 76
Vacuum packers	page 97
Vegetable slicers	page 104
Universal parts	page 109

Legend

B	width	LA	hole distance
B1	width 1	Lø	hole diameter
B2	width 2	MP	mounting position
BA	mounting distance	ø	diameter
BM	fixing dimensions	P	power
Fø	flange diameter	phase	phases
Fø1	flange diameter 1	Qty	quantity
freq.	frequency	t	thickness
H	height	th.le	thread length
L	length	TS	thread size
L1	length 1	WL	shaft length
L2	length 2	Wø	shaft diameter
L3	length 3		




band saws

electrical parts

keypads

gaskets



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403004	122	52	Sirman	19563030

keypads



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403001	120	49	Sirman	LF1010027

saw bands

width 16mm



Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
1	699018	1050	0,5	6
2	699019	1360	0,5	6
3	699020	1450	0,5	6
4	699021	1480	0,5	6
5	699022	1490	0,5	6
6	699023	1500	0,5	6
7	699024	1510	0,5	6
8	699025	1520	0,5	6
9	699026	1550	0,5	6
10	699027	1560	0,5	6
11	699028	1580	0,5	6
12	699029	1590	0,5	6
13	699031	1625	0,5	6
14	699032	1640	0,5	6
15	699033	1650	0,5	6
16	697396	1660	0,5	6
17	699034	1700	0,5	6
18	699035	1750	0,5	6
19	699036	1760	0,5	6
20	699037	1800	0,5	6
21	699038	1820	0,5	6
22	699039	1830	0,5	6
23	699040	1840	0,5	6
24	699041	1850	0,5	6

Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
25	699042	1980	0,5	6
26	699003	2020	0,5	6
27	697771	2050	0,5	-
28	699043	2050	0,5	6
29	699044	2100	0,5	6
30	699045	2170	0,5	6
31	699046	2335	0,5	6
32	699047	2350	0,5	6
33	699048	2390	0,5	6
34	699049	2400	0,5	6
35	699050	2430	0,5	6
36	699051	2490	0,5	6
37	699052	2500	0,5	6
38	699053	2590	0,5	6
39	699054	2600	0,5	6
40	699055	2800	0,5	6
41	699056	2850	0,5	6
42	699057	2880	0,5	6
43	699058	2930	0,5	6
44	699059	3050	0,5	6
45	699060	3100	0,5	6
46	699061	3115	0,5	6
47	699062	3140	0,5	6
48	699063	3150	0,5	6



Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
49	699064	3200	0,5	6

width 20mm



Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
50	699065	3600	0,5	6

Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
1	699066	1050	0,5	6
2	699067	1360	0,5	6
3	699068	1450	0,5	6
4	699069	1480	0,5	6
5	699070	1490	0,5	6
6	699071	1500	0,5	6
7	699072	1510	0,5	6
8	699073	1520	0,5	6
9	697388	1550	0,5	6
10	699074	1560	0,5	6
11	699013	1570	0,5	6
12	699075	1580	0,5	6
13	699076	1590	0,5	6
14	699077	1600	0,5	6
15	699015	1600	0,5	6
16	699078	1625	0,5	6
17	699079	1640	0,5	6
18	699006	1650	0,5	6
19	699080	1700	0,5	6
20	699081	1750	0,5	6
21	699082	1760	0,5	6
22	699083	1800	0,5	6
23	699084	1820	0,5	6
24	699085	1830	0,5	6
25	697372	1840	0,5	6

Pos.	Part no.	L (mm)	thickness (mm)	tooth spacing (mm)
26	699086	1850	0,5	6
27	699087	1980	0,5	6
28	699004	2020	0,5	6
29	699088	2050	0,5	6
30	699089	2100	0,5	6
31	699090	2320	0,5	6
32	699091	2350	0,5	6
33	699092	2390	0,5	6
34	699093	2400	0,5	6
35	699094	2490	0,5	6
36	699095	2500	0,5	6
37	699096	2600	0,5	6
38	699097	2850	0,5	6
39	699098	2880	0,5	6
40	699099	2930	0,5	6
41	699100	3050	0,5	6
42	699101	3100	0,5	6
43	699102	3115	0,5	6
44	699103	3140	0,5	6
45	699104	3150	0,5	6
46	699105	3200	0,5	6
47	699106	3250	0,5	6
48	699107	3430	0,5	6
49	699108	3590	0,5	6
50	699109	3600	0,5	6

wipers



1

Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	material	for device	suitable for	equiv. no.
1	697772	45	25	3	plastic	SO1650/SO2020	Sirman	LF2001032

bar blenders

blenders

actuators



Pos.	Part no.	application	∅ (mm)	H (mm)	internal thread	teeth	material	for device	suitable for	equiv. no.
1	698248	-	38,5	12	M6L	6	rubber	-	Hamilton Beach	280012302
2	651008	for jar	27	12	M6L	8	plastic	-	VEMA	XRFR16
3	651009	for jar	27	14	M6L	4	plastic	-	VEMA	XRFR9
4	698203	for jar	36	14	M6L	6	rubber	Dragone	Sirman	IB4100905
5	698202	for motor	36	14	M6L	6	plastic	Dragone	Sirman	IB4000815
6	696069	motor	36	14	M8L	6	plastic	Orione	Sirman	IB4100900



Pos.	Part no.	application	∅ (mm)	H (mm)	teeth	material	suitable for	equiv. no.
1	651012	for motor	28	14	4	rubber	VEMA	XRFR24
2	651011	for motor	28	14	8	rubber	VEMA	XRFR17



Pos.	Part no.	∅ (mm)	H (mm)	internal thread	int. ∅ (mm)	material	suitable for	equiv. no.
1	651013	64	33	M7L	28	plastic	VEMA	XRFR18

jar components

blades

blades with holders



Pos.	Part no.	version	application	∅ (mm)	material	for device	suitable for	equiv. no.
1	651000	-	-	68	plastic	IG908	Hamilton Beach	61192020000
2	696074	-	plastic container	-	stainless steel	Orione	Sirman	IB9865335.05
2	696077	-	stainless steel container	70	stainless steel	Orione	Sirman	IB9865336.06
3	696057	for mixing	plastic container	70	stainless steel	Orione	Sirman	IB9865322.05
3	696056	for mixing	stainless steel container	70	stainless steel	Orione	Sirman	IB98653220.04

couplings



Pos.	Part no.	ø (mm)	H (mm)	internal thread	material	for device	suitable for	equiv. no.
1	696061	20	10	-	stainless steel	Dragone	Sirman	IB2000801
2	696062	25	17	M5L	stainless steel	Orione	Sirman	IB2000901
3	696063	28	17	M5L	stainless steel	Orione	Sirman	IB2000903

mixer discs



Pos.	Part no.	ø (mm)	Lø (mm)	H (mm)	material	for device	suitable for	equiv. no.
1	696060	50	10	6,5	aluminium	Orione	Sirman	IB2100933
2	696290	50	27	8	aluminium	Orione	Sirman	IB2100932
3	651015	54	6,5x8	27	plastic	-	VEMA	XRFR14

spare blades



Pos.	Part no.	version	B (mm)	H (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	696065	-	73	47	6x8	Orione	Sirman	IB2680900
2	651004	set 3-piece	52	50	6,5x8	-	VEMA	XRFR15

spindles



Pos.	Part no.	ø (mm)	L (mm)	ext. ø (mm)	int. ø (mm)	T1	T2	internal thread	material	for device	suitable for	equiv. no.
1	695169	8	53	-	-	M5L	M6L	-	stainless steel	Dragone	Sirman	IB2000806
2	696291	10	60	-	-	-	-	M5L	-	Orione	Sirman	IB2100931
3	696058	10	76,5	23,5	21,5	-	-	M5L	aluminium	Orione	Sirman	IB2000902

Food preparation equipment *bar blenders*

miscellaneous



1

2

3

Pos.	Part no.	description	suitable for	equiv. no.
1	695119	cap nut M5L width A/F 10 material SS Qty 1 pc	Sirman	IB2000910
2	696064	screw ø 10mm L 13,6mm M4	Sirman	IB2000915
3	696059	union nut ø 70mm ID ø 46,8mm H 10,5mm	Sirman	IB2000926

jars (complete)



Pos.	Part no.	material	volume (ml)	type	for device	suitable for	equiv. no.
1	581002	plastic	-	-	1G91555	Hamilton Beach	6126-91503
2	696084	plastic	1500	-	Dragone	Sirman	IB9865520
3	696085	plastic	1500	for mixing	Dragone	Sirman	IB9865521
4	696087	plastic	2000	-	Orione	Sirman	IB9865320.04
5	696086	plastic	2000	for mixing	Orione	Sirman	IB9865321.05
6	696089	stainless steel	2000	-	Orione	Sirman	IB9865323.06
7	696088	stainless steel	2000	for mixing	Orione	Sirman	IB9865324.04



Pos.	Part no.	material	volume (ml)	for device	suitable for	equiv. no.
1	651028	plastic	-	-	Hamilton Beach	940006601
2	651003	plastic	1200	-	VEMA	XRFR1
3	696081	plastic	1500	Dragone	Sirman	IB4050800
4	696082	plastic	2000	Orione	Sirman	IB4050900
5	696083	stainless steel	2000	Orione	Sirman	IB2260900A

gaskets



1

2

3

4

5

6

Pos.	Part no.	description	suitable for	equiv. no.
1	651010	gasket ED ø 115mm ID ø 85mm thickness 2mm	VEMA	XRFR21
2	581012	gasket ED ø 67mm ID ø 47mm thickness 2,5mm	Hamilton Beach	31092060001
3	651007	gasket ED ø 75mm ID ø 55mm thickness 3mm	VEMA	XRFR20
4	696076	gasket silicone ED ø 68mm ID ø 48mm thickness 2mm	Sirman	IB4100915
5	696071	O-Ring EPDM thickness 3,53mm int. ø 52,39mm	Sirman	IB4104040
6	696075	V-ring ID ø 8mm thickness 5mm	Sirman	IB4104031

holders



Pos.	Part no.	ø (mm)	nominal-ø (mm)	for device	suitable for	equiv. no.
1	651040	100	78	-	VEMA	XRFR28 (4 sprocket coupler)
2	651006	100	78	-	VEMA	XRFR28 (8 sprocket coupler)
3	696080	121	100	Orione	Sirman	IB4010910

lids



Pos.	Part no.	ø (mm)	L (mm)	B (mm)	material	nominal-ø (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	581001	-	150	150	rubber	-	55	-	Hamilton Beach	280121200
2	696070	48	-	-	plastic	-	-	-	Sirman	IB4050905
3	651001	129	-	-	plastic	109	-	-	VEMA	XRFR3
4	651002	129	-	-	plastic	109	28	-	VEMA	XRFR19
5	696072	148	-	-	plastic	120	48	Dragone	Sirman	IB4000820
6	696073	156	-	-	rubber	136	48	Orione	Sirman	IB4100920


electrical parts

diodes



Pos.	Part no.	suitable for	equiv. no.
1	651014	VEMA	XRFR54

keypad membrane



Pos.	Part no.	L (mm)	B (mm)	number of buttons	for device	suitable for	equiv. no.
1	401739	160	34	3	Orione	Sirman	IB4100930

Food preparation equipment *bar blenders*

PCBs



1

2

3

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
1	401730	230	Dragone	Sirman	IB5940800
2	401732	230	Orione	Sirman	IB5940910

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
3	401731	230	Orione	Sirman	IB5940915

potentiometers



1

Pos.	Part no.	resistance (Ohm)	rotation angle (°)	cable length (mm)	shaft length (mm)	TS	shaft ø (mm)	for device	suitable for	equiv. no.
1	300362	100	270	28	42	M10	6	Orione	Sirman	19414060N

holders



1

2

3

Pos.	Part no.	application	ø (mm)	int. ø 1 (mm)	int. ø 2 (mm)	for device	suitable for	equiv. no.
1	696079	for jar	116	24	79	Dragone	Sirman	IB4000810
2	651005	for jar	117	35,5	81	-	VEMA	XRFR35
3	696078	for jar	129	16	100	Orione	Sirman	IB4010900

motors

motors



1

2

3

Pos.	Part no.	voltage (V)	power (W)	speed (rpm)	TS	BA (mm)	suitable for	equiv. no.
1	500791	230	200	-	-	-	VEMA	XRFR49
2	500728	230	450	18000	M6L	36	Sirman	IB5000800
3	500729	230	750	14000/24000	M8L	90	Sirman	IB5000900

mixers
jars



Pos.	Part no.	material	volume (ml)	for device	suitable for	equiv. no.
1	698249	stainless steel	500	936-950	Hamilton Beach	3003410

electrical parts
PCBs



1

2

Pos.	Part no.	voltage (V)	switching capacity (A)	for device	suitable for	equiv. no.
1	401729	110-250	1,5	Sirio	Sirman	IB5940005
2	401728	120/240	1,6	Sirio	Sirman	IB5940000

potentiometers



1

Pos.	Part no.	resistance (Ohm)	rotation angle (°)	cable length (mm)	shaft length (mm)	TS	shaft ø (mm)	for device	suitable for	equiv. no.
1	300227	100	270	600	42	M10	6		Sirman	IB5940011

latching rocker switch



1

Pos.	Part no.	mounting measures (mm)	function	voltage (V)	switching capacity (A)	connection	suitable for	equiv. no.
1	581004	40x22	1NC/2NO	250	3	Faston 4,8mm	Hamilton Beach	260022000

holders



1

2

3

Pos.	Part no.	application	version	B (mm)	H (mm)	suitable for	equiv. no.
1	651039	for jar	-	-	76	VEMA	XRFL12
2	650058	for jar	-	62	60	Fimar	CO1005
3	650100	for jar	with micro-switch	62	60	Sirman	IB4000130

Food preparation equipment *cheese graters*

mixer discs



Pos.	Part no.	application	ø (mm)	int. ø (mm)	internal thread	H (mm)	for device	suitable for	equiv. no.
1	696066	drink mixer	25	5	-	-	Sirio	Sirman	IB2200100
2	696091	drink mixer	26	-	M5	19	Sirio	Sirman	IB2100110

accessories



1

Pos.	Part no.	description	suitable for	equiv. no.
1	696093	spacer bush ø 8mm ID ø 5,3mm H 14mm Sirio	Sirman	IB2100100

motors



Pos.	Part no.	voltage (V)	power (W)	speed (rpm)	spindle ø (mm)	WL (mm)	suitable for	equiv. no.
1	581003						Hamilton Beach	650016002
2	500731	230	100	14000	10	143	Sirman	IB9865200
3	500732	230	100	14000	18	143	Sirman	IB9865201

cheese graters

electrical parts

micro-switches



1

Pos.	Part no.	voltage (V)	switching capacity (A)	function	connection
1	345041	250	16	1CO	flat plug 6,3mm

grating cylinder housings



Pos.	Part no.	material	for device	suitable for	equiv. no.	Pos.	Part no.	material	for device	suitable for	equiv. no.
1	698013	aluminium	Mod.12	Fama Sirman	F2167 MF0147	2	698006	aluminium	Mod.8	Fama Sirman	F2067 MF0019

lids



Pos.	Part no.	ø (mm)	BA (mm)	material	for device	suitable for	equiv. no.
1	698010	78	70	plastic	Mod.8	Fama Sirman	F2002 MF0002
2	698017	100	85	plastic	Mod.12-22	Fama Sirman	F2152 MF0367

press levers



Pos.	Part no.	for device	suitable for	equiv. no.
1	698154	Mod.12	Sirman	IV1060405
2	698012	Mod.12	Fama Sirman	F2161 MF0140
3	698236	Mod.12-22	Fama Sirman	F2162 MF2162


Pos.	Part no.	for device	suitable for	equiv. no.
4	698005	Mod.8	Fama Sirman	F2060 MF0023
5	698127	OLIMPO	Sirman	IB1263455

grating cylinders
complete



Pos.	Part no.	ø (mm)	L (mm)	int. ø (mm)	shaft ø (mm)	material	for device	suitable for	equiv. no.
1	698007	60	120	20	-	stainless steel	Mod.8	Fama Sirman	F2056+F2057+F2055 MF0021
2	698158	75	140	14	15	stainless steel	Mod.12	Sirman	IV2020520
3	698014	79	155	25	-	-	Mod.12-22	Fama Sirman	F2156+2xF2155 MF0150
4	698015	79	155	25	-	stainless steel	Mod.12-22	Fama Sirman	F2158 MF0152

grating cylinders



Pos.	Part no.	ø (mm)	L (mm)	int. ø (mm)	material	for device	suitable for	equiv. no.
1	698128	73	137	69	stainless steel	OLIMPO	Sirman	IB2303460

side parts



Pos.	Part no.	int. ø (mm)	ext. ø (mm)	B (mm)	material	for device	suitable for	equiv. no.
1	698129	25	69	30	aluminium	OLIMPO	Sirman	IB1223460

transmission parts

drive shafts



Pos.	Part no.	L (mm)	ø (mm)	for device	suitable for	equiv. no.
1	698124	350	25	OLIMPO	Sirman	IB1903400

pully



Pos.	Part no.	disc ø (mm)	shaft intake ø (mm)	H (mm)	for device	suitable for	equiv. no.
1	698125	55	25	42	OLIMPO	Sirman	IB1023415

poly-V belts



Pos.	Part no.	profile	L (mm)	B (mm)	grooves	suitable for	equiv. no.
1	698156	TB2	430	28	14	Angelo-Po Sirman	36G6630 LF2037058
2	698157	TB2	725	24	12	Sirman	LF2037056

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	698011	bolt for push lever L 60mm \varnothing 8mm	Fama Sirman	F2062 MF0293
2	346394	bush for micro-switch \varnothing 8mm D1 \varnothing 22mm L 60mm	Fama	F2164
3	346395	cover for micro-switch L 80mm W 60mm H 70mm	Fama	F2163
4	110703	cylinder handle M10 \varnothing 28mm L 87mm	Ambach Elektra Fagor Mareno RGV Sirman Star10 Tecnoinox	5005607080 00469035 T055434 1829200 00000000627 IV4000800 064013 4205
5	346892	magnet with holder \varnothing 22mm W 20mm hole \varnothing 8mm	Fama	F2063+F2064

cutters

blades

serrated blades



Pos.	Part no.	L (mm)	seat \varnothing (mm)	BA (mm)	L \varnothing (mm)	t (mm)	suitable for	equiv. no.
1	696179	93	33	46	4,4	2	Sirman	MSC04N072Z
2	696178	98	42	46	4,4	2	Sirman	MSC04N064Z
3	696187	112	42	58	4,4	2,5	Sirman	MSC09V072Z
4	696186	119	42	58	4,4	2,5	Sirman	MSC09V064Z

smooth blades



Pos.	Part no.	L (mm)	seat \varnothing (mm)	BA (mm)	L \varnothing (mm)	t (mm)	suitable for	equiv. no.
1	696173	-	42	52	5,5	2	Angelo-Po Fimar	36G7030 36G7030
2	696177	93	33	46	4,4	2	Sirman	MSC04N072
3	696180	98	33	46	4,4	2	Sirman	MSC04N064V
4	696176	98	33	46	4,4	2	Sirman	MSC04N064
5	696181	98	33	46	4,4	2	Sirman	MSC04N064P
6	696185	112	42	58	4,4	2,5	Sirman	MSC09V072
7	696184	119	42	58	4,4	2,5	Sirman	MSC09V064
8	696166	128	48	66	5,5	-	Sirman	MSC15N072
9	696165	136	48	66	5,5	-	Sirman	MSC15N064

mixers



Pos.	Part no.	L (mm)	seat ø (mm)	BA (mm)	Lø (mm)	t (mm)	suitable for	equiv. no.
1	696175	93	33	46	4,4	2	Sirman	MSC04N072F
2	696174	98	33	46	4,4	2	Sirman	MSC04N064F
3	696183	112	42	58	4,4	2,5	Sirman	MSC09V072F
4	696182	119	42	58	4,4	2,5	Sirman	MSC09V064F

blades with holders



Pos.	Part no.	ø (mm)	H (mm)	for device	suitable for	equiv. no.
1	696332	180	117	-	Robot Coupe	27143
2	696164	196	95	C4-C4VV	Sirman	MSC04AMON
3	696171	196	157	C6-C6VV	Sirman	MSC06AMON
4	696169	238	194	C9VV	Sirman	MSC09AMON

blade holders



Pos.	Part no.	ext. ø (mm)	int. ø 1 (mm)	int. ø 2 (mm)	H (mm)	BA (mm)	Lø (mm)	TS	for device	suitable for	equiv. no.
1	696038	60	15	30	72	46	3	-	C4-C4VV	Sirman	MSC04N068P
2	696037	60	15	30	77	46	3	-	C4-C4VV	Sirman	MSC04N062
3	696040	60	15	30	128	46	3	-	-	Sirman	MSC06N062P
4	696039	60	15	30	133	46	3	-	C6-C6VV	Sirman	MSC06N062
5	651037	63	39	10	81,5	52	-	M5	CL 3-5-8	Angelo-Po Fimar	36G7010 36G7010
6	696036	72	20	38	165	58	3,5	-	C9VV	Sirman	MSC09V062

protective coverings



Pos.	Part no.	MP	model	suitable for	equiv. no.
1	696189	bottom	C4-C6	Sirman	MSC04N075

Pos.	Part no.	MP	model	suitable for	equiv. no.
2	696188	upper	C4-C6	Sirman	MSC04N073

spacer rings



Pos.	Part no.	ext. ø (mm)	int. ø 1 (mm)	H (mm)	BA (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	696035	60	30	12	46	4,2	C4-C4VV	Sirman	MSC04N068P
2	696020	60	30	14	46	4,2	C4-C4VV	Sirman	MSC04N068
3	696042	60	30	18	46	4,2	C6-C6VV	Sirman	MSC06N068P
4	696041	60	30	20	46	4,2	C6-C6VV	Sirman	MSC06N068
5	697106	63	39	-	52	5,5	CL 3-5-8	Angelo-Po Fimar	36G0650 36G0650
6	696000	72	38	24	58	5	C9VV	Sirman	MSC09V068

containers



1

Pos.	Part no.	for device	version	suitable for	equiv. no.
1	697290	C9VV	from 10/2003	Sirman	MSC09V076

drive shafts



1

2

Pos.	Part no.	ø (mm)	D1 ø (mm)	L (mm)	for device	suitable for	equiv. no.
1	693940	15	65	170	C4-C4VV	Sirman	MSC04N104
2	694061	22	-	137	CL3	Angelo-Po Fimar	36G7000 36G7000

electrical parts

keypads

gaskets



1

2

3

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403004	122	52	Sirman	19563030
2	401373	135	50	Sirman	19563034

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
3	401380	150	60	Sirman	19563032

keypads



Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403002	120	48	Emmepi Sirman	808612 19702000
2	401694	130	41	Sirman	19702004

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
3	403003	150	55	Sirman	19702002

PCBs



Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
1	401850	230	-	Sammic	2052738
2	400954	230	-	Sirman	19411007

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
3	401727	230	C4-C6	Sirman	19413007
4	400955	230/400	-	Emmepi Sirman	808629 19411008

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	401740	front foil L 60mm W 60mm grey	Sirman	MSC04V238
2	698204	holder for micro-switch C4-C6	Emmepi Sirman	809479 MSC04N264
3	112280	knob ø 16mm shaft ø 6mm	Sirman	IB4200100
4	112283	knob ø 23mm shaft ø 6mm black	Sirman	MSC04V236

feet



Pos.	Part no.	TS	H (mm)	ø (mm)	th.le (mm)	suitable for	equiv. no.
1	696043	M5	24	28	8	Sirman	MSC04N114K

lids



Pos.	Part no.	ø (mm)	int. ø (mm)	for device	version	suitable for	equiv. no.
1	694243	215	210	CL 3-5-8	-	Angelo-Po Fimar	36Z0665 36Z0665
2	698209	215	210	Q 3-5-8	-	Angelo-Po	6000920
3	691664	225	204	C4-C6	from 08/2003	Sirman	MSC04V052A
4	691247	225	204	C4-C6	until 08/2003	Sirman	MSC04N052
5	693785	260	240	C9VV	until 10/2003	Sirman	MSC09V052
6	693943	265	240	C9VV	from 10/2003	Sirman	MSC09V052A
7	693784	300	280	C15	-	Sirman	MSC15N052

motors



Pos.	Part no.	P (kW)	voltage (V)	spindle ø (mm)	Fø (mm)	speed (rpm)	type	for device	suitable for	equiv. no.
1	500897		230	20				C4-C6-C9	Sirman	MSC04N136

with flange B5



Pos.	Part no.	P (kW)	voltage (V)	freq. (Hz)	phase	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500887	0,6/0,8	400	50	3	14	160	1400/2800	DN80B2/4	Fimar	SL0939
2	500885	0,75	230	50	1	14	160	1400	M80BL4	Fimar	SL0041
3	500886	0,75	230/400	50	3	14	160	1400	80	Fimar	SL0040

poly-V belts



Pos.	Part no.	profile	L (mm)	B (mm)	grooves	suitable for	equiv. no.
1	693939	TB2	630	12	6	Sirman	MSC04N112
2	698223	TB2	660	12	6	GAM Sirman	Pos.108 MSC04N112A
3	698224	TB2	1186	14	7	Sirman	MSC09V112

Food preparation equipment *dough mixers*

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	112059	cone handle for lid M6 ø 24mm L 17mm plastic black	Sirman	MSC04N018
2	696190	grindstone for knife L 60mm W 25mm thickness 12mm	Sirman	MSC04N174
3	696191	scraper L 121mm W 82mm plastic	Sirman	MSC04N200

dough dividers

funnels



Pos.	Part no.	portions of (g)	ø (mm)	L (mm)	BA (mm)	suitable for	equiv. no.
1	690884	120-160	135	160	180	OEM	AH23
2	690885	150-190	135	160	180	OEM	AH24
3	690886	180-220	135	160	180	OEM	AH25
4	690887	210-260	135	160	180	OEM	AH26

Pos.	Part no.	portions of (g)	ø (mm)	L (mm)	BA (mm)	suitable for	equiv. no.
5	690888	240-280	135	160	180	OEM	AH44
6	690882	60-100	135	160	180	OEM	AH21
7	690883	90-130	135	160	180	OEM	AH22

dough mixers

bearing blocks



Pos.	Part no.	application	version	MP	ø (mm)	int. ø (mm)	H (mm)	for device	suitable for	equiv. no.
1	697208	for dough hook	-	upper	121	47	87	25-38 S-C-F	Fimar	SL0080
2	697324	for dough hook	-	upper	140	52	90	33-42-53 TF-TR	Pizza-Group	8301490
3	697386	for dough hook	complete	upper	121	-	85	25-38 S-C-F	Fimar	SA4100



Pos.	Part no.	application	ø (mm)	int. ø (mm)	int. ø 1 (mm)	H (mm)	for device	suitable for	equiv. no.
1	697216							Fimar	SL3209
2	697194							Fimar	SL2838
3	697197	-	100	42	-	55	12-18 C-F	Fimar	SL2626
4	697211	-	120	47	-	48	25-38 C-F	Fimar	SL2627
5	697196	for dough hook	103	40	-	55	7-12-18 S-C-F	Fimar	SL0022
6	697323	for dough hook	107	52	-	57	17-22 TF-TR	Pizza-Group	8301480
7	697251	for mixer bowl	103	40	-	58	7-12-18 S-C-F	Fimar	SL0016
8	697252	for mixer bowl	145	42	47	79	25-38 S-C-F	Fimar	SL0074
9	697325	for mixer bowl	148	52	-	83	-	Pizza-Group	8300200
10	697253	for mixer bowl	180	52	-	88	50 S-C-F	Fimar	SL2723



Pos.	Part no.	MP	int. ø (mm)	int. ø 1 (mm)	int. ø 2 (mm)	for device	suitable for	equiv. no.
1	697019	bottom	-	-	-	-	Alimacchine	57NT50
2	697021	bottom	-	-	-	-	Alimacchine	57NT70
3	697013	bottom	-	-	-	NT05-10	Alimacchine	57NT05
4	697015	bottom	42	52	62	NT20-30	Alimacchine	57NT20
5	697017	bottom	47	52	62	NT40	Alimacchine	57NT40



Pos.	Part no.	MP	int. ø 1 (mm)	int. ø 2 (mm)	LA (mm)	for device	suitable for	equiv. no.
1	697012	upper	42	42	-	NT05-10	Alimacchine	6NT05
2	692032	upper	42	47	-	-	OEM	KE02600
3	697014	upper	42	47	-	NT20-30	Alimacchine	6NT20
4	697016	upper	52	62	173	NT40	Alimacchine	6NT40
5	697020	upper	52	62	183	NT70	Alimacchine	6NT70
6	697018	upper	52	62	212	NT50	Alimacchine	6NT50



Pos.	Part no.	application	ø (mm)	int. ø (mm)	H (mm)	version	for device	suitable for	equiv. no.
1	697199	for dough hook	115	42	62	until 08/2003	12-18 C-F	Fimar	SL2542
2	697213	for dough hook	140	55	68	until 08/2003	25-38 C-F	Fimar	SL2543

chains
connectors



Pos.	Part no.	DIN/ISO	splitting	suitable for	equiv. no.
1	697264	05 B-1	8mm	Fimar	SL1545
2	697069	06 B-1	3/8"	Alimacchine Fimar	02NT05 SL1629
3	697070	06 B-2	3/8"	Alimacchine	02NT20

Pos.	Part no.	DIN/ISO	splitting	suitable for	equiv. no.
4	693276	08 B-1	1/2"	Electrolux Fagor Fimar Zanussi	056863 Z105012 SL1632 056863
5	697222	10 B-1	5/8"	Fimar	SL2776

roller chains 05B-1 single



Pos.	Part no.	DIN/ISO	splitting	links	suitable for	equiv. no.
1	697259	05 B-1	8mm	63	Fimar	SL1118
2	697282	05 B-1	8mm	71	Fimar	SL2682

Pos.	Part no.	DIN/ISO	splitting	links	suitable for	equiv. no.
3	697260	05 B-1	8mm	72,5	Fimar	SL0057

roller chains 06B-1 single



Pos.	Part no.	DIN/ISO	splitting	links	suitable for	equiv. no.
1	697064	06 B-1	3/8" / 9,525mm	22	Alimacchine	01NT05
2	697081	06 B-1	3/8" / 9,525mm	23	Alimacchine	40NT05
3	697082	06 B-1	3/8" / 9,525mm	27	Alimacchine	40NT20
4	697200	06 B-1	3/8" / 9,525mm	35	Fimar	SL1111
5	697204	06 B-1	3/8" / 9,525mm	36	Fimar	SL2681
6	697202	06 B-1	3/8" / 9,525mm	37,5	Fimar	SL0026
7	697203	06 B-1	3/8" / 9,525mm	38,5	Fimar	SL2680
8	697201	06 B-1	3/8" / 9,525mm	40	Fimar	SL0025
9	697077	06 B-1	3/8" / 9,525mm	41,5	Alimacchine	41NT05
10	697127	06 B-1	3/8" / 9,525mm	42	Mecnosud Pizza-Group	CA 3/8 (42anelli-IM18T-Spirale) 8300870
11	697078	06 B-1	3/8" / 9,525mm	48	Alimacchine	41NT20
12	697126	06 B-1	3/8" / 9,525mm	63	Pizza-Group	8300210
13	697261	06 B-1	3/8" / 9,525mm	67,5	Fimar	SL0101
14	697283	06 B-1	3/8" / 9,525mm	69,5	Fimar	SL2686
15	697262	06 B-1	3/8" / 9,525mm	71	Fimar	SL0102
16	697112	06 B-1	3/8" / 9,525mm	74	Pizza-Group	8300220
17	697263	06 B-1	3/8" / 9,525mm	88	Fimar	SL2741

roller chains 06B-2 double



Pos.	Part no.	DIN/ISO	splitting	links	suitable for	equiv. no.
1	697065	06 B-2	3/8"	26	Alimacchine	01NT20
2	697066	06 B-2	3/8"	30	Alimacchine	01NT40
3	697068	06 B-2	3/8"	31	Alimacchine	01NT70
4	697083	06 B-2	3/8"	34	Alimacchine	40NT40

Pos.	Part no.	DIN/ISO	splitting	links	suitable for	equiv. no.
5	697067	06 B-2	3/8"	34	Alimacchine	01NT50
6	697084	06 B-2	3/8"	40	Alimacchine	40NT50
7	697079	06 B-2	3/8"	51	Alimacchine	41NT40
8	697080	06 B-2	3/8"	56,5	Alimacchine	41NT50

roller chains 08B-1 single



Pos.	Part no.	DIN/ISO	splitting	links	suitable for	equiv. no.
1	693275	08 B-1	½" / 12,7mm	23,5	Electrolux Zanussi	056862 056862
2	697219	08 B-1	½" / 12,7mm	33,5	Fimar	SL0078
3	697220	08 B-1	½" / 12,7mm	34,5	Fimar	SL3438
4	697128	08 B-1	½" / 12,7mm	37	Cuppone Pizza-Group	92410817 8300880

roller chains 10B-1 single



Pos.	Part no.	DIN/ISO	splitting	links	suitable for	equiv. no.
1	697221	10 B-1	5/8" / 15,875mm	33	Fimar	SL2740

dough hooks
with mounting groove



Pos.	Part no.	spindle ø (mm)	effective height (mm)	for device	suitable for	equiv. no.
1	697041	-	-	NT05	Alimacchine	23NT05
2	697113	-	-	SP20	Moretti	71336030C
3	697042	15	279	NT10	Alimacchine	23NT10
4	697151	17	225	7 S	Fimar	SL1107
5	697117	17	235	12-18 S-C-F	Fimar	SL0011
6	697152	20	240	12-18 C-F	Fimar	SL2628
7	697306	20	275	-	GAM	RIMPA203014
8	697098	20	345	NT20-30	Alimacchine	23NT20 20mm
9	697001	25	350	NT20-30	Alimacchine	23NT20 25mm
10	697002	25	470	NT40	Alimacchine	23NT40 25mm
11	697003	30	395	NT40	Alimacchine	23NT40 30mm
12	697312	30	435	-	OEM	AH095
13	697000	30	490	NT50-70	Alimacchine	23NT50 30mm
14	697099	35	470	NT50-70	Alimacchine	23NT50 35mm

Food preparation equipment *dough mixers*

with mounting thread



Pos.	Part no.	TS	effective height (mm)	for device	suitable for	equiv. no.
1	697316	M18x1,5	220	17-22 TF-TR	Pizza-Group	8300480
2	697153	M18x1,5	290	25-38 S-C-F	Fimar	SL0069
3	697317	M22x1,5	285	33-42-53 TF-TR	Pizza-Group	8300490
4	697287	M22x1,5	290	IM25T-IM38T	Mecnosud	spiral hook IM
5	697154	M24x2	360	50 S-C-F	Fimar	SL1369

dough separator



Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	LA (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	697167	282	25	12	45	9	7 S	Fimar	SL1108
2	697168	300	25	12	45	9	12-18 S-C-F	Fimar	SL0013
3	697339	330	30	10	60	11	17-22 TF-TR	Pizza-Group	8301210
4	697169	367	25	12	45	11	25-38 S-C-F	Fimar	SL0071
5	697340	405	30	10	60	12	TF-TR 33	Pizza-Group	8301220
6	697170	490	25	20	45	11	50 S-C-F	Fimar	SL2726

electrical parts
control boxes



Pos.	Part no.	voltage (V)	suitable for	equiv. no.
1	401369	230	Alimacchine	93NT05 230V
2	346589	230	Fimar	SL0935
3	401684	400	Pizza-Group	8301030
4	697006	400	Alimacchine	NT20-93 3-phase
5	401885	400	-	-
6	346590	400	Fimar	SL0934
7	401371	400	Alimacchine	93NT20 400V



Pos.	Part no.	voltage (V)	function	suitable for	equiv. no.
8	401372	400	2 speeds	Alimacchine	93NT20 400V 2V
9	346591	400	2 speeds	Fimar	SL0952

front plates



1 2

Pos.	Part no.	L (mm)	B (mm)	for device	suitable for	equiv. no.
1	697095	160	105	1 speed	Alimacchine	111NT05
2	697096	160	105	2 speeds	Alimacchine	111NT40 2V

keypads



1

Pos.	Part no.	L (mm)	B (mm)	for device	suitable for	equiv. no.
1	401851	130	123		Sammic	2504482

lamps



1

Pos.	Part no.	mounting measures (mm)	socket type	connection	suitable for	equiv. no.
1	346408	ø22	Ba9s	Faston 6,3mm	Alimacchine	106NT05

accessories



1 2 3

Pos.	Part no.	description	suitable for	equiv. no.
1	346407	gasket for lamp ED ø 26mm ID ø 21,5mm	Alimacchine	108NT05
2	346410	lens green	Alimacchine	107NT05
3	346406	nut for lamp	Alimacchine	96NT05

micro-switches



Pos.	Part no.	description	suitable for	equiv. no.
1	345485	micro-switch L 47mm 1CO 20A	Pizza-Group	8300990
2	345041	micro-switch with roller lever	Ambach Aristarco Electrolux Fimar INCO S.L. Juno Sammic	5060909894 925 0H6597 SL0885 345041 0H6597 2509124
3	345138	micro-switch with pushbutton M12x1 16A L1 13mm	Fimar Küppersbusch	SL1401 177160
4	346405	position switch 1NO/1NC	Alimacchine	81NT05

rotary switches



1

Pos.	Part no.	function	switching capacity (A)	number of poles (poles)	suitable for	equiv. no.
1	345431	0-1	20	2	Pizza-Group	8301310

switches and momentary switches



1

Pos.	Part no.	description	suitable for	equiv. no.
1	345435	momentary push button switch mounting \varnothing 22mm 1NO	Pizza-Group	8301060
2	345461	mushroom switch mounting \varnothing 22mm 1NC	Pizza-Group	8301050

transformers



1

Pos.	Part no.	power (VA)	primary voltage (V)	secondary voltage (V)	suitable for	equiv. no.
1	400783	12	400	24	Pizza-Group	8301350

equipment feet



Pos.	Part no.	description	suitable for	equiv. no.
1	697329	bolt for foot ø 20mm H 30mm M12	Pizza-Group	8301330
2	697097	foot ø 29mm H 25mm bore diameter 6,5mm	Alimacchine	112NT05
3	697330	foot ø 35mm H 38mm bore diameter 20mm	Pizza-Group	8301340

flange bearings



Pos.	Part no.	type	spindle ø (mm)	LA (mm)	suitable for	equiv. no.
1	693112	UCF204	20	64	Fimar Firex Giga Lotus Offcar Pizza-Group Silko Star10	SL2647 20400012 X61500 20400012 FX20400012 8300830 0100430 X61400
2	697278	UCF205	25	70	Fimar Pizza-Group	SL0086 8300840
3	697279	UCF206	30	83	Fimar	SL2647

gas pressure springs



Pos.	Part no.	extension force (N)	hub (mm)	LA (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	697271	350	85	228	6,2	12-18 C-F	Fimar	SL2667
2	697272	700	90	255	8,2	25-38 C-F	Fimar	SL2668
3	697273	1300	145	385	8,5	50 C-F	Fimar	SL2843

gearboxes



Pos.	Part no.	motor shaft ø (mm)	Fø (mm)	transmission	drive shaft ø (mm)	Fø1	type	suitable for	equiv. no.
1	697274	11	140	1/30	19	140	width A/F 040	Fimar	SL1113
2	697275	14	160	1/28	24	160	RMI 50FL	Fimar	SL0042
3	697276	19	160	1/28	28	200	RMI 70FL	Fimar	SL0093
4	697277	24	200	1/28	32	200	RMI 85FL	Fimar	SL2642

lids plastic



Pos.	Part no.	∅ (mm)	for device	suitable for	equiv. no.
1	697139	287	7 S	Fimar	SL1105
2	697140	335	12 S-C-F	Fimar	SA1004
3	697141	376	18 S-C-F	Fimar	SA1005

Pos.	Part no.	∅ (mm)	for device	suitable for	equiv. no.
4	697142	415	25 S-C-F	Fimar	SA1006
5	697143	465	38 S-C-F	Fimar	SA1007

protective grid



Pos.	Part no.	∅ (mm)	for device	suitable for	equiv. no.
1	697320	340	17	Pizza-Group	8300000
2	697321	380	22	Pizza-Group	8300010

Pos.	Part no.	∅ (mm)	for device	suitable for	equiv. no.
3	697322	420	33	Pizza-Group	8300020
4	697144	525	50 S-C-F	Fimar	SL2711

stainless steel



Pos.	Part no.	for device	suitable for	equiv. no.
1	697022	NT05	Alimacchine	67NT05
2	697023	NT10	Alimacchine	67NT10
3	697024	NT20	Alimacchine	67NT20
4	697025	NT30	Alimacchine	67NT30

Pos.	Part no.	for device	suitable for	equiv. no.
5	697026	NT40	Alimacchine	67NT40
6	697027	NT50	Alimacchine	67NT50
7	697028	NT70	Alimacchine	67NT70

locking levers



Pos.	Part no.	TS	th.le (mm)	suitable for	equiv. no.
1	697265	M10	90	Fimar	SL2629
2	697266	M12	109	Fimar	SL2630

Pos.	Part no.	TS	th.le (mm)	suitable for	equiv. no.
3	697267	M14	97	Fimar	SL2841

motors
with flange B14



Pos.	Part no.	P (kW)	voltage (V)	freq. (Hz)	phase	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500471	1,1	400	50	3	19	120	1400	YS8034	Pizza-Group	8300530
2	500472	2	400	50	3	24	140	1400	YS9034	Pizza-Group	8300540

with flange B5



Pos.	Part no.	P (kW)	voltage (V)	freq. (Hz)	phase	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500845	-	230	-	1	-	-	-	-	Alimacchine	25NT40 230V
2	500842	-	230	-	1	-	-	-	-	Alimacchine	25NT30 230V
3	500838	-	230	-	1	-	-	-	-	Alimacchine	25NT10 230V
4	500837	-	230	-	1	-	-	-	-	Alimacchine	25NT05 230V
5	500843	-	400	-	3	-	-	-	-	Alimacchine	25NT30 400V
6	500846	-	400	-	3	-	-	-	-	Alimacchine	25NT40 400V
7	500847	-	400	-	3	-	-	-	-	Alimacchine	25NT40 400V 2V
8	500849	-	400	-	3	-	-	1400/2800	-	Alimacchine	25NT70 400V 2V
9	500848	-	400	-	3	-	-	1400/2800	-	Alimacchine	25NT50 400V 2V
10	500844	-	400	-	3	-	-	1400/2800	-	Alimacchine	25NT30 400V 2V
11	500841	-	400	50	3	-	-	1400/2800	-	Alimacchine	25NT20 400V 2V
12	500883	0,37	230	50	1	11	140	1400	M71BL4	Fimar	SL1112
13	500884	0,37	230/400	50	3	11	140	1400	71	Fimar	SL1120
14	500887	0,6/0,8	400	50	3	14	160	1400/2800	DN80B2/4	Fimar	SL0939
15	500885	0,75	230	50	1	14	160	1400	M80BL4	Fimar	SL0041
16	500839	0,75	230	50	1	19	160	1400	80/4	Alimacchine	25NT20 230V
17	500886	0,75	230/400	50	3	14	160	1400	80	Fimar	SL0040
18	500840	0,75	230/400	50	3	19	160	1400	80/4	Alimacchine	25NT20 400V
19	500888	1,1	230	50	1	19	160	1400	M905B	Fimar	SL0090
20	500889	1,1	230/400	50	3	19	160	1400	90	Fimar	SL0089
21	500893	1,3/1,7	400	50	3	19	160	1400/2800	90L	Fimar	SL0919
22	500891	1,5	230	50	1	19	160	1400	M90L4	Fimar	SL0092
23	500892	1,5	230/400	50	3	19	160	1400	90	Fimar	SL0091
24	500890	1/1,4	400	50	3	19	160	1400/2800	DN90S2/4	Fimar	SL0940
25	500894	2,2	230/400	50	3	24	200	1400	100	Fimar	SL2643
26	500895	2,6/3,37	400	50	3	24	200	1400/2800	100	Fimar	SL2718

bowls

fasteners

bolts



Pos.	Part no.	suitable for	equiv. no.
1	697176	Fimar	SL2622
2	697177	Fimar	SL2623

Pos.	Part no.	suitable for	equiv. no.
3	697178	Fimar	SL1932

sealing rings



Pos.	Part no.	suitable for	equiv. no.
1	697181	Fimar	SL1334
2	697179	Fimar	SL1890

Pos.	Part no.	suitable for	equiv. no.
3	697180	Fimar	SL1034

transmission parts

drive flanges



Pos.	Part no.	ø (mm)	int. ø (mm)	thickness (mm)	for device	suitable for	equiv. no.
1	697173	280	50	3	12-18 C	Fimar	SL2635
2	697174	330	60	4	25-38 C	Fimar	SL2636
3	697175	430	60	6	50 C	Fimar	SL1302

flanges



Pos.	Part no.	ø (mm)	D1 ø (mm)	thickness (mm)	for device	suitable for	equiv. no.
1	697191	-	-	-	25-38 F	Fimar	SL2867
2	697190	105	50	23	12-18 F	Fimar	SL2866
3	697187	120	50	20	12-18 C	Fimar	SL2620
4	697188	180	60	22	25-38 C	Fimar	SL2621
5	697192	180	60	28	50 F	Fimar	SL2868
6	697189	210	60	26	50 C	Fimar	SL2839

mounting flanges



Pos.	Part no.	ø (mm)	int. ø (mm)	thickness (mm)	for device	suitable for	equiv. no.
1	697182	300	113	3	12 C	Fimar	SL2632
2	697183	340	113	3	18 C	Fimar	SL2633
3	697184	380	168	4	25 C	Fimar	SL2637
4	697185	430	168	4	38 C	Fimar	SL2634
5	697186	480	198	6	50 C	Fimar	SL1303

bowls



Pos.	Part no.	int. ø (mm)	H (mm)	version	for device	suitable for	equiv. no.
1	697034	-	-	-	NT05	Alimacchine	66NT05
2	697035	-	-	-	NT10	Alimacchine	66NT10
3	697037	-	-	-	NT30	Alimacchine	66NT30
4	697038	-	-	-	NT40	Alimacchine	66NT40
5	697039	-	-	-	NT50	Alimacchine	66NT50
6	697040	-	-	-	NT70	Alimacchine	66NT70
7	697155	260	200	attached	7 S	Fimar	SL1106
8	697156	320	210	attached	12 S-F	Fimar	SL0008
9	697162	320	210	detachable	12 C	Fimar	SA1150
10	697157	360	210	attached	18 S-F	Fimar	SL0009
11	697163	360	210	detachable	18 C	Fimar	SA1160
12	697036	365	255	attached	NT20	Alimacchine	66NT20
13	697158	400	260	attached	25 S-F	Fimar	SL0067
14	697164	400	260	detachable	25 C	Fimar	SA1170
15	697159	450	260	attached	38 S-F	Fimar	SL0068
16	697165	450	260	detachable	38 C	Fimar	SA1180
17	697161	500	310	attached	50 S-F	Fimar	SL1304
18	697166	500	310	detachable	50 C	Fimar	SA1190

spacer rings



Pos.	Part no.	ø (mm)	int. ø (mm)	H (mm)	suitable for	equiv. no.
1	697100	-	20	-	Alimacchine	16NT20 20mm
2	697118	22	18	31,5	Fimar	SL0020
3	697053	23	15	12	Alimacchine	16NT05
4	697101	-	25	-	Alimacchine	14NT40 25mm
5	697195	25	21	31	Fimar	SL2618
6	697198	25	21	53	Fimar	SL2617
7	692028	27	21	7	OEM	AE03100

Pos.	Part no.	ø (mm)	int. ø (mm)	H (mm)	suitable for	equiv. no.
8	697048	28	20,5	11	Alimacchine	61NT05
9	697049	28	20,5	28	Alimacchine	61NT20
10	697102	-	30	-	Alimacchine	16NT50 30mm
11	692031	30	21	10,6	OEM	AE14700
12	697054	34	25	15	Alimacchine	16NT20 25mm
13	697210	35	26	24	Fimar	SL2619
14	697055	40	30	15	Alimacchine	16NT40 30mm



Pos.	Part no.	ø (mm)	int. ø (mm)	H (mm)	suitable for	equiv. no.
15	698189	40	35	22	IGF	2400/S25Z40

Pos.	Part no.	ø (mm)	int. ø (mm)	H (mm)	suitable for	equiv. no.
16	697056	45	35	15	Alimacchine	16NT50 35mm

spindles for lids



Pos.	Part no.	ø (mm)	L (mm)	suitable for	equiv. no.
1	697029	12	242	Alimacchine	73NT05
2	697030	12	275	Alimacchine	73NT20
3	697031	12	305	Alimacchine	73NT40
4	697032	12	345	Alimacchine	73NT50
5	697033	12	395	Alimacchine	73NT70
6	697145	15	173	Fimar	SL1110

Pos.	Part no.	ø (mm)	L (mm)	suitable for	equiv. no.
7	697146	15	199	Fimar	SL0021
8	697136	15	210	Pizza-Group	8300260
9	697147	15	244	Fimar	SL0076
10	697137	15	250	Pizza-Group	8300270
11	697148	15	283	Fimar	SL2727

for mixer bowls



Pos.	Part no.	ø (mm)	D1 ø (mm)	L (mm)	for device	suitable for	equiv. no.
1	697114	17	20	127	7-12-18 S-C-F	Fimar	SL0014
2	697115	20	25	138	25-38 S-C-F	Fimar	SL0072
3	697258	25	30	160	50 S-C-F	Fimar	SL2728
4	697135	25	30	176	-	Pizza-Group	8300250

miscellaneous



Pos.	Part no.	ø (mm)	L (mm)	suitable for	equiv. no.
1	697268	12	170	Fimar	SL2624
2	697269	12	190	Fimar	SL2625

Pos.	Part no.	ø (mm)	L (mm)	suitable for	equiv. no.
3	697270	12	234	Fimar	SL2842

toothed wheels
for 05 B-1 chains 8mm



Pos.	Part no.	teeth	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697240	16	20	7-12-18 S-C-F	Fimar	SL0044



Pos.	Part no.	teeth	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697254	76	50	7 S	Fimar	SL1117
2	697255	85	50	12-18 S-C-F	Fimar	SL0057

for 06 B-1 chains 3/8"



Pos.	Part no.	teeth	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697057	13	15	NT05-10	Alimacchine	07NT05
2	697134	14	22	17-22 TF-TR	Pizza-Group	8300710
3	697193	15	17	7-12-18 S-C-F	Fimar	SL0024
4	697132	15	25	17-22 TF-TR	Pizza-Group	8300410
5	697241	16	25	25-38 S-C-F	Fimar Pizza-Group	SL0094 8300720
6	697061	17	20	NT05-10	Alimacchine	03NT05
7	697242	20	30	50 S-C-F	Fimar	SL2645
8	697206	29	17	7-12-18 S-C-F	Fimar	SL0030
9	697129	29	20	17-22 TF-TR	Pizza-Group	8300850



Pos.	Part no.	teeth	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697131	72	60	17-22 TF-TR	Pizza-Group	8300230
2	697256	85	60	25-38 S-C-F	Fimar Pizza-Group	SL0100 8300240
3	697257	110	80	50 S-C-F	Fimar	SL2646

Food preparation equipment *dough mixers*



Pos.	Part no.	teeth	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697089	12/30	20	NT05-10-20-30	Alimacchine	39NT05

for 06 B-2 chains 3/8"



Pos.	Part no.	teeth	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697103	14	20	NT20-30	Alimacchine	07NT20 20mm
2	697058	14	25	NT20-30	Alimacchine	07NT20 25mm
3	697062	18	20	NT20-30	Alimacchine	03NT20
4	697104	19	25	NT40	Alimacchine	07NT40 25mm
5	697059	19	30	NT40-50-70	Alimacchine	07NT40 30mm
6	697060	19	35	NT50-70	Alimacchine	07NT50 35mm
7	697063	28	25	NT40-50-70	Alimacchine	03NT40



Pos.	Part no.	teeth	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697090	14/39		NT40-50-70	Alimacchine	39NT40

for 08 B-1 chains 1/2"



Pos.	Part no.	teeth	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697776	15	20	-	IGF	2200/S38Z01
2	697209	15	20	25-38 C-F	Fimar	SL2691
3	697207	15	30	25-38 S-C-F	Fimar	SA8400
4	697133	15	30	33-42-53 TF-TR	Pizza-Group	8300420
5	698187	15	35	25	IGF	2400/S25Z38
6	697223	29	20	25-38 S-C-F	Fimar	SL0084
7	697130	29	25	33-42-53 TF-TR	Pizza-Group	8300860

for 10 B-1 chains 5/8"



Pos.	Part no.	teeth	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697214	15	25	50 S-C-F	Fimar	SL2733
2	697224	24	25	50 S-C-F	Fimar	SL2734

transmission parts
couplings



Pos.	Part no.	ø (mm)	shaft intake ø (mm)	for device	suitable for	equiv. no.
1	697249	41	25	25-38 C-F	Fimar	SL2525
2	697248	50	20	12-18 C-F	Fimar	SL2524
3	697250	60	30	50 C-F	Fimar	SL2831

drive shafts
for couplings



Pos.	Part no.	ø (mm)	D1 ø (mm)	L (mm)	for device	suitable for	equiv. no.
1	697245	17	20	113	12-18 C-F	Fimar	SL2615
2	697246	20	25	106	25-38 C-F	Fimar	SL2616
3	697247	25	30	162	50 C	Fimar	SL2832

for dough hooks



Pos.	Part no.	ø (mm)	D1 ø (mm)	D2 ø (mm)	L (mm)	internal thread	int. ø (mm)	for device	suitable for	equiv. no.
1	697212	20	25	30	150	M18x1,5	-	25-38 C-F	Fimar	SL2614
2	697314	25	30	-	95	M18x1,5	-	-	Pizza-Group	8300460
3	697217	25	30	40	160	M24x2	-	50 S-C-F	Fimar	SL2729
4	697315	30	-	-	92	M22x1,5	-	33-42-53 TF-TR	Pizza-Group	8300470
5	698188	35	38	-	110	-	20	-	IGF	2400/S25Z43

Food preparation equipment *dough mixers*



1

2

Pos.	Part no.	ø (mm)	D1 ø (mm)	D2 ø (mm)	L (mm)	TS	for device	suitable for	equiv. no.
1	692036	20	29	100	140	M10	-	OEM	AOEMKE100
2	697288	25	55	-	153	-	S30-S40	GAM	RIMPS30E19

accessories



1

Pos.	Part no.	description	suitable for	equiv. no.
1	697289	for dough hook	GAM	RIMPS30E07

for gearboxes



Pos.	Part no.	ø (mm)	D1 ø (mm)	D2 ø (mm)	L (mm)	version	for device	suitable for	equiv. no.
1	697228	19	20	17	450	-	7 S	Fimar	SL1116
2	697085	20	-	-	430	-	-	Alimacchine	37NT05
3	697086	20	-	-	510	-	NT20-30	Alimacchine	37NT20
4	697394	22	25	20	295	-	-	Pizza-Group	8300810
5	697234	24	20	17	385	from 10/2003	12-18 C-F	Fimar	SL2854
6	697233	24	20	17	458	until 10/2003	12-18 C-F	Fimar	SL2611
7	697229	24	20	17	482	-	12-18 S	Fimar	SL0048
8	697087	25	-	-	610	-	NT40	Alimacchine	37NT40
9	697088	25	-	-	695	-	NT50-70	Alimacchine	37NT50
10	697335	25	20	20	487	-	-	Pizza-Group	8300690
11	697336	25	25	25	545	-	-	Pizza-Group	8301910
12	697235	28	25	20	464	from 08/2003	25 C-F	Fimar	SL2855
13	697236	28	25	20	472	from 08/2003	38 C-F	Fimar	SL2856
14	697230	28	25	20	526	-	25 S	Fimar	SL0097
15	697238	28	25	20	530	until 08/2003	25 C-F	Fimar	SL2612
16	697231	28	25	20	542	-	38 S	Fimar	SL0098
17	697239	28	25	20	544	until 08/2003	38 C-F	Fimar	SL2613
18	697337	28	25	25	545	-	-	Pizza-Group	8300700
19	697237	32	30	25	592	-	50 C-F	Fimar	SL2840
20	697232	32	30	25	740	-	50 S	Fimar	SL2730

for mixer bowls



Pos.	Part no.	version	ø (mm)	L (mm)	teeth	for device
1	697045	with toothed chain drive	20	122	12	NT05-10
2	697046	with toothed chain drive	20	142	12	NT20-30



Pos.	Part no.	version	ø (mm)	L (mm)	teeth	for device
1	697047	with toothed chain drive	20	185	12	NT40-50-70

drive belt pulleys



Pos.	Part no.	disc ø (mm)	version	shaft intake ø (mm)	suitable for	equiv. no.
1	697009	207	single	20	Alimacchine	45NT05
2	697010	287	single	20	Alimacchine	45NT20
3	697011	308	2-fold	20	Alimacchine	45NT40



Pos.	Part no.	disc ø (mm)	version	shaft intake ø (mm)	suitable for	equiv. no.
1	697091	44	single	19	Alimacchine	34NT05
2	697094	45	double	28	Alimacchine	34NT50
3	697092	48	single	24	Alimacchine	34NT30
4	697093	58	double	24	Alimacchine	34NT40

V-belts



Pos.	Part no.	CODE	belt width (mm)	L (mm)	H (mm)	suitable for	equiv. no.
1	697071	A32	13	813	8	Alimacchine	44NT05
2	697072	A42	13	1067	8	Alimacchine	44NT20
3	697073	A43	13	1092	8	Alimacchine	44NT30
4	697074	A49	13	1250	8	Alimacchine	44NT40
5	697075	A52	13	1320	8	Alimacchine	44NT50
6	697076	A56	13	1422	8	Alimacchine	44NT70

miscellaneous

Pos.	Part no.	description	suitable for	equiv. no.
1	697149	for lid ID ø 15mm M8	Fimar	SL0035
2	697350	bush for lid	Pizza-Group	8300370
3	697043	bush for micro-switch	Alimacchine	71NT05
4	697150	bush for micro-switch ID ø 15mm	Fimar	SL0036
5	560292	eye bolt for motor L 55mm M10	Alimacchine	32NT05
6	697318	flange for gearbox ø 100mm ID ø 70mm	Pizza-Group	8301590
7	697319	flange for gearbox ø 140mm ID ø 95mm	Pizza-Group	8301600

Pos.	Part no.	description	suitable for	equiv. no.
8	697281	protective cover L 205mm H 125mm	Fimar	SL2638
9	697044	stop bolt for lid ø 15mm L 25mm M6	Alimacchine	83NT05
10	697353	stop bolt for lid ø 20mm L 15mm	Pizza-Group	8301270
11	700195	swivel castor with caging device ø 75mm M12	Pizza-Group	8301570
12	700206	swivel castor without caging device ø 75mm M12	Pizza-Group	8301580
13	560295	tightening rod M10 L 130mm steel zinc coated	Alimacchine	27NT05
14	560296	tightening rod M10 L 145mm steel zinc coated	Alimacchine	27NT50

Pos.	Part no.	description	suitable for	equiv. no.
15	560297	tightening rod M10 L 180mm steel zinc coated	Alimacchine	27NT70

dough rollers
spindles



Pos.	Part no.	ø (mm)	L (mm)	suitable for	equiv. no.
1	693923	22	156	Pizza-Group	3003650
2	692005	24	160	OEM	KF062

Pos.	Part no.	ø (mm)	L (mm)	suitable for	equiv. no.
3	693666	24	161	IGF	2300/B30Z39

bars



Pos.	Part no.	ø (mm)	L (mm)	suitable for	equiv. no.
1	693915	5	315	Pizza-Group	3100400
2	693670	5	328	IGF	2300/B30Z33
3	693671	5	428	IGF	2300/B40PZ31

Pos.	Part no.	ø (mm)	L (mm)	suitable for	equiv. no.
4	693916	5	440	Pizza-Group	3100500
5	693917	5	480	Pizza-Group	3100600

couplings



Pos.	Part no.	version	ø (mm)	int. ø (mm)	H (mm)	suitable for	equiv. no.
1	692012	-	35	25	14	OEM	KF07600
2	694263	-	36	26	13	Mecnosud	DLX30035
3	692011	-	41,5	25	12	Electrolux OEM Pizza-Group	033750 KF07500 4203200
4	694264	-	42	20,5	12	Mecnosud	DLX30021
5	693661	set	42	26	23	IGF	2300/B30Z35
6	693646	set	42,8	25	21	Pizza-Group	4203250

electrical parts
foot switches



Pos.	Part no.	suitable for	equiv. no.
1	346841	Fimar Pizza-Group	COMPED 2300020

Food preparation equipment *dough rollers*

keypads

keypad foils



1



2

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	401641	100	80	Mecnosud	DLX30006

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
2	401587	100	80	Pizza-Group	5800370

keypads



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403009	85,5	34,5	Fimar Pizza-Group	CO1857 5320300

membrane keypads



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	346443	70	60	IGF	2300/L30Z06

PCBs



1



2



3



4



5

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
1	692039	230	-	Fimar Pizza-Group	CO1856 5310050
2	692027	230	-	Fimar Pizza-Group	CO1931 5310000
3	346445	230	-	IGF	2300/L30Z10
4	346446	230	-	IGF	2300/B30Z10
5	401640	230	DL 30-40	Mecnosud	DLX30003

momentary switch



1

Pos.	Part no.	voltage (V)	switching capacity (A)	function	mounting ø (mm)	suitable for	equiv. no.
1	699002	250	16	1NC/1NO	22	Fimar	SL0891

holders



Pos.	Part no.	Lø (mm)	H (mm)	LA (mm)	suitable for	equiv. no.
1	692002	10	20	31	OEM	R3K10R0
2	693658	10	20	32	Pizza-Group	3503800

Pos.	Part no.	Lø (mm)	H (mm)	LA (mm)	suitable for	equiv. no.
3	693667	10	21	31	IGF	2300/B30Z40

levers



Pos.	Part no.	shaft intake ø (mm)	L (mm)	for device	suitable for	equiv. no.
1	700666	-	-	P30	Pizza-Group	3004500
2	691233	8	220	DL30	Mecnosud	DL030018
3	697338	8,3	230	P40	Pizza-Group	3004550

accessories



Pos.	Part no.	ø (mm)	L (mm)	TS	suitable for	equiv. no.
1	700667	25	15	M5	Pizza-Group	3004600

Pos.	Part no.	ø (mm)	L (mm)	TS	suitable for	equiv. no.
2	697348	25	20	M5	Pizza-Group	3004650

motors
with flange B5



Pos.	Part no.	P (kW)	voltage (V)	freq. (Hz)	phase	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500903	0,25	230	50	1	14	160	1400	M71B4	Pizza-Group	5420200
2	500821	0,37	230	50	1	14	160	1400	M71BL4	Moretti Pizza-Group	74015340 5420300
3	500904	0,55	230	50	1	14	160	1400	M80B4	Pizza-Group	5420310

with foot



Pos.	Part no.	P (kW)	voltage (V)	freq. (Hz)	phase	spindle ø (mm)	speed (rpm)	type	BM (mm)	suitable for	equiv. no.
1	500870	0,37	230	50	1	14	1400	M71BL4T	90x112	IGF	2300/B30Z15

Food preparation equipment *dough rollers*

pinions group 1



Pos.	Part no.	ø (mm)	H (mm)	MP	int. ø (mm)	suitable for	equiv. no.
1	694261	47	33	-	-	Mecnosud	DLX30036
2	693662	47	33,5	front	14	IGF	2300/B30Z36
3	697108	47,5	35	front	14	Electrolux Fimar OEM Pizza-Group	033747 CO1818 RC056R0 3203410

group 2



Pos.	Part no.	ø (mm)	H (mm)	MP	int. ø (mm)	suitable for	equiv. no.
1	694262	47	33	-	-	Mecnosud	DLX30043
2	693664	47	33,5	inner	25	IGF	2300/B30Z43
3	692008	47,5	34	inner	25	OEM	KF07720
4	697109	47,5	35	inner	25	Electrolux Fimar OEM Pizza-Group	034202 CO1819 RC057R0 3203510

springs



Pos.	Part no.	ø (mm)	thickness (mm)	suitable for	equiv. no.
1	692010			OEM Pizza-Group	MC114 5003010

Pos.	Part no.	ø (mm)	thickness (mm)	suitable for	equiv. no.
2	693920	49	1,5	Fimar Mecnosud OEM Pizza-Group	CO1823 DLX30033 MC114 5003010

roll units complete



1

Pos.	Part no.	L (mm)	MP	suitable for	equiv. no.
1	691234	165	upper	Mecnosud	DL030100

roller covers
bottom



Pos.	Part no.	L (mm)	B (mm)	H (mm)	for device	suitable for	equiv. no.
1	697341	-	-	-	P30	Fimar OEM Pizza-Group	CO1848 RC418R0 4100070
2	697308	-	-	-	P40T	Fimar Pizza-Group	CO1883 4100450
3	697521	350	58	86	L30-B30	IGF	2300/L30Z01
4	697520	450	58	86	L40-B40-L40P-B40P	IGF	2300/B40Z01

upper



Pos.	Part no.	L (mm)	B (mm)	H (mm)	for device	suitable for	equiv. no.
1	697342	-	-	-	P30	Fimar OEM Pizza-Group	CO1847 RC418R0 4100060
2	697307	-	-	-	P40T	Fimar Pizza-Group	CO1900 4100400
3	697343	360	130	250	P40	Fimar Pizza-Group	CO1882 4100380

rollers



Pos.	Part no.	MP	L (mm)	ø (mm)	suitable for	equiv. no.
1	693932	bottom back	298	48	Pizza-Group	3003900
2	692014	bottom back	306	49	OEM	KF073
3	693675	bottom back	308	49	IGF	2300/B30Z29
4	693677	bottom back	408	49	IGF	2300/B40PZ27
5	693912	bottom back	422	48	Electrolux Pizza-Group	0PR019 3003950
6	693913	bottom back	464	52	Pizza-Group	3003930
7	693908	bottom front	298	48	Pizza-Group	3003800
8	692015	bottom front	306	49	OEM	KF072
9	693676	bottom front	308	49	IGF	2300/B30Z30
10	693659	bottom front	408	49	IGF	2300/B40PZ28
11	693909	bottom front	422	48	Pizza-Group	3003850
12	693910	bottom front	464	52	Pizza-Group	3003920
13	692016	bottom back	-	-	OEM	KF074
14	693901	bottom back	167	48	Pizza-Group	3003100
15	693680	bottom back	176	48	IGF	2300/B30Z46
16	693682	bottom back	218	48	IGF	2300/B40Z46
17	693903	bottom back	218	48	Pizza-Group	3003150
18	693904	bottom back	298	56	Pizza-Group	3003180

Food preparation equipment *dough rollers*



Pos.	Part no.	MP	L (mm)	ø (mm)	suitable for	equiv. no.
19	693684	upper back	308	46	IGF	2300/B40PZ44
20	692017	upper front	-	-	OEM	KF071
21	693905	upper front	167	48	Pizza-Group	3003000
22	693681	upper front	176	48	IGF	2300/B30Z50
23	693683	upper front	218	48	IGF	2300/B40Z50
24	693906	upper front	218	48	Pizza-Group	3003050
25	693907	upper front	298	52	Pizza-Group	3003160
26	693685	upper front	308	46	IGF	2300/B40PZ48

round belt pulleys



Pos.	Part no.	disc ø (mm)	shaft intake ø (mm)	disc width (mm)	material	for device	suitable for	equiv. no.
1	693927	70	14	28,5	metal	P45	Pizza-Group	3150050
2	693697	74	14	32	metal	L30-B30-L40-B40	IGF	2300/B30Z12
3	691229	75	13	29	plastic	DL 30-40	Mecnosud	DLX30012
4	693926	76	14	29,5	plastic	P30-P40	Pizza-Group	3150080
5	691230	94	14x11	29	plastic	DL 30-40	Mecnosud	DLX30013
6	697285	96	14	29,5	plastic	P30-P40	Pizza-Group	3150030



Pos.	Part no.	disc ø (mm)	shaft intake ø (mm)	disc width (mm)	material	for device	suitable for	equiv. no.
1	693699	85	14	24,5	metal	L40P-B40P	IGF	2300/B40PZ17
2	693924	90	14	12,2	metal	P45	Pizza-Group	3150010
3	693698	98	14	13	metal	L30-B30-L40-B40	IGF	2300/B30Z13
4	693925	110	14	12	metal	P45	Pizza-Group	3150200

round belts



Pos.	Part no.	L (mm)	ø (mm)	suitable for	equiv. no.
1	693701	540	8	IGF Pizza-Group	2300/B30Z19 5070200
2	693873	560	8	Pizza-Group	5070080
3	693874	600	8	Pizza-Group	5070090
4	693705	620	8	IGF	2300/B40PZ16
5	693703	635	8	IGF	2300/B40Z19

Pos.	Part no.	L (mm)	ø (mm)	suitable for	equiv. no.
6	691231	640	8	Mecnosud	DL030019
7	693700	645	8	IGF	2300/B30Z14
8	693843	680	8	Pizza-Group	5070050
9	695277	720	6	ITV	110629
10	691232	730	8	Mecnosud	DL030014



Pos.	Part no.	L (mm)	ø (mm)	suitable for	equiv. no.
11	694259	750	8	Mecnosud	DL040019
12	693875	784	8	Pizza-Group Star10	5070010 009453.51
13	695278	830	6	ITV	110622
14	693876	860	8	Pizza-Group	5070160
15	693704	884	8	IGF	2300/B40PZ11
16	693702	895	8	IGF	2300/B40Z14

Pos.	Part no.	L (mm)	ø (mm)	suitable for	equiv. no.
17	693877	920	8	Pizza-Group	5070180
18	695298	940	6	ITV	110624
19	695399	950	7	Linea Blanca	A049500
20	693878	950	8	Pizza-Group	5070220
21	695299	1280	6	ITV	110623

side parts



Pos.	Part no.	MP	B (mm)	L (mm)	H (mm)	for device	suitable for	equiv. no.
1	693665	bottom right	40	125	100	L30-B30-L40-B40	IGF	2300/B30Z42
2	693922	bottom right	40	125	100	P30-P40	Fimar Pizza-Group	CO1833 3004200
3	692024	right	39	125	100	F/30	OEM	KD05020
4	693679	upper right	40	125	100	L30-B30-L40-B40	IGF	2300/B30Z48
5	697332	upper right	40	125	100	P30-P40	Fimar Pizza-Group	CO1815 3003400
6	697333	upper right	40	135	100	P40T	Fimar Pizza-Group	CO1872 3003450



Pos.	Part no.	MP	B (mm)	L (mm)	H (mm)	for device	suitable for	equiv. no.
1	691911	bottom left	20	115	80	P30-P40	Fimar Pizza-Group	CO1834 3004300
2	693669	bottom left	25	122	80	L30-B30-L40-B40	IGF	2300/B30Z28
3	692025	left	25	122	80	F/30	OEM	KF061
4	692040	upper left	20	115	80	P30-P40	Fimar Pizza-Group	CO1816 3003410
5	697334	upper left	20	125	80	P40T	Fimar Pizza-Group	CO1893 3003550
6	693678	upper left	25	115	80	L30-B30-L40-B40	IGF	2300/B30Z45

Food preparation equipment *dough rollers*

spindles
cylindrical



Pos.	Part no.	ø (mm)	L (mm)	MP	suitable for	equiv. no.
1	692020	25	-	upper back	OEM	KF068
2	693885	25	212	upper back	Pizza-Group	3003300
3	693686	25	218	upper back	IGF	2300/B30Z47
4	693687	25	260	upper back	IGF	2300/B40Z47
5	693886	25	262	upper back	Pizza-Group	3004100
6	693887	25	342	bottom back	Pizza-Group	3004100
7	692018	25	350	bottom back	OEM	KF069
8	693673	25	350	bottom back	IGF	2300/B30Z44
9	693688	25	350	upper back	IGF	2300/B40PZ45
10	693672	25	450	bottom back	IGF	2300/B40PZ44
11	693888	25	467	bottom back	Pizza-Group	3003350
12	693889	25	508	bottom back	Pizza-Group	3004120

eccentric



Pos.	Part no.	ø (mm)	L (mm)	MP	suitable for	equiv. no.
1	692021	25	-	upper in the front	OEM	KF064
2	693890	25	244	upper in the front	Pizza-Group	3003200
3	693689	25	248	upper in the front	IGF	2300/B30Z49
4	693690	25	288	upper in the front	IGF	2300/B40Z49
5	693891	25	293	upper in the front	Pizza-Group	3003250
6	693892	25	373	upper in the front	Pizza-Group	3004000
7	693660	25	378	bottom in the front	IGF	2300/B30Z34
8	693691	25	378	upper in the front	IGF	2300/B40PZ47
9	692019	25	380	bottom in the front	OEM	KF063
10	693674	25	478	bottom in the front	IGF	2300/B40Z34
11	693893	25	499	bottom in the front	Pizza-Group	3004050
12	693894	25	538	bottom in the front	Pizza-Group	3004110

springs



Pos.	Part no.	MP	for device	suitable for	equiv. no.
1	694241	front	DL 30-40	Mecnosud	DLX30027
2	694238	front	FI32-FI42-FIP42	Fimar	SL2384
3	693692	in the front/at the back	-	IGF	2300/B30Z27
4	693789	in the front/at the back	P30-P40	Pizza-Group	4000500
5	694240	rear	DL 30-40	Mecnosud	DLX30024
6	694239	rear	FI32-FI42-FIP42	Fimar	SL2385

wipers



Pos.	Part no.	L (mm)	MP	for device	suitable for	equiv. no.
1	693694	305	front	L30-B30	IGF	2300/B30Z31
2	693693	305	rear	L30-B30	IGF	2300/B30Z32
3	693895	330	front	P30	Fimar Pizza-Group	CO1914 4001020
4	693898	330	rear	P30	Fimar Pizza-Group	CO1913 4001010
5	696339	355	rear	-	Mecnosud	DL030031
6	696340	355	front	-	Mecnosud	DL030032
7	693696	405	front	L40-B40-L40P-B40P	IGF	2300/B40PZ29
8	693695	405	rear	L40-B40-L40P-B40P	IGF	2300/B40PZ30
9	693896	456	front	P40	Fimar Pizza-Group	CO1911 4001040
10	693899	456	rear	P40	Fimar Pizza-Group	CO1912 4001030
11	693897	498	front	P45	Pizza-Group	4001060
12	693900	498	rear	P45	Pizza-Group	4001050

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	697347	distance washer for dough roller \varnothing 11mm H 30mm	Pizza-Group	3002170
2	693706	fan wheel \varnothing 110mm H 16mm	IGF	2300/B30Z18
3	693921	lid for side part \varnothing 30,5mm H 11mm	OEM Pizza-Group	AD174 4203100
4	693668	lid for side part \varnothing 30,5mm H 7mm	IGF	2300/B30Z38
5	697352	spacer piece H 6mm M4	Pizza-Group	5320750
6	697774	spacer piece for dough roller \varnothing 10mm L 43mm	Pizza-Group	3002470

hand blenders

beater



Pos.	Part no.	∅ (mm)	L (mm)	L∅ (mm)	for device	suitable for	equiv. no.
1	698258	60	190	6	JUNIOR	Dynamic	9424
2	697416	90	265	8	FM3	Fimar	SL0743
3	697763	90	270	8	350/450/650	Fama	F2435

gearboxes



Pos.	Part no.	for device	suitable for	equiv. no.
1	697405	FM3	Fimar	SA9500

drive gears



Pos.	Part no.	∅ (mm)	shaft ∅ (mm)	shaft length (mm)	version	for device	suitable for	equiv. no.
1	697401	-	8	63	-	FM3	Fimar	SL0739
2	697404	-	8	70	single	FM3	Fimar	SA8800
3	697403	45	8	70	double	FM3	Fimar	SA8900

blender sticks

bearing blocks



Pos.	Part no.	MP	∅ (mm)	int. ∅ (mm)	H (mm)	for device	suitable for	equiv. no.
1	698270	-	22	8	30	MASTER/PMF250	Dynamic	7916
2	651024	bottom	49,5	24	31,5	VORTEX	Sirman	IB9866003
3	697406	bottom	95	25	84	FM3	Fimar	SL0775
4	697412	centre	25	22	15	FM3	Fimar	SL0740

miscellaneous



1

Pos.	Part no.	description	suitable for	equiv. no.
1	697408	disc ø 45,5mm ID ø 9mm FM3	Fimar	SL0777

blades

blades with adaptor



Pos.	Part no.	ø (mm)	Lø (mm)	H (mm)	for device	suitable for	equiv. no.
1	651020	38	6	15	-	IRIMARTEK SA	3280101
2	698262	40	4	12	MPX94	Dynamic	9415
3	698261	40	4	18	MPX94	Dynamic	9414
4	651017	60	7	18	-	IRIMARTEK SA	3280201
5	697411	60	8	22	FM3	Fimar	SL0744
6	651025	60	8	40	VORTEX	Sirman	IB9866004
7	698271	70	8	30	SMX	Dynamic	45161

spare blades



Pos.	Part no.	Lø (mm)	for device	suitable for	equiv. no.
1	651034	6x5	CICLONE	Sirman	IB2680401

Pos.	Part no.	Lø (mm)	for device	suitable for	equiv. no.
2	651033	6x8	VORTEX	Sirman	IB2680400

accessories



1

2

Pos.	Part no.	description	suitable for	equiv. no.
1	651035	blade holder CICLONE	Sirman	IB1980406

Pos.	Part no.	description	suitable for	equiv. no.
2	651036	screw for knife CICLONE	Sirman	IB1980407

blender sticks



1

2

Pos.	Part no.	version	L (mm)	Fø (mm)	BA (mm)	for device	suitable for	equiv. no.
1	698238	complete	450	-	-	-	Sirman	66204500
2	698260	with gasket	215	70	60	MPX94	Dynamic	9510

bushes



1

Pos.	Part no.	ø (mm)	int. ø (mm)	L (mm)	suitable for	equiv. no.
1	651021	11	8	10,3	Sirman	IB2104020

gaskets



1

Pos.	Part no.	ext. ø (mm)	int. ø (mm)	suitable for	equiv. no.
1	651023	46	32	Sirman	IB4104005

spindles



1

Pos.	Part no.	version	D1 ø (mm)	D2 ø (mm)	L (mm)	material	suitable for	equiv. no.
1	698259	with coupling	4	8	180	stainless steel	Dynamic	089956

couplings



1

2

Pos.	Part no.	L (mm)	D1 ø (mm)	D2 ø (mm)	int. ø 1 (mm)	int. ø 2 (mm)	for device	suitable for	equiv. no.
1	699008	33,5	20	23	8	8	FM3	Bartscher Fimar	SL1496 SL1496
2	651038	35,3	12,3	8,6	6,5	4	-	Dynamic	9508



Pos.	Part no.	L (mm)	D1 ø (mm)	D2 ø (mm)	int. ø 1 (mm)	TS	version	for device	suitable for	equiv. no.
1	651032	36	18	21	8	M6L	-	CICLONE	Sirman	IB4004048
2	651027	36	18	21	12	M8L	from 10/2004	VORTEX	Sirman	IB4004043.04



Pos.	Part no.	L (mm)	D1 ø (mm)	D2 ø (mm)	int. ø 1 (mm)	TS	teeth	version	for device	suitable for	equiv. no.
1	651022	-	-	-	-	-	-	from 10/2004	VORTEX	Sirman	IB4004045.04
2	651030	35	12	24	-	M8L	8	until 09/2004	VORTEX	Sirman	IB4004045
3	651031	45	12	23	8	M6L	4	-	CICLONE	Sirman	IB4004046

electrical parts
PCBs



1

2

3

Pos.	Part no.	version	voltage (V)	for device	suitable for	equiv. no.
1	300367	with potentiometer	230	CICLONE	Sirman	IB5944014
2	402045	with potentiometer	230	FM3	Bartscher Fimar	SA3600 SA3600
3	401953	with potentiometer	230	VORTEX	Sirman	IB5944010

switches and momentary switches
momentary push switches



1

2

3

Pos.	Part no.	mounting measures (mm)	voltage (V)	switching capacity (A)	function	for device	suitable for	equiv. no.
1	346959	29x29	250	6	1NO	CICLONE	Sirman	IB5804403
2	346955	29x29	250	6	1NO	VORTEX	Marquardt Sirman	1298.0101 IB5804402
3	697414	29x29	250	16	2NO	FM3	Fimar	SL0757

rocker switches



1

Pos.	Part no.	mounting dimensions (mm)	function	voltage (V)	switching capacity (A)	for device	suitable for	equiv. no.
1	346890	30x11	1CO	250	16	FM3	Bartscher Fimar	SL0758 SL0758

Food preparation equipment *hand blenders*

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	550963	bend relief ID ø 7mm	Sirman	IB5894000
2	111235	knob symbol zero mark ø 23mm shaft ø 5,5mm black	Sirman	IB4200705
3	528977	pressure spring ø 5,5mm L 15mm wire gauge ø 0,4mm	Sirman	IB76M4005
4	691262	pressure spring ø 6mm L 13mm wire gauge ø 0,8mm	Sirman	IB76M4000
5	346958	protective cover for push switch 45x21mm	Sirman	IB4104102
6	346960	protective cover for push-button L 45mm W 21mm	Sirman	IB4104002
7	346961	push button ø 10mm L 62mm VORTEX	Sirman	IB4004042



Pos.	Part no.	description	suitable for	equiv. no.
8	346954	push button ø 10mm L 72mm CICLONE	Sirman	IB4004047

flange



Pos.	Part no.	ø (mm)	H (mm)	for device	suitable for	equiv. no.
1	697400	92	48	FM3	Fimar	SL0732

housing



Pos.	Part no.	version	colour	for device	suitable for	equiv. no.
1	699014	left/right	green	FM3	Fimar	SA1202

motor



Pos.	Part no.	voltage (V)	power (W)	speed (rpm)	spindle ø (mm)	BA (mm)	suitable for	equiv. no.
1	698257	230	180		6,3	60	Dynamic	9507

meat mincers

augers
complete



Pos.	Part no.	type	material	suitable for	equiv. no.
1	698035	Mod.12	aluminium	Fama Sirman Star10	F2122 MF0126 AM.F2122
2	698036	Mod.12	cast iron	Fama Sirman Star10	F2123 MF0125 AM.F2123
3	698043	Mod.12	cast iron	Fama Sirman	F2125 MF2125
4	698044	Mod.12	stainless steel	Fama Sirman	F2126 MF2126
5	698037	Mod.12	stainless steel	Fama Sirman Star10	F2124 MF0126 AM.F2124
6	698160	Mod.12	stainless steel	Sirman	IV2520505L
7	698053	Mod.22	aluminium	Fama Sirman Star10	F2214 MF0183 AM.F2214
8	698063	Mod.22	cast iron	Fama Sirman	F2242 MF0356
9	698054	Mod.22	cast iron	Fama Sirman Star10	F2215 MF0182 AM.F2215
10	698062	Mod.22	stainless steel	Fama Sirman	F2251 MF0199
11	698055	Mod.22	stainless steel	Fama Sirman Star10	F2216 MF0184 AM.F2216
12	698228	Mod.8	aluminium	Sirman	29030301
13	698021	Mod.8	aluminium	Fama Star10	F2041 AM.F2041
14	698252	Mod.8	stainless steel	Fama	F2042M+F2043M
15	698022	Mod.8	stainless steel	Fama	F2042

without bolt



Pos.	Part no.	type	material	suitable for	equiv. no.
1	698170	Mod.12	stainless steel	Sirman	LF2038010
2	698105	Mod.12	stainless steel	Sirman	LF2031002
3	698132	Mod.22	cast iron	Sirman	LF2032502
4	698171	Mod.22	stainless steel	Sirman	LF2038310
5	698109	Mod.22	stainless steel	Sirman	LF2032006

Pos.	Part no.	type	material	suitable for	equiv. no.
6	698134	Mod.32	cast iron	Sirman	LF2032606
7	698173	Mod.32	stainless steel	Sirman	LF2039703
8	698172	Mod.32	stainless steel	Sirman	LF2038610
9	698141	Mod.32	stainless steel	Sirman	LF2033102
10	698145	Mod.42	stainless steel	Sirman	LF2034102

Food preparation equipment *meat mincers*

augers chambers inner parts



Pos.	Part no.	version	type	material	suitable for	equiv. no.
1	698033	Standard	Mod.12	aluminium	Fama Sirman Star10	F2119 MF0122 AM.F2119
2	698032	Standard	Mod.12	cast iron	Fama Sirman Star10	F2117 MF0272 AM.F2117
3	698104	Standard	Mod.12	stainless steel	Sirman	LF2031001
4	698034	Standard	Mod.12	stainless steel	Fama Sirman Star10	F2118 MF0123 AM.F2118
5	698050	Standard	Mod.22	aluminium	Fama Sirman Star10	F2212 MF0180 AM.F2212
6	698051	Standard	Mod.22	cast iron	Fama Sirman Star10	F2210 MF0179 AM.F2210
7	698108	Standard	Mod.22	stainless steel	Sirman	LF2032005
8	698052	Standard	Mod.22	stainless steel	Fama Sirman Star10	F2211 MF0181 AM.F2211
9	698169	Standard	Mod.32	stainless steel	Sirman	LF2033101
10	698041	Unger	Mod.12	cast iron	Fama Sirman	F2120 MF2120
11	698042	Unger	Mod.12	stainless steel	Fama Sirman	F2121 MF2121
12	698059	Unger	Mod.22	cast iron	Fama Sirman	F2240 MF0355
13	698061	Unger	Mod.22	cast iron	Fama Sirman	F2255 MF0198
14	698060	Unger	Mod.22	stainless steel	Fama Sirman	F2250 MF0354

outer parts



Pos.	Part no.	version	type	material	suitable for	equiv. no.
1	698232	Standard	Mod.12	stainless steel	Sirman	IV2540500L
2	698230	Standard	Mod.8	aluminium	Sirman	29030201
3	698250	Standard	Mod.8	nickel-plated aluminium	Fama	F2039M

blades ENTERPRISE



Pos.	Part no.	type	ø (mm)	Pos.	Part no.	type	ø (mm)	Pos.	Part no.	type	ø (mm)	Pos.	Part no.	type	ø (mm)
1	696021	8	55	2	696022	12	62	3	696023	22	73	4	696033	32	90
												5	696034	42	120

UNGER



Pos.	Part no.	type	ø (mm)
1	696032	B-98 (32)	90
2	696031	H-82 (22)	73

Pos.	Part no.	type	ø (mm)
3	696030	R-70 (12)	62

OLOTINOX
blades



Pos.	Part no.	type	ø (mm)
1	696326	B-98 (32)	90
2	696327	E-130 (42)	120

Pos.	Part no.	type	ø (mm)
3	696325	H-82 (22)	73
4	696324	R-70 (12)	62

spare blades



Pos.	Part no.	type	Qty (pc)
1	696330	B-98 (32)	3
2	696331	E-130 (42)	4

Pos.	Part no.	type	Qty (pc)
3	696329	H-82 (22)	3

Pos.	Part no.	type	Qty (pc)
4	696328	R-70 (12)	3

SALVINOX
blades



Pos.	Part no.	type	ø (mm)
1	696028	B-98 (32)	90
2	696026	H-82 (22)	73

Pos.	Part no.	type	ø (mm)
3	696024	R-70 (12)	62

spare blades



Pos.	Part no.	type	Qty (pc)
1	696029	B-98 (32)	9
2	696027	H-82 (22)	9

Pos.	Part no.	type	Qty (pc)
3	696025	R-70 (12)	9

ring nuts



Pos.	Part no.	type	material	suitable for	equiv. no.
1	698049	Mod.12	stainless steel	Fama Sirman	F2134 MF2134
2	698070	Mod.22	stainless steel	Fama Sirman	F2254 MF2254

Pos.	Part no.	type	material	suitable for	equiv. no.
3	698147	Mod.42	stainless steel	Sirman	LF2034103



Pos.	Part no.	type	material	suitable for	equiv. no.
1	698161	Mod.12	stainless steel	Sirman	IV2540505L

Pos.	Part no.	type	material	suitable for	equiv. no.
2	698231	Mod.8	aluminium	Sirman	29030401



Pos.	Part no.	type	material	suitable for	equiv. no.
1	698039	Mod.12	aluminium	Fama Sirman Star10	F2132 MF0132 AM.F2132
2	698107	Mod.12	stainless steel	Sirman	LF2031003
3	698040	Mod.12	stainless steel	Fama Sirman Star10	F2133 MF0133 AM.F2133
4	697123	Mod.12	stainless steel	Fimar	SL0171
5	698057	Mod.22	aluminium	Fama Sirman Star10	F2220 MF0187 AM.F2220
6	698133	Mod.22	cast iron	Sirman	LF2032503
7	698111	Mod.22	stainless steel	Sirman	LF2032007
8	698058	Mod.22	stainless steel	Fama Sirman Star10	F2221 MF0188 AM.F2221
9	698136	Mod.32	cast iron	Sirman	LF2032607
10	698138	Mod.32	stainless steel	Sirman	LF2033103
11	698024	Mod.8	aluminium	Fama Star10	F2046 AM.F2046
12	698251	Mod.8	nickel-plated aluminium	Fama	F2046M

trays



Pos.	Part no.	L (mm)	B (mm)	H (mm)
1	698112	255	195	50

Pos.	Part no.	L (mm)	B (mm)	H (mm)
2	698074	310	240	50



Pos.	Part no.	∅ (mm)	H (mm)
1	698071	160	60

Pos.	Part no.	∅ (mm)	H (mm)
2	698073	220	90

drive shafts
for augers



Pos.	Part no.	∅ (mm)	L (mm)	for device	suitable for	equiv. no.
1	698020	15	124	Mod.8	Fama	F2022
2	698159	16	95	Mod.12	Sirman	LF2037012
3	698031	17	78	Mod.12-22	Fama Sirman	F2109 MF0115
4	698150	17	128	Mod.12	Sirman	IV2080500
5	698103	20	153	Mod.12-22	Sirman	LF2032019
6	698165	25	121	Mod.12-22	Sirman	LF2039212
7	698168	25	169	MASTER30	Sirman	LF2095010
8	698166	25	170	Mod.32	Sirman	LF2039412
9	698167	25	205	MASTER30	Sirman	LF2039725

for blades
ENTERPRISE



Pos.	Part no.	∅ (mm)	D1 ∅ (mm)	L (mm)	TS	th.le (mm)	material	for device	suitable for	equiv. no.
1	698023	8,5	-	37	M10x1,5	15	stainless steel	Mod.8	Fama	F2043
2	698038	9,5	20	53	M12x1,75	20	-	Mod.12	Fama Sirman	F2127 MF0127
3	698106	9,6	21,5	74	M16x1,5	24	-	Mod.12	Sirman	LF2031004
4	698110	11	21,5	76	M16x1,5	24	-	Mod.22	Sirman	LF2032008
5	698056	11	22	53	M12x1,75	18	-	Mod.22	Fama Sirman	F2217 MF0194
6	698135	13	29,5	87	M16x1,5	28	-	Mod.32	Sirman	LF2033013
7	698146	20	34,5	113	M20x1,5	35	-	Mod.42	Sirman	LF2034004

UNGER



Pos.	Part no.	ø (mm)	D1 ø (mm)	L (mm)	TS	th.le (mm)	material	for device	suitable for	equiv. no.
1	698066	15	22	60	M12x1,75	20	stainless steel	Mod.22	Fama Sirman	F2252 MF0200
2	698046	11,3	20	63	M12x1,75	20	stainless steel	Mod.12	Fama	F2129

gear parts bodies



1

Pos.	Part no.	version	material	for device	suitable for	equiv. no.
1	698243	for gearbox	aluminium	Mod.12	Fama Sirman	F2110 MF2110

spindles



1



2

Pos.	Part no.	ø (mm)	D1 ø (mm)	L (mm)	total length (mm)	TS	for device	suitable for	equiv. no.
1	698030	15	-	37	52	M14x1,5	Mod.12-22	Fama Sirman	F2102 MF0108
2	698102	16	25	42	71	M12x1,5	Mod.12-22	Sirman	LF2032011

toothed wheels



Pos.	Part no.	shaft intake ø (mm)	ø (mm)	teeth	tooth width (mm)	for device	suitable for	equiv. no.
1	698027	10	25	13	20	Mod.12-22	Fama Sirman	F2104 MF0111
2	698019	15	34	19	19	Mod.8	Fama	F2020
3	698029	16	64	39	13	Mod.12-22	Fama Sirman	F2107 MF0112
4	698149	17	61	27	20	Mod.12	Sirman	IV2330500
5	697309	25	105	49	13	Mod.22	Fimar	SL0242



Pos.	Part no.	shaft intake ø (mm)	ø (mm)	teeth	tooth width (mm)	B (mm)	for device	suitable for	equiv. no.
1	698205	15	32/70	18/41	14/11	30	Mod.12-22	Angelo-Po Fimar	36G0390 SL0125
2	698028	15	32/70	18/41	14/11	30	Mod.12-22	Fama Sirman	F2106 MF0110
3	697310	17	49/100	21/47	16/16	38	Mod.22	Fimar	SL0243

spindle



Pos.	Part no.	shaft intake ø (mm)	ø (mm)	B (mm)	for device	suitable for	equiv. no.
1	698148	17	35,5	45	Mod.12	Sirman	IV2320500

sets



Pos.	Part no.	suitable for	equiv. no.
1	698139	Sirman	LF2034010
2	698130	Sirman	LF2032608

Pos.	Part no.	suitable for	equiv. no.
3	698101	Sirman	LF2032010

electrical parts
PCBs



Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
1	401359	230	Mod.12	Fama Sirman Star10	F2140 MF0160 AM.F2140
2	401561	230	Mod.12-22	Sirman	IV5940500
3	401358	230	Mod.8	Fama Star10	F2027 AM.F2027
4	697124	230/400	-	Alimacchine Fimar IGF Mecnosud Sirman	Scheda Trifase SL0883 2200/S25TZ2 Scheda Elettrica B7 MF2141
5	401384	230/400	-	Sirman	LF1033010
6	401738	230/400	Mod.12	Sirman	IV5940505T
7	401385	230/400	Mod.12	Sirman	LF1033020



8

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
8	401360	400	Mod.12	Fama Sirman Star10	F2141 MF0159 AM.F2141

switches and momentary switches
keypads



Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	401735	130	41	Sirman	LF1033021
2	401378	130	41	Sirman	IV5940515T

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
3	401377	130	41	Sirman	LF1033011

momentary push switch



1

Pos.	Part no.	mounting measures (mm)	colour	number of poles (poles)	function	voltage (V)	switching capacity (A)	suitable for	equiv. no.
1	346368	30x22	white	2	2CO	250	16	Sirman	29410101

rotary switches



Pos.	Part no.	function	number of poles (poles)	switching capacity (A)	ext. ø (mm)	suitable for	equiv. no.
1	346238	1 with catch/2 tentative	2	12	43	Sirman	MF2364
2	346239	1 with catch/2 tentative	3	12	43	Sirman	MF2365

accessories



1

2

Pos.	Part no.	description	suitable for	equiv. no.
1	401379	keypad L 170mm W 170mm 3 buttons	Sirman	LF1039210
2	358003	rubber protection external size 60x30mm	-	-

filling funnels



Pos.	Part no.	type	ø (mm)	delivery contents
1	698084	8	-	set with ø15mm / ø20mm / ø25mm
2	698082	8	15	-
3	698083	8	20	-
4	698085	12	15	-
5	698086	12	20	-
6	698087	12	25	-
7	698095	12	30	-
8	698088	22	15	-

Pos.	Part no.	type	ø (mm)	delivery program
9	698089	22	20	-
10	698090	22	25	-
11	698096	22	30	-
12	698097	32	15	-
13	698098	32	20	-
14	698099	32	25	-
15	698100	32	30	-

funnel trays



Pos.	Part no.	version	L (mm)	B (mm)	H (mm)	pipe ø (mm)	suitable for	equiv. no.
1	698077	filling pipe central	275	200	50	52	Fama Sirman Star10	F2038 MF0373 AM.F2038
2	698241	filling pipe central	275	200	60	56	Fama Star10	F2038 ø56mm AM.F2113
3	698179	filling pipe central	340	250	60	52	Sirman	IV2270500
4	698113	filling pipe central	340	250	60	56	Sirman	LF2032016
5	698076	filling pipe central	370	250	60	52	Fama Sirman Star10	F2207 ø52mm MF0181 AM.F2207
6	698208	filling pipe central	370	250	60	56	Fama	F2207 ø56mm
7	698175	filling pipe central	410	320	60	52	Sirman	LF2032805
8	698180	filling pipe left	410	310	60	56	Sirman	LF2039201B



Pos.	Part no.	version	L (mm)	B (mm)	H (mm)	pipe ø (mm)	suitable for	equiv. no.
1	698174	filling pipe central	500	350	70	76	Sirman	LF2033017
2	698176	filling pipe central	810	410	80	76	Sirman	LF2033503
3	698177	filling pipe central	850	470	80	108	Sirman	LF2034005
4	698181	filling pipe left	500	350	70	76	Sirman	LF2038607

gaskets



Pos.	Part no.	application	ø (mm)	thickness (mm)	BA (mm)	material	for device	suitable for	equiv. no.
1	698018	for gearbox	110	2	94x97	rubber	Mod.8	Fama	F2012
2	698026	for gearbox	132	1	120	rubber	Mod.22	Fama	F2206

for gearboxes



1

Pos.	Part no.	description	ext. ø (mm)	t (mm)	suitable for	equiv. no.
1	698253	lid ext. ø 35mm thickness 7mm	35	7	Fama	F2014M

gearboxes



Pos.	Part no.	motor shaft ø (mm)	Fø (mm)	transmission	drive shaft ø (mm)	type	suitable for	equiv. no.
1	696204	11	90	1/30	14	30	Sirman	29401800
2	698164	19	120	1/49	25	FRS60	Sirman	LF2043015
3	698162	19	120	1/7	25	FRS60	Sirman	LF2039210
4	698163	19	120	1/7	25	FRS60	Sirman	LF2039414

gearbox holders



1

2

Pos.	Part no.	material	ø (mm)	int. ø (mm)	Lø (mm)	BA (mm)	model	H (mm)	mounting distance 1 (mm)	suitable for	equiv. no.
1	698235	aluminium	57	42	7	84	Mod.8	-	-	Sirman	29030501
2	698237	plastic	-	51	7	65	Mod.8	40	84	Sirman	29661200

lids



Pos.	Part no.	ø (mm)	BA (mm)	material	for device	suitable for	equiv. no.
1	698010	78	70	plastic	Mod.8	Fama Sirman	F2002 MF0002
2	698017	100	85	plastic	Mod.12-22	Fama Sirman	F2152 MF0367

locking screws

locking levers



Pos.	Part no.	TS	th.le (mm)	ø (mm)	lever length (mm)	material	for device	suitable for	equiv. no.
1	698093	M10	30	28	70	plastic	-	Fama Sirman	F2189 MF0352
2	698115	M25	20	25	65	-	-	Sirman	LF2032015
3	698184	M25	22	25	75	-	Mod.32	Sirman	LF2033016

locking screws



Pos.	Part no.	TS	th.le (mm)	handle ø (mm)	suitable for	equiv. no.
1	698092	M10	30	60	Fama Sirman Star10	F2115 MF0118 AM.F2115
2	698183	M8	-	40	Sirman	IV4200500

Pos.	Part no.	TS	th.le (mm)	handle ø (mm)	suitable for	equiv. no.
3	698091	M8	25	40	Fama	F2040

motors



Pos.	Part no.	P (kW)	voltage (V)	freq. (Hz)	phase	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500863	-	230	-	1	-	-	-	-	Sirman	LF1838603
2	500856	-	230	-	1	-	-	-	-	Sirman	LF1834002
3	500865	-	230	-	1	-	-	-	-	Sirman	LF1839703
4	500861	-	230	-	1	-	-	-	-	Sirman	LF1838303
5	500860	-	230	-	1	-	-	-	-	Sirman	LF2037050
6	500832	-	230	-	1	-	-	-	-	Sirman	LF1831002
7	500858	-	230	-	1	-	-	-	-	Sirman	IV5050802
8	500834	-	230	-	1	-	-	-	-	Sirman	LF1832002
9	500854	-	230	-	1	-	-	-	-	Sirman	LF1833502
10	500862	-	400	-	3	-	-	-	-	Sirman	LF1838301
11	500864	-	400	-	3	-	-	-	-	Sirman	LF1838601
12	500835	-	400	-	3	-	-	-	-	Sirman	LF1832001
13	500857	-	400	-	3	-	-	-	-	Sirman	LF1834001
14	500859	-	400	-	3	-	-	-	-	Sirman	IV5050803
15	500724	0,25	230	50	1	11	90	2800	MY632-2	Sirman	29401502
16	500866	3	230/400	50	3	19	-	1390	M112	Sirman	LF1839701

Food preparation equipment *meat mincers*

rotors



Pos.	Part no.	voltage (V)	ø (mm)	spindle ø (mm)	WL (mm)	for device	suitable for	equiv. no.
1	697311	-	89,2	25	220	Mod.22	Fimar	SA6800
2	500726	230	89,2	25	357	Mod.12	Fama Sirman	F2095 MF2095A
3	500725	400	89,2	25	357	Mod.22	Fama Sirman	F2202 MF2202

stators



Pos.	Part no.	voltage (V)	freq. (Hz)	number of poles (poles)	ø (mm)	int. ø (mm)	H (mm)	for device	suitable for	equiv. no.
1	500827	230	50	4	110	62	75	Mod.8	Fama	F2009
2	500825	230	50	4	110	66	60	Mod.8	Fama Sirman	F2077 MF0004
3	500828	230	50	4	150	90	70	Mod.12	Fama Sirman	F2096 MF0102
4	500830	230	50	6	150	103	90	Mod.22	Fama Sirman	F2203 MF0170
5	500829	400	50	4	150	83,6	50	Mod.12	Fama Sirman	F2097 MF0103
6	500831	400	50	6	150	90	70	Mod.22	Fama Sirman	F2204 MF0171

grinder plates ENTERPRISE



Pos.	Part no.	type	Lø (mm)	ø (mm)	Pos.	Part no.	type	Lø (mm)	ø (mm)	Pos.	Part no.	type	Lø (mm)	ø (mm)
1	696101	8	3	62	18	696117	12	10	70	35	696134	22	18	82
2	696102	8	3,5	62	19	696118	12	12	70	36	696135	22	20	82
3	696103	8	4,5	62	20	696119	12	14	70	37	696136	32	1,5	98
4	696104	8	6	62	21	696120	12	16	70	38	696137	32	2	98
5	696105	8	8	62	22	696121	12	18	70	39	696138	32	3	98
6	696106	8	10	62	23	696122	12	20	70	40	696139	32	3,5	98
7	696107	8	12	62	24	696123	22	1,5	82	41	696140	32	4,5	98
8	696108	8	14	62	25	696124	22	2	82	42	696141	32	6	98
9	696109	8	16	62	26	696125	22	3	82	43	696142	32	7	98
10	696170	8	18	62	27	696126	22	3,5	82	44	696143	32	8	98
11	696110	12	1,5	70	28	696127	22	4,5	82	45	696144	32	10	98
12	696111	12	2	70	29	696128	22	6	82	46	696145	32	12	98
13	696112	12	3	70	30	696129	22	8	82	47	696146	32	14	98
14	696113	12	3,5	70	31	696130	22	10	82	48	696147	32	16	98
15	696114	12	4,5	70	32	696131	22	12	82	49	696148	32	18	98
16	696115	12	6	70	33	696132	22	14	82	50	696149	32	20	98
17	696116	12	8	70	34	696133	22	16	82	51	696150	42	3	130



Pos.	Part no.	type	Lø (mm)	ø (mm)
52	696151	42	3,5	130
53	696152	42	4,5	130
54	696153	42	6	130
55	696154	42	8	130

Pos.	Part no.	type	Lø (mm)	ø (mm)
56	696155	42	10	130
57	696156	42	12	130
58	696157	42	14	130

Pos.	Part no.	type	Lø (mm)	ø (mm)
59	696158	42	16	130
60	696159	42	18	130
61	696160	42	20	130

UNGER



Pos.	Part no.	type	Lø (mm)	construction	ø (mm)
1	696163	B-98 (32)	-	coarse	97,6
2	696309	B-98 (32)	3	-	97,6
3	696310	B-98 (32)	4,5	-	97,6
4	696311	B-98 (32)	6	-	97,6
5	696312	B-98 (32)	8	-	97,6
6	696313	B-98 (32)	10	-	97,6
7	696314	B-98 (32)	12	-	97,6
8	696315	B-98 (32)	16	-	97,6
9	696323	E-130 (42)	-	coarse	130
10	696316	E-130 (42)	3	-	130
11	696317	E-130 (42)	4,5	-	130
12	696318	E-130 (42)	6	-	130
13	696319	E-130 (42)	8	-	130
14	696320	E-130 (42)	10	-	130
15	696321	E-130 (42)	12	-	130
16	696322	E-130 (42)	16	-	130

Pos.	Part no.	type	Lø (mm)	construction	ø (mm)
17	696162	H-82 (22)	-	coarse	81,6
18	696302	H-82 (22)	3	-	81,6
19	696303	H-82 (22)	4,5	-	81,6
20	696304	H-82 (22)	6	-	81,6
21	696305	H-82 (22)	8	-	81,6
22	696306	H-82 (22)	10	-	81,6
23	696307	H-82 (22)	12	-	81,6
24	696308	H-82 (22)	16	-	81,6
25	696161	R-70 (12)	-	coarse	69,6
26	696017	R-70 (12)	3	-	69,6
27	696018	R-70 (12)	4,5	-	69,6
28	696297	R-70 (12)	6	-	69,6
29	696298	R-70 (12)	8	-	69,6
30	696299	R-70 (12)	10	-	69,6
31	696300	R-70 (12)	12	-	69,6
32	696301	R-70 (12)	16	-	69,6

plungers



Pos.	Part no.	ø (mm)	L (mm)	total length (mm)
1	698229	41	95	200
2	698218	42	125	210
3	698114	43	110	150

Pos.	Part no.	ø (mm)	L (mm)	total length (mm)
4	698080	46	120	240
5	698182	55	175	310

spacer rings



Pos.	Part no.	type	ø (mm)	H (mm)	version
1	698067	H-82 (22)	81,5	7	Unger
2	698068	H-82 (22)	81,5	18	Unger

Pos.	Part no.	type	ø (mm)	H (mm)	version
3	698047	R-70 (12)	69,5	15	Unger

mozzarella cutters

bodies



1

Pos.	Part no.	ø (mm)	int. ø (mm)	material	for device	suitable for	equiv. no.
1	696197	180	42	aluminium	Athos	Sirman	IB1263050

cutting discs



Pos.	Part no.	ø (mm)	H (mm)	slice thickness (mm)	BM (mm)	material	for device	suitable for	equiv. no.
1	696194	146	84	3	14x16	aluminium	Athos	Sirman	28010047
2	696195	156	82	4	14x16	stainless steel	Athos	Sirman	28010048
3	697299	156	82	7	14x16	stainless steel	Athos	Sirman	28010046

electrical parts

keypads

gaskets



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	401373	135	50	Sirman	19563034

keypads



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	401694	130	41	Sirman	19702004

micro-switches



1

Pos.	Part no.	voltage (V)	switching capacity (A)	number of poles (poles)	function	TS	th.le (mm)	connection	suitable for	equiv. no.
1	347060	250	16	1	NO	M11x1	14	flat plug 6,3mm	Sirman	IV5820010

PCBs



1

2

Pos.	Part no.	voltage (V)	suitable for	equiv. no.
1	400954	230	Sirman	19411007

Pos.	Part no.	voltage (V)	suitable for	equiv. no.
2	400955	230/400	Emmepi Sirman	808629 19411008

accessories



1

Pos.	Part no.	description	suitable for	equiv. no.
1	347061	spacer ring for micro-switch ext. \varnothing 14mm ID \varnothing 10mm	Sirman	MSC04N274

holders



1

Pos.	Part no.	L (mm)	B (mm)	BA (mm)	application	for device	suitable for	equiv. no.
1	696097	94	12	50	protective cover	Athos	Sirman	IB2183000

lids



1

Pos.	Part no.	\varnothing (mm)	BA (mm)	material	colour	for device	suitable for	equiv. no.
1	696193	188	95	plastic	white	Athos	Sirman	IB4023000A

Food preparation equipment *pizza presses*

motors



Pos.	Part no.	voltage (V)	freq. (Hz)	ph	speed (rpm)	BA (mm)	WL (mm)	for device	suitable for	equiv. no.
1	500722	230	50	1	1400	110	31	Athos	Sirman	IB5053002
2	500723	230/400	50/60	3	1400	110	31	Athos	Sirman	IB5053003
3	500716	240	50	1	1400	110	31	Athos	Sirman	IB5053004
4	500867	400	50	3	-	110	30	-	Sirman	IB5053403

miscellaneous



1

Pos.	Part no.	description	suitable for	equiv. no.
1	697300	wing nut M12 stainless steel	Sirman	IB77DG12

pizza presses

feet



1

Pos.	Part no.	ø (mm)	H (mm)	TS	th.le (mm)	suitable for	equiv. no.
1	697331	34	12	M10	32	Pizza-Group	5874000

gearboxes



Pos.	Part no.	motor shaft ø (mm)	Fø (mm)	transmission	drive shaft ø (mm)	type	suitable for	equiv. no.
1	697326	19	120	1/70	25	UMI 63	Pizza-Group	PF08410
2	697327	19	120	1/70	28	UMI 75	Pizza-Group	PF08400



Pos.	Part no.	motor shaft ø (mm)	Fø (mm)	transmission	drive shaft ø (mm)	type	suitable for	equiv. no.
1	693424						Moretti	74015330
2	693338						Cuppone	MM0000116
3	693337						Cuppone	MM0000115
4	693336						Cuppone	MM0000112
5	601182	14	105	1/80	25	MV 63A	Cuppone Moretti Pizza-Group	91411510 74015320 5424300

motors
with flange B14




Pos.	Part no.	P (kW)	voltage (V)	freq. (Hz)	phase	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500633	0,37	230	50	1	14	105	1400	LME71L4R3	Cuppone	91411040
2	601179	0,55	230/400	50	3	14	105	1400	T71BX4	Pizza-Group	5420800
3	500634	0,55	230/400	50	3	14	105	1400	T71C4	Cuppone	91411050
4	601180	0,55	230/400	50	3	19	120	1400	AIS80A4	Pizza-Group	5420900
5	500473	0,75	230/400	50	3	19	120	1400	FS80B4	Pizza-Group	PF08300

with flange B5




Pos.	Part no.	P (kW)	voltage (V)	freq. (Hz)	phase	spindle ø (mm)	Fø (mm)	speed (rpm)	type	suitable for	equiv. no.
1	500822									Moretti	74015350
2	500821	0,37	230	50	1	14	160	1400	M71BL4	Moretti Pizza-Group	74015340 5420300

heating elements pizza presses




Pos.	Part no.	power (W)	voltage (V)	L (mm)	B (mm)	pipe ø (mm)	L1 (mm)	L2 (mm)	B1 (mm)	B2 (mm)	suitable for	equiv. no.
1	416477	1500	230	364	235	8,5	180	184	103	29	OEM	EE02800
2	416458	1500	230	375	268	8,5	137	238	120	28	Pizza-Group	5590700
3	416478	1500	400	369	235	8,5	108	261	97	26	OEM	EE18100
4	418186	2500	230	478	347	8,9	140	337	155	32	Moretti	74420780
5	416459	2500	230	494	335	8,5	160	334	155	34	Pizza-Group	5590750
6	416479	3000	230	493	355	10	115	355	162	31	OEM	EE03000
7	416480	3000	400	490	332	10	125	365	153	26	OEM	EE16200


Food preparation equipment *potato peelers*



Pos.	Part no.	power (W)	voltage (V)	L (mm)	B (mm)	pipe ø (mm)	suitable for	equiv. no.
1	416441	1500	230	355	245	8,5	Cuppone	91711940
2	416442	2500	230	460	355	8,5	Cuppone	91711941
3	416460	2500	230	540	407	8,5	Pizza-Group	5590800



Pos.	Part no.	power (W)	voltage (V)	ext. ø	pipe ø (mm)	suitable for	equiv. no.
1	418048	1600	230	300	6,3	Cuppone	91711081
2	418047	1600	230	300	6,3	Cuppone	91711080
3	418049	2200	220	385	6,3	Cuppone	ME0000042
1	418050	2600	220	435	6,3	Cuppone	ME0000043
1	418051	2600	230	475	6,3	Cuppone	91711084



Pos.	Part no.	power (W)	voltage (V)	L (mm)	B (mm)	suitable for	equiv. no.
1	416309	1500	230	260	260	Pizza-Group	5590710

Pos.	Part no.	power (W)	voltage (V)	L (mm)	B (mm)	suitable for	equiv. no.
2	416316	2500	230	360	360	Pizza-Group	5590760

potato peelers

abrasive parts

grinding discs



Pos.	Part no.	ø (mm)	for device	suitable for	equiv. no.
1	696201	280	PP4-PP8 Expo	Sirman	RG04025

inserts



Pos.	Part no.	ø (mm)	L (mm)	BA (mm)	for device	suitable for	equiv. no.
1	696202	300	205	120	PP4 Expo	Sirman	RG04016
2	696203	300	270	160	PP8 Expo	Sirman	RG08016

door mechanics
door seals




Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	internal size (mm)	for device	suitable for	equiv. no.
1	696168	143	120	4	104x75	PP4 Expo	Sirman	RG04154
2	696051	165	145	8	100x120	PP8 Expo	Sirman	RG08052

doors



Pos.	Part no.	B (mm)	H (mm)	type	for device	suitable for	equiv. no.
1	696052	135	115	with gasket	PP4 Expo	Sirman	RG04136
2	696049	164	150	with gasket	PP8-PP15 Expo	Sirman	RG08050

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	696045	bolt L 59mm SS \varnothing 7mm	Sirman	RG08038
2	696050	door frame W 200mm H 210mm aluminium PP8 Expo	Sirman	RG08036
3	696048	handle L 180mm W 118mm H 50mm aluminium	Sirman	RG08040
4	696053	handle L 180mm W 20mm thickness 6mm SS PP4 Expo	Sirman	RG04138
5	696292	joint L 42mm W 16mm H 16mm internal thread M8	Sirman	RG08046
6	696293	joint L 70mm W 20mm thickness 8mm M8	Sirman	RG08048
7	346891	magnet L 16mm \varnothing 6mm	Sirman	RG08054

electrical parts
keypads



Pos.	Part no.	L (mm)	B (mm)	for device	suitable for	equiv. no.
1	401741	139	99	PP4-PP8-PP15 Expo	Sirman	RG04348

Food preparation equipment *potato peelers*

PCBs



1

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
1	401613	230/400	PP4-PP8-PP15 Expo	Sirman	RG04232

switches complete



1

2

3

4

Pos.	Part no.	mounting ϕ (mm)	colour	function	suitable for	equiv. no.
1	346545	22	green	1NO	Sirman	RG04356
2	346513	22	red	1NC	Sirman	RG04354
3	346490	22	red	1NC	Sirman	RG04300
4	347111	22	red/green	1NO/1NC	Sammic	2009329

timers



1

2

Pos.	Part no.	operation time (min)	shaft ϕ (mm)	BA (mm)	suitable for	equiv. no.	Pos.	Part no.	operation time (min)	shaft ϕ (mm)	BA (mm)	suitable for	equiv. no.
1	350128	5		28	Sirman	RG04342	2	360447	5		30	Fimar	SA1087

miscellaneous



1

Pos.	Part no.	description	number of poles (poles)	voltage (V)	load current (A)	mounting ϕ (mm)
1	550765	terminal block with strain relief 7-poles 380V 16A	7	380	16	28

lids



1

Pos.	Part no.	ϕ (mm)	int. ϕ (mm)	material	BA (mm)	for device	suitable for	equiv. no.
1	696199	310	280	plastic	59	PP4-PP8-PP15 Expo	Sirman	RG04002

motors



Pos.	Part no.	voltage (V)	freq. (Hz)	spindle ø (mm)	WL (mm)	speed (rpm)	suitable for	equiv. no.
1	500711	230	50	10	21	1400	Sirman	RG04260A
2	500713	230	50	12	23	1400	Sirman	RG08260A
3	500712	400	50	10	21	1400	Sirman	RG04260B
4	500714	400	50	12	23	1400	Sirman	RG08260B

transmission parts
drive shafts



Pos.	Part no.	description	type	for device	suitable for	equiv. no.
1	696054	set	with gasket and ball bearing	PP4 Expo	Sirman	RG04270
2	696055	set	with gasket and ball bearing	PP8-PP15 Expo	Sirman	RG08270

pulleys



Pos.	Part no.	disc ø (mm)	shaft intake ø (mm)	H (mm)	type	grooves	suitable for	equiv. no.
1	696044	25	10	28	TB2.34	8	Sirman	RG04250
2	696046	116,5	16	25	flat	-	Sirman	RG04268
3	696047	116,5	16	33	flat	-	Sirman	RG08268

poly-V belts



Pos.	Part no.	profile	L (mm)	B (mm)	number of grooves	suitable for	equiv. no.
1	698225	TB2.34	432	14	6	Sirman	RG04248
2	698226	TB2.34	432	23,4	10	Sirman	RG08248
3	698206	TB2.34	457	28	12	Angelo-Po	36G4900
4	697639	TB2.34	711	28	12	-	-

salad spinner

toothed wheels



Pos.	Part no.	teeth	shaft intake ø (mm)	ø (mm)	tooth width (mm)	material	suitable for	equiv. no.
1	698255	12	14	41	19	plastic	Dynamic	2808
2	698256	12/30	14	41,5/95	14/19	plastic	Dynamic	2815.1
3	698254	30	14	95	14	plastic	Dynamic	2806

slicers

adjustment knobs



Pos.	Part no.	symbol	ø (mm)	shaft ø (mm)	shaft length (mm)	handle ø (mm)	suitable for	equiv. no.
1	697509	0-13	55	12	35	42	Sirman	AMC102
2	697767	0-15	50	12	30	43	Omas	I1976
3	697419	0-15	55	12	28	42	RGV	0000000130
4	697510	0-15	60	12	32	58	Sirman	19562402
5	698268	0-15	68	14	94	67	-	-
6	697382	0-15	68	18	46	66	RGV	0000000631
7	697511	0-15	68	18	47	58	Sirman	19562404



Pos.	Part no.	symbol	ø (mm)	shaft ø (mm)	shaft length (mm)	handle ø (mm)	suitable for	equiv. no.
8	697368	0-15	70	18	48	64	Omas	I1990A

spring washers



Pos.	Part no.	ext. ø (mm)	int. ø (mm)	suitable for	equiv. no.
1	698267	19	15	-	-
2	697479	21	14	RGV	0000000856
3	696253	25	12	Sirman	19342005

Pos.	Part no.	ext. ø (mm)	int. ø (mm)	suitable for	equiv. no.
4	697478	26	19	RGV	0000000671
5	696254	32	19	Sirman	19342006

accessories



Pos.	Part no.	description	suitable for	equiv. no.
1	698272	bush \varnothing 20mm ID \varnothing 14mm L 33mm brass	Celme	74968
2	697512	ring for handle \varnothing 72mm ID \varnothing 35mm thickness 10mm	Sirman	19562410

blade pulleys



Pos.	Part no.	D1 \varnothing (mm)	D2 \varnothing (mm)	D3 \varnothing (mm)	W \varnothing	L (mm)	WL (mm)	mounting \varnothing	suitable for	equiv. no.
1	697467	40	63	80	15	42	194	3-hole	Sirman	SM591519
2	697747	40	64,3	67,5	14	33	152	3-hole	RGV	00000009920
3	696234	40	65	64	15	43	152	3-hole	Sirman	AMG022
4	696233	40	69	65	15	30	147	3-hole	Sirman	AMC022
5	697746	40	76	-	16	40	157	3-hole	RGV	00000009469
6	696232	57	78	95	20	65	220	4 hole	Sirman	19700307

sharpener units

blade sharpeners



Pos.	Part no.	for device	suitable for	equiv. no.
1	697768	220	Omas	A1064
2	697398	220/250	RGV	00000009875
3	697397	220/250/275	RGV	00000009864
4	697769	220-250	Omas	A1085

Pos.	Part no.	for device	suitable for	equiv. no.
5	697364	250	Omas	A1059
6	697361	250	Omas	A1024
7	697354	275-300-350	RGV	00000009471



Pos.	Part no.	for device	suitable for	equiv. no.
8	697376	300	RGV	00000001151
9	697362	300	Omas	A1025
10	697355	350	RGV	00000009693

Pos.	Part no.	for device	suitable for	equiv. no.
11	697363	350/370	Omas	A1026
12	697420	PARKER	RGV	00000009168

Food preparation equipment *slicers*

holders



Pos.	Part no.	L (mm)	B (mm)	H (mm)	Lø (mm)	BA (mm)	material	for device	suitable for	equiv. no.
1	696242	52	30	61	12	-	aluminium	-	Sirman	SM501303
2	696241	57	25	54	12	-	aluminium	-	Sirman	AME436
3	696265	92	35	28	6	80	plastic	220-250	Sirman	AME456
4	696264	99	48	28	6	-	plastic	195-220	Sirman	19562101
5	696263	102	46	38	6	88	aluminium	275-300	Sirman	SM501401

knobs



Pos.	Part no.	TS	L (mm)	handle ø (mm)	suitable for	equiv. no.
1	697516	M5	8	25	Sirman	19562700
2	697441	M5	30	25	RGV	00000000854
3	697428	M6	15	25	RGV	00000000138
4	697765	M6	22	-	Omas	I1953

Pos.	Part no.	TS	L (mm)	handle ø (mm)	suitable for	equiv. no.
5	697445	M6	26	33	RGV Sirman	0000000677 SM211413
6	697384	M6	54	25	RGV Sirman	00000000734 AME428
7	697514	M8	60	30	Sirman	SM592400

lids



Pos.	Part no.	L (mm)	B (mm)	BA (mm)	for device	suitable for	equiv. no.
1	696261	104	80	80	220/250/275	Sirman	AME402
2	696262	125	103	88	275-300	Sirman	SM501501

pushbuttons



Pos.	Part no.	ø (mm)	L (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	696260	12	19	5,2	195-220	Sirman	AMA810
2	696259	12	19	6	220-250	Sirman	AME468
3	696255	12	22	6	275-300	Sirman	SM561101

spindles



Pos.	Part no.	D1 ø (mm)	D2 ø (mm)	L (mm)	TS	for device	suitable for	equiv. no.
1	696215	5	6	65	M6	220-250	Sirman	AME412
2	696216	6	10	63	M6	220-250	Sirman	AME424
3	696214	6	10	70	M6	195-220	Sirman	AMA802
4	696217	6	12	78	M6	250-300	Sirman	SM5701201



Pos.	Part no.	ø (mm)	L (mm)	TS	for device	suitable for	equiv. no.
1	696222	12	67	M8	-	Sirman	AME442
2	696223	12	98	M8	250-300	Sirman	SM540501

accessories




1 2 3 4

Pos.	Part no.	description	suitable for	equiv. no.
1	696258	ball blade sharpeners ø 4,8mm metal	Sirman	AME464
2	696256	oval head screws M3 L 3,2mm push button	Sirman	SM150401
3	696271	oval head screws M3 L 4,2mm push button	Sirman	AME427
4	696218	thread bolt blade sharpeners M5 ø 5mm L 30mm	Sirman	AME450

blades

type Inox



Pos.	Part no.	A (mm)	seat ø (mm)	fixing	B (mm)	H (mm)
1	697561	300	40	4 hole	254	22,5
2	697562	300	57	4 hole	254	22,5
3	697563	330	57	4 hole	254	22,5

Pos.	Part no.	A (mm)	seat ø (mm)	fixing	B (mm)	H (mm)
4	697373	350	57	4 hole	280	22,5
5	697564	370	57	4 hole	300	22,5

Food preparation equipment *slicers*


type pullers



Pos.	Part no.	ø (mm)	LA (mm)	TS	suitable for	equiv. no.
1	697531	300	160	M8	Sirman	19702508

Pos.	Part no.	ø (mm)	LA (mm)	TS	suitable for	equiv. no.
2	697532	357	160	M8	Sirman	19702512


type special



Pos.	Part no.	A (mm)	seat ø (mm)	fixing	version	B (mm)	H (mm)
1	697304	250	40	3-hole	Teflon	210	17,5
2	697547	275	40	3-hole	Teflon	218	21,5
3	697548	275	40	4 hole	Teflon	218	21,5
4	697305	300	40	4 hole	Teflon	254	22,5

Pos.	Part no.	A (mm)	seat ø (mm)	fixing	version	B (mm)	H (mm)
5	698210	300	57	4 hole	Teflon	254	22,5
6	697550	330	57	4 hole	Teflon	270	23
7	697551	350	57	4 hole	Teflon	280	22,5
8	697552	370	57	4 hole	Teflon	300	22,5


type standard



Pos.	Part no.	A (mm)	seat ø (mm)	fixing	B (mm)	H (mm)	material
1	697546	195	30	3-hole	155	12,8	C45
2	697545	220	25,4	4 hole	180	15,5	C45
3	697436	220	40	3-hole	180	15,5	C45
4	697544	250	30	3-hole	-	-	100Cr6
5	697543	250	40	3-hole	210	13	C45
6	697365	250	40	3-hole	210	17,5	C45
7	697542	275	25,4	4 hole	220	15	C45
8	697541	275	40	3-hole	218	15,5	C45
9	697540	275	40	3-hole	218	21,5	C45
10	697539	275	40	3-hole	220	15,5	C45
11	697538	275	40	4 hole	218	21,5	C45
12	697537	275	54	4 hole	227	17	100Cr6
13	697536	275	57	4 hole	220	22,5	C45
14	697535	296	58	4 hole	240	20	100Cr6
15	697534	300	40	3-hole	245	17	C45
16	697385	300	40	3-hole	250	19	C45

Pos.	Part no.	A (mm)	seat ø (mm)	fixing	B (mm)	H (mm)	material
17	698214	300	40	3-hole	254	22,5	C45
18	697451	300	40	4 hole	254	22,5	C45
19	697533	300	50	4 hole	-	-	100Cr6
20	698191	300	57	4 hole	254	22,5	C45
21	697468	301	55	4 hole	254	22,5	100Cr6
22	697518	330	40	3-hole	270	21	100Cr6
23	697466	330	40	4 hole	270	21	100Cr6
24	697375	330	57	4 hole	270	23	100Cr6
25	697465	350	47	4 hole	280	23	100Cr6
26	697463	350	57	4 hole	280	22,5	100Cr6
27	697399	350	57	4 hole	280	22,5	C45
28	697462	350	57	4 hole	306	22,5	100Cr6
29	697461	350	58	4 hole	282	24	100Cr6
30	697460	370	57	4 hole	300	22,5	100Cr6
31	697459	380	57	4 hole	310	22,5	100Cr6
32	697458	385	57	4 hole	315	22,5	100Cr6


type TN



Pos.	Part no.	A (mm)	seat ø (mm)	fixing	B1 (mm)	B2 (mm)	H (mm)	material
1	697557	250	40	3-hole	200,5	190	10	C45
2	697452	300	40	3-hole	-	-	14,5	-
3	697558	300	40	3-hole	250	240	14,7	100Cr6

Pos.	Part no.	A (mm)	seat ø (mm)	fixing	B1 (mm)	B2 (mm)	H (mm)	material
4	697559	330	57	4 hole	274	265	15,5	100Cr6
5	697560	350	57	4 hole	286	284	15,5	100Cr6

type VOLANO



Pos.	Part no.	A (mm)	seat ø (mm)	fixing	H (mm)	material
1	697553	300	25,4	2 holes	18,5	100Cr6
2	697374	330	25,4	2 holes	19	100Cr6
3	697554	350	25,4	-	20,4	100Cr6

Pos.	Part no.	A (mm)	seat ø (mm)	fixing	H (mm)	material
4	697555	370	25,4	1 hole	22	100Cr6
5	697556	370	25,4	2 holes	22	100Cr6

carriage plates



Pos.	Part no.	L (mm)	B (mm)	BA (mm)	for device	suitable for	equiv. no.
1	697527	20	22	33	220	Sirman	AME264A
2	697528	24	23	33	250	Sirman	AMG264A
3	697529	250	275	33	275-300	Sirman	195104012

handles



Pos.	Part no.	TS	handle ø (mm)	L (mm)	H (mm)	BA (mm)	for device	suitable for	equiv. no.
1	697440	M10	66	51	-	-	-	RGV	00000000432
2	697380	M10	66	29	-	-	300-330-350	RGV	00000000432+00000000431
3	697442	M12	28	30	-	-	-	RGV	00000000676
4	697381	M12	66	50	-	-	-	RGV	00000000629
5	697443	M8	50	29	-	-	-	RGV Sirman	00000000378 19562504
6	691263	M8	-	160	56	133	-	Sirman	IB4200910
7	697427	M8	28	22	-	-	-	RGV	00000000881

Food preparation equipment *slicers*



Pos.	Part no.	TS	handle ø (mm)	L (mm)	H (mm)	BA (mm)	for device	suitable for	equiv. no.
8	697426	M8	43	22	-	-	-	RGV	00000000833
9	697425	M8	50	-	-	-	220/250/275	RGV	00000000378+00000000371
10	697515	M8	50	14	-	-	275-300	Sirman	SM19014009

holders



Pos.	Part no.	L (mm)	B (mm)	BA (mm)	for device	suitable for	equiv. no.
1	696237	190	100	48	275-300	Sirman	SM500818
2	696235	195	85	33	220	Sirman	AMC258
3	696236	200	85	33	250	Sirman	AMG258

accessories



Pos.	Part no.	description	suitable for	equiv. no.
1	696250	holder M5 L 25mm ID ø 10mm thickness 20mm 220-250	Sirman	AMA289
2	696280	spacer ring ø 22mm ID ø 12mm thickness 3mm Teflon	Sirman	SM211108

covers



Pos.	Part no.	for knife ø (mm)	ø (mm)	mounting thread	BM (mm)	mounting ø	aperture (mm)	suitable for	equiv. no.
1	697472	220	180	M6	12x12	-	-	RGV	00000000489
2	697447	250	209	-	-	-	9x9	RGV	00000000195
3	697745	250	209	M6	12x12	-	-	RGV	00000000490
4	697749	250	209	M6	12x12	-	-	RGV	00000000490
5	697744	300	248	M6	12x12	-	-	RGV	00000000403
6	693786	300	255	M10	-	17	-	Sirman	SM500503



Pos.	Part no.	for knife ø (mm)	ø (mm)	mounting thread	BM (mm)	mounting ø	suitable for	equiv. no.
1	697522	220	230	M6	-	12	Sirman	AMC006
2	697457	250	-	-	-	-	Sirman	AMG006
3	697313	350	365	M8	12x12	-	Sirman	SM500504
4	697500	350	380	M8	15	-	-	-

bushes



Pos.	Part no.	external thread	internal thread	L (mm)	suitable for	equiv. no.
1	698246	M10x1	M6	18	Sirman	SM133418
2	698242	M10x1,25	M6	18	Sirman	SM133417
3	697454	M12	M8	25	ABM O.M.S.	- -

handles



1

2

Pos.	Part no.	TS	ø (mm)	L (mm)	suitable for	equiv. no.
1	696266	M4	9	14	Sirman	AMA008

Pos.	Part no.	TS	ø (mm)	L (mm)	suitable for	equiv. no.
2	696267	M4	16	18,5	Sirman	19021110

miscellaneous



1

Pos.	Part no.	description	suitable for	equiv. no.
1	697523	protection for knife ø 350mm ø 360mm aluminium	Sirman	SM503404

Food preparation equipment *slicers*

setting disc for slice thickness



Pos.	Part no.	Lø (mm)	groove (mm)	ext. ø (mm)	thickness (mm)	suitable for	equiv. no.
1	697470	12	6	52	21,5	RGV	0000000830
2	697756	12	6	56	10	Sirman	19563505LG
3	697506	12	6	56	20	Sirman	AMI092
4	697471	12	6	58	21	RGV	0000000379
5	697507	12	6,5	56	21	Sirman	SM190100011
6	697508	18	8	85	24,5	Sirman	SM190100022

electrical parts control boxes



Pos.	Part no.	voltage (V)	suitable for	equiv. no.
1	401855	230	RGV	00000009240
2	400788	230	RGV	0000000297

Pos.	Part no.	voltage (V)	suitable for	equiv. no.
3	401701	400	RGV	0000000655

keypads gaskets



Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403004	122	52	Sirman	19563030
2	401373	135	50	Sirman	19563034

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
3	401380	150	60	Sirman	19563032

keypads



Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	401513	75	40	Omas	11680
2	401512	75	40	Omas	11675
3	403002	120	48	Emmepi Sirman	808612 19702000
4	403005	130	41	Sirman	19702036

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
5	403006	130	41	Sirman	19702034
6	401694	130	41	Sirman	19702004
7	403003	150	55	Sirman	19702002

micro-switches



Pos.	Part no.	TS	number of poles (poles)	function	switching capacity (A)	connection
1	345032	M10x0,75	1	1CO	16	flat plug 6,3mm
2	345678	M10x0,75	1	1NO	12	flat plug 6,3mm

PCBs



Pos.	Part no.	voltage (V)	suitable for	equiv. no.
1	401511	230	Omas	S3290
2	401510	230	Omas	S3288
3	400954	230	Sirman	19411007
4	400785	230	RGV	00000000359

Pos.	Part no.	voltage (V)	suitable for	equiv. no.
5	400797	230	Omas	S3226
6	400955	230/400	Emmepi Sirman	808629 19411008
7	401514	24	Omas	S3291



Pos.	Part no.	voltage (V)	suitable for	equiv. no.
8	403007	400	Sirman	19411000

switches and momentary switches

momentary push switches



Pos.	Part no.	mounting ø (mm)	number of poles (poles)	function	voltage (V)	suitable for	equiv. no.
1	346415	19,2	1	1NO	50	Sirman	LF1041000
2	346414	19,2	2	1NC/1NO	250	Sirman	LF1041001

Food preparation equipment *slicers*

push switches



Pos.	Part no.	mounting measures (mm)	number of poles (poles)	function	voltage (V)	switching capacity (A)	suitable for	equiv. no.
1	345712	30x22	2	2CO	250	16	RGV	0000000296
2	345510	30x22	2	2NO	250	16	RGV	0000000306
3	301009	30x22	2	2NO	250	16	Astoria CMA Electrolux INCO S.L. Zanussi	18262 18262 050491 301009 0A8239
4	347067	45x22	2	2NO	250	16	Sirman	19410152

rotary switches




Pos.	Part no.	number of poles (poles)	switching capacity (A)	suitable for	equiv. no.
1	346592	2	20	Sirman	19410160

accessories



Pos.	Part no.	description	suitable for	equiv. no.
1	346252	frame external size mm internal size 30x22mm	Sirman	19563171
2	301036	protecting cover for cradle switch 30x22mm	Animo Astoria CMA Electrolux FriFri INCO S.L. Infrico Rancilio RM-Gastro	02294 19049 19049 002150 400647 301036 405X13 34030131 401509000
3	301127	protecting cover internal size 30x55mm	RGV	0000000285
4	301058	protecting cover internal size 30x55mm	RGV	0000000653
5	346181	push button oval external size 30x55mm mounting ø 21mm	Gam GAM RGV	RIMPS1051 RIMPS1051 0000000651

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	550928	connection cable L 300mm 2-poles	Sirman	19410718
2	601657	conversion kit 230/400V	-	-
3	550766	holder for terminal block	Sirman	19410820
4	550764	terminal block with strain relief 4-poles 380V 16A	Sirman	19410802

feet



Pos.	Part no.	TS	H (mm)	ø (mm)	th.le (mm)	bore ø (mm)	suitable for	equiv. no.
1	697433	-	24	35	-	5	RGV	0000000140
2	697764	-	30	35	-	6	Omas	P5011
3	697369	-	35	47	-	9	Omas	P5008
4	693791	M5	25	36	10	-	Sirman	19560201
5	697387	M5	27	36	10	-	Fimar	SL2674
6	697757	M6	27	37	9	-	-	-
7	697773	M6	35	47	12	-	-	-



Pos.	Part no.	TS	H (mm)	ø (mm)	th.le (mm)	bore ø (mm)	suitable for	equiv. no.
8	697770	M8	34	47	12	-	-	-
9	697748	M8	34	40	-	-	RGV	00000001251
10	802136	M8	40	47	15	-	Angelo-Po Sirman	36D5690 19560202
11	527255	M8	45	47	12	-	Wega	WY15314001
12	697383	M8	46	47	10	-	RGV	00000000628

food holders



Pos.	Part no.	for device	L (mm)	Lø (mm)	suitable for	equiv. no.
1	697530	275-300	270	12	Sirman	SM11016007
2	698190	300	-	-	Sirman	19324102
3	697444	300-350	290	12	RGV	00000009686

Food preparation equipment *slicers*

handles



Pos.	Part no.	TS	ø (mm)	L (mm)	th.le (mm)	suitable for	equiv. no.
1	698195	M10	32	87	-	Sirman	19562903
2	111123	M10 FT	30	110	-	Emmepi RGV Sirman	808764 00000000452 19562904
3	697429	M6	25	126	-	RGV	00000000298
4	697432	M6	26	70	6	RGV Sirman	00000000825 19562900
5	697431	M6	26	70	10	RGV Sirman	00000000327 19562901

lever handles



Pos.	Part no.	L (mm)	Lø (mm)	material	suitable for	equiv. no.
1	697456	130	9	aluminium	-	-

accessories



Pos.	Part no.	description	suitable for	equiv. no.
1	696220	spindle food holder ø 10mm L 210mm	Sirman	AMC270A
2	696221	spindle food holder ø 12mm L 265mm 300	Sirman	AMP270
3	697480	stop bolt food holder ø 7,5mm L 8mm plastic	RGV	00000000151
4	698193	thread bolt for handle ø 14mm L 120mm M10	Sirman	19541509

grindstones



Pos.	Part no.	ø (mm)	thickness (mm)	bore ø (mm)	grained
1	697549	40	7,8	6	fine
2	697566	40	8	10	fine
3	697567	40	8,2	12	fine
4	697565	40	10	6	fine
5	697492	40	11	6	coarse
6	697568	42	8,5	8	coarse
7	697569	43	8	6	coarse
8	697505	43	8	6	fine
9	697571	43	8	12	fine
10	697570	43	10	8	fine
11	697572	43	10	12	coarse
12	697573	45	7	8	fine
13	698197	45	8	6	fine
14	698274	45	8	8	fine
15	698198	45	9	6	coarse
16	698263	45	10	6	fine
17	697575	45	10	8	coarse
18	697574	45	10	8	fine
19	698244	45	10	8	fine
20	698273	45,3	8	6	fine



Pos.	Part no.	ø (mm)	thickness (mm)	bore ø (mm)	grained
21	697576	48	8	6	fine
22	697577	48	8	14,3	fine
23	697589	48	10	13	coarse
24	697393	48	15	8	coarse
25	697579	50	8	7	coarse
26	697580	50	8	8	coarse
27	697392	50	8	8	fine
28	697578	50	9	6	coarse
29	698264	50	9	6	fine
30	697581	50	10	10	fine

Pos.	Part no.	ø (mm)	thickness (mm)	bore ø (mm)	grained
31	697583	50	10	12	coarse
32	697582	50	10	12	fine
33	697453	50	12	10	-
34	697378	51	7	8	fine
35	697584	51	7	14,3	fine
36	697585	52	8	10	coarse
37	697586	55	9	12	fine
38	697587	59	7,5	14,3	fine
39	697588	63	10	14,3	fine

grindstones with hub



Pos.	Part no.	ø (mm)	thickness (mm)	bore ø (mm)	grained
1	697424	40	8	6	coarse
2	697423	40	8	6	fine
3	697761	40	8	6	fine
4	697760	40	8	6	powder coarse-grained
5	697590	42	9	8	fine
6	697422	45	6	8	fine
7	697421	45	8	6	coarse
8	697762	45	8	6	powder coarse-grained

Pos.	Part no.	ø (mm)	thickness (mm)	bore ø (mm)	grained
9	697591	47	7	8	fine
10	697357	50	8	6	coarse
11	697358	50	8	6	fine
12	697593	50	8	8	coarse
13	697592	50	8	8	fine
14	697434	50	10	10	fine
15	697594	54	8	8	fine
16	697595	60	8	6	fine

grindstones cup-shaped



Pos.	Part no.	ø (mm)	thickness (mm)	bore ø (mm)	grained
1	697596	40	10	7	fine
2	697597	40	10	12	coarse
3	697598	40	10	13	fine
4	697599	43	10	8	coarse
5	697751	45	8	6	fine
6	697600	45	10	6	coarse
7	691840	45	10	6	coarse
8	697602	45	11	8	coarse
9	697601	45	15	6	coarse
10	697604	48	15	14,3	coarse
11	697603	48	15	14,3	fine

Pos.	Part no.	ø (mm)	thickness (mm)	bore ø (mm)	grained
12	697752	50	10	10,2	fine
13	697605	50	12	10	coarse
14	697435	50	12	12	fine
15	697759	51	7	14,3	fine
16	697606	51	12	8	coarse
17	697377	51	12	8	coarse
18	697607	51	15	14,3	coarse
19	697608	55	15	6	coarse
20	697609	55	15	12	coarse
21	697610	55	15	14,3	coarse
22	697611	64	19	14,3	coarse

Food preparation equipment *slicers*

guiding parts for carriage



Pos.	Part no.	L (mm)	B (mm)	H (mm)	Lø (mm)	TS	for device	suitable for	equiv. no.
1	696244	120	122	66	18	M22	220-250	Sirman	SM500618
2	696243	122	116	59	20	M8	220-250	Sirman	AMM212



1 2 3 4 5 6 7

Pos.	Part no.	description	suitable for	equiv. no.
1	696279	connection plate L 37mm W 33mm HD 18mm	Sirman	SM190830
2	696270	grub screw M8 L 27mm plastic slicer	Sirman	AMA220
3	696289	knurled nut M22 ø 32mm H 7mm for carriage 220-250	Sirman	19534029
4	696341	screw for carriage M8 L 16mm ø 32mm	Sirman	SM561504
5	696231	spindle M8 L 32mm ø 10,5mm 220-250	Sirman	19534034
6	696288	threaded bush M22 L 20mm ID ø 11mm 220-250	Sirman	19534024
7	696278	threaded plate M6 L 36mm W 15mm for carriage	Sirman	19533200

for sliding plates



1 2 3 4 5

Pos.	Part no.	L (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	697483	-	-	195	RGV	0000000117
2	697448	-	-	220-250	RGV	00000009177
3	696247	80	15	220-250	Sirman	AMM064
4	696245	87	15	275-300	Sirman	SM500218
5	696246	112	19	300-330	Sirman	19500107



1 2

Pos.	Part no.	description	suitable for	equiv. no.
1	697477	connection plate L 75mm W 15mm	RGV	0000000126
2	696276	connection plate L 83mm W 12mm thickness 4mm	Sirman	AMA066

bushes



Pos.	Part no.	ext. ø (mm)	int. ø (mm)	H (mm)	suitable for	equiv. no.
1	696283	20	18	20	Sirman	19324108

Pos.	Part no.	ext. ø (mm)	int. ø (mm)	H (mm)	suitable for	equiv. no.
2	696282	22	19	20	Sirman	19324005

spindles
accessories



1

Pos.	Part no.	TS	ø (mm)	L (mm)	material
1	696269	M6	21	16	stainless steel

2

Pos.	Part no.	TS	ø (mm)	L (mm)	material
2	696268	M8	22	10	stainless steel



Pos.	Part no.	application	ø (mm)	L (mm)	TS	for device	suitable for	equiv. no.
1	696229	for carriage	18	445	M8	250-275	Sirman	19530612
2	696227	for carriage	20	385	M8	220	Sirman	AMC242
3	696228	for carriage	20	420	M8	250	Sirman	AMG242
4	696225	sliding plate	12	120	-	-	Sirman	AMI080
5	696224	sliding plate	12	130	-	275-300	Sirman	SM521218
6	697449	sliding plate	12	160	-	Lady	RGV	0000000944
7	696226	sliding plate	19	120	M8	250-370	Sirman	19530705

hand guard



1

Pos.	Part no.	application	L (mm)	B (mm)	BA (mm)	for device	suitable for	equiv. no.
1	696287	blade sharpeners	210	105	54	195	Sirman	19562382

Food preparation equipment *slicers*



Pos.	Part no.	for knife ø (mm)	H (mm)	B (mm)	BA (mm)	material	suitable for	equiv. no.
1	696284	220	80	35	47	plastic	Sirman	19562201
2	697298	250	-	-	-	-	Sirman	19562202
3	697754	300	125	60	84	stainless steel	RGV	00000000784
4	696285	300	180	95	85	aluminium	Sirman	SM501203
5	696286	350	200	118	85	aluminium	Sirman	19521311



Pos.	Part no.	application	for device	H (mm)	B (mm)	BA (mm)	suitable for	equiv. no.
1	697474	food holder	220	165	250	78	RGV	00000000326/3
2	697473	food holder	250	165	250	90	RGV	00000000326/1
3	697446	food holder	300	300	163	110	RGV	00000000407



Pos.	Part no.	application	for device	H (mm)	B (mm)	BA (mm)	suitable for	equiv. no.
1	698245						Sirman	1956232206
2	698196	for carriage	275-300	220	150	88	Sirman	19562324
3	697755	for carriage	300	180	152	110	RGV	00000000162

accessories



Pos.	Part no.	TS	ø (mm)	L (mm)
1	697482	M5	8	15
2	696281	M5	16	31


Pos.	Part no.	TS	ø (mm)	L (mm)
3	697481	M6	14	-

housings




Pos.	Part no.	L (mm)	B (mm)	for device	suitable for	equiv. no.
1	699017	400	260	220	RGV	00000000500 (220)
2	699030	400	260	250	RGV	00000000500 (250)

locking screws




Pos.	Part no.	G	L (mm)	suitable for	equiv. no.
1	697707	M10	235	-	-
2	697733	M6	-	-	-
3	697438	M6	145	RGV	00000000817
4	697703	M6	147	-	-
5	697717	M6	150	-	-
6	697439	M6	155	RGV	00000000777
7	697712	M6	170	-	-
8	697379	M6	190	RGV	00000001024
9	697718	M6	190	-	-
10	697731	M6	200	-	-
11	697704	M6	215	-	-

Pos.	Part no.	TS	L (mm)	suitable for	equiv. no.
12	697705	M6	220	-	-
13	697701	M7	183	-	-
14	697702	M7	257	-	-
15	697700	M8	140	-	-
16	697728	M8	164	-	-
17	697719	M8	185	-	-
18	697371	M8	200	Omas	T5002
19	697732	M8	205	-	-
20	697706	M8	230	-	-
21	697727	M8	270	-	-



Pos.	Part no.	G	L (mm)	ø (mm)	L1 (mm)	suitable for	equiv. no.
1	697710	M6	125	10	61	-	-
2	697722	M6	145	10	60	-	-
3	697513	M6	148	10	51	Sirman	AMC032
4	697715	M6	148	10	52	-	-
5	697711	M6	155	10	100	-	-
6	697723	M6	165	10	60	-	-
7	698265	M6	170	8	70	Fama	-
8	697709	M6	170	8	80	Sirman	AVA032
9	697713	M6	170	10	60	-	-
10	697708	M6	177	12	67	-	-


Pos.	Part no.	TS	L (mm)	ø (mm)	L1 (mm)	suitable for	equiv. no.
11	697437	M6	200	10	50	RGV	00000000572
12	697714	M6	200	10	76	-	-
13	697739	M6	200	10	80	Sirman	SM212740
14	698078	M6	200	10	80	Sirman	SM212740
15	697724	M7	167	10	58	-	-
16	697720	M7	185	20	65	-	-
17	697725	M7	225	10	60	-	-
18	697726	M7	277	10	120	-	-
19	697729	M8	222	18	35	-	-
20	397500	M8	223	12	100	-	-



Pos.	Part no.	G	L (mm)	ø (mm)	L1 (mm)	L2 (mm)	suitable for	equiv. no.
1	697716	M8	160	12	82	22	-	-
2	697734	M8	198	10	-	24	Sirman	AVG032

Pos.	Part no.	TS	L (mm)	ø (mm)	L1 (mm)	L2 (mm)	suitable for	equiv. no.
3	697721	M8	240	15	70	12	-	-
4	691124	M8	250	10	94	23	Angelo-Po	36H0690

Food preparation equipment *slicers*



Pos.	Part no.	G	L (mm)	ø (mm)	L1 (mm)	D1 ø (mm)	L2 (mm)	L3 (mm)	suitable for	equiv. no.
1	697735	M6	160	10	-	10	18	18	Sirman	19530501
2	698199	M6	185	-	-	-	-	-	Sirman	19530532
3	697740	M6	185	10	-	10	18	18	Sirman	19530532
4	697730	M8	190	12	70	12	23	23	-	-
5	697738	M8	200	10	-	10	23	23	Sirman	SM592021
6	697736	M8	230	12	-	12	25	25	Sirman	19530554
7	696230	M8	235	10	45	10	25	124	Sirman	19530507
8	697737	M8	240	12	-	12	23	23	Sirman	19530509

handles



Pos.	Part no.	TS	handle ø (mm)	suitable for	equiv. no.
1	698200	M6		Sirman	19562502
2	111054	M6		Sirman	19564016

Pos.	Part no.	TS	handle ø (mm)	suitable for	equiv. no.
3	697443	M8		RGV Sirman	0000000378 19562504
4	697766	M8		Omas	I1926

motors



Pos.	Part no.	voltage (V)	ph	speed (rpm)	spindle ø (mm)	WL (mm)	ø (mm)	H (mm)	BA (mm)	LA (mm)	Lø (mm)	suitable for	equiv. no.
1	500923	230	1	1380	15	28	115	87	49	145	6	RGV	0000000508
2	500912	230	1	1380	15	28	115	92	49	145	6	RGV	0000000510
3	500973	230	1	1380	15	28	115	112	75	145	6	RGV	0000000425
4	500954	230	1	1380	15	28	115	112	75	145	8	RGV	0000001150
5	500956	230	1	1380	17	27	154	130	98	170	10	RGV	0000000577
6	500898	230	1	1400	15	20	125	100	71	155	6	Sirman	19400101
7	500717	230	1	1400	15	21	135	120	63	155	8	Sirman	SM400108
8	500718	400	3	1400	15	22	135	120	63	155	8	Sirman	SM402215



Pos.	Part no.	voltage (V)	ph	speed (rpm)	spindle ø (mm)	WL (mm)	ø (mm)	H (mm)	BA (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	500992	230	1	1400	15	22	93	103	65	6	-	FAC	-
2	500721	230	1	890	16,5	32	130	140	108	8	GEMMA 350	Sirman	19400108
3	500715	230	1	1400	15	23	110	98	69	6	220	Sirman	AMC648
4	500901	230	1	1400	16,5	32	130	140	108	8	300-330-350	Sirman	19400107
5	500720	230/400	3	890	16,5	32	130	120	87	8	GEMMA 350	Sirman	19400408

poly-V belts



Pos.	Part no.	profile	L (mm)	B (mm)	grooves	suitable for	equiv. no.
1	697612	TB2	266	16	8	-	-
2	697613	TB2	295	16	8	Omas	C4809
3	697280	TB2	310	16	8	Sirman	AMG024
4	697615	TB2	310	20	10	-	-
5	698217	TB2	330	14	7	RGV	00000000861
6	697616	TB2	345	16	8	-	-
7	698219	TB2	360	16	8	Sirman	19310206
8	697617	TB2	360	20	10	-	-
9	698220	TB2	380	20	10	Sirman	19310207
10	698215	TB2	400	20	10	RGV	00000000635
11	697618	TB2	400	24	12	-	-
12	697619	TB2	430	16	8	-	-
13	698216	TB2	480	20	10	RGV	00000001026
14	698221	TB2	480	22	11	Sirman	19310209
15	697620	TB2	510	20	10	-	-
16	697621	TB2	526	20	10	-	-
17	698000	TB2	630	24	12	-	-
18	697622	TB2	675	16	8	-	-
19	697624	TB2	770	20	10	-	-
20	697626	TB2.34	381	21	8	-	-
21	697627	TB2.34	406	26	9	-	-
22	697628	TB2.34	406	40	17	-	-
23	697629	TB2.34	457	24	9	-	-
24	697630	TB2.34	483	24	10	-	-
25	697632	TB2.34	508	24	10	-	-
26	697633	TB2.34	559	23	9	-	-
27	697636	TB2.34	610	19	7	-	-
28	697637	TB2.34	660	19	7	-	-
29	697638	TB2.34	711	19	7	-	-

sliding plates



Pos.	Part no.	for device	BA (mm)	mounting thread	suitable for	equiv. no.
1	697524	220	70	M6	Sirman	AMC040
2	697525	250	70	M8	Sirman	AMG040
3	697526	300	87	-	Sirman	SM504120

Food preparation equipment *slicers*

holders



Pos.	Part no.	Lø (mm)	BA (mm)	shaft ø (mm)	shaft length (mm)	for device	suitable for	equiv. no.
1	696240	7,3	70	15	38	220-250	Sirman	AMM058
2	696238	8	98	15	46	300	Sirman	SM500318
3	696239	19	120	-	-	300-330	Sirman	195107E07

hand guard



Pos.	Part no.	ø (mm)	int. ø (mm)	thickness (mm)	suitable for	equiv. no.
1	696252	68	18	10	Sirman	19563002
2	696251	68	25,8	10	Sirman	AMA062

springs



Pos.	Part no.	ø (mm)	L (mm)	wire gauge ø (mm)	version	D1 ø (mm)	D2 ø (mm)	for device	suitable for	equiv. no.
1	696207	-	19	1,5	conical	23	25	220-250	Sirman	AMC244
2	696205	-	22	2	conical	22	28	250-300	Sirman	SM370104
3	696206	-	53	1,5	conical	23	25	220-250	Sirman	AMC254
4	696212	7,6	22	0,7	-	-	-	195-220	Sirman	AMA814
5	696213	7,6	28	0,7	-	-	-	PARKER	Sirman	AME410
6	696211	11,5	46	1,3	-	-	-	220	Sirman	AMC672
7	696208	13,5	57	1,4	-	-	-	275-300	Sirman	SM370111
8	696209	13,5	92	1,4	-	-	-	-	Sirman	19390205
9	696210	14	16	1,2	-	-	-	220-250	Sirman	19390600
10	698266	22	24	2,6	-	-	-	-	-	-

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	697370	bolt M8 ø 10mm L 25mm for adjustable foot	Omas	S7595
2	697455	bolt ø 5mm L 98,5mm for motor	-	-
3	697476	bush ø 14mm L 88mm ID ø 12mm	RGV	0000000509
4	696277	connection plate L 37mm W 25mm for motor	Sirman	AMC680
5	696248	holder M10x0,75 ø 30mm for micro-switch	Sirman	AMA028
6	697356	holder M10x0,75 ø 30mm for micro-switch	RGV	0000000300



Pos.	Part no.	description	suitable for	equiv. no.
7	696249	holder M10x0,75 ø 35mm for micro-switch	Sirman	19540905
8	696219	thread bolt M6 ø 11mm L 74mm for motor HD 5mm	Sirman	AMC670

vacuum packers
air cushions



Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	572001	310	85	Henkelman	0301310
2	572002	330	85	Henkelman	0301330
3	572003	370	85	Henkelman	0301370
4	572004	390	85	Henkelman	0301390
5	572005	410	85	Henkelman	0301410
6	572006	440	85	Henkelman	0301440
7	572007	490	85	Henkelman	0301490
8	572008	550	85	Henkelman	0301550

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
9	572009	580	85	Henkelman	0301580
10	572010	640	85	Henkelman	0301640
11	572011	660	85	Henkelman	0301660
12	572012	740	85	Henkelman	0301740
13	572013	800	85	Henkelman	0301800
14	572014	850	85	Henkelman	0301850
15	572015	860	85	Henkelman	0301860

air cylinders



Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
1	691544	50	25	Henkelman	0286000
2	691545	80	30	Henkelman	0286005
3	691546	80	48	Henkelman	0286010

Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
4	691547	110	29	Henkelman	0286015
5	691549	110	47	Henkelman	0286020
6	691548	110	120	Henkelman	0286017

air valves



Pos.	Part no.	connection	suitable for	equiv. no.
1	691551	1"	Henkelman	0281005
2	691555	1¼"	Henkelman	0900852

Pos.	Part no.	connection	suitable for	equiv. no.
3	691553	2"	Henkelman	0281025

cut off wires



1

Pos.	Part no.	ø (mm)	Qty	suitable for	equiv. no.
1	572051	1,1	sold per meter	Henkelman	0305010

gas pressure springs



1

2

Pos.	Part no.	extension force (N)	hub (mm)	LA (mm)	Lø (mm)	suitable for	equiv. no.
1	691528	370	40	145	6,2	Henkelman	0810200
2	691529	500	65	228	6,3	Henkelman	0810215

heating wires



Pos.	Part no.	B (mm)	L (mm)	Qty	suitable for	equiv. no.
1	572016	3,5	3000	1	Henkelman	0305003
2	418506	-	454	1	Sirman	KODK001
3	572050	3,5	-	MTR	Henkelman	0305000

Pos.	Part no.	B (mm)	L (mm)	Qty	suitable for	equiv. no.
4	572052	5	3000	1	Henkelman	0305020
5	572053	8	3000	1	Henkelman	0305025

housing and bezels



1

2

Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	for device	suitable for	equiv. no.
1	692068	258	55	2,3	JUMBO Combivac	Henkelman	0600020
2	692069	288	88	20	JUMBO	Henkelman	0600011

insert plates



1

Pos.	Part no.	L (mm)	B (mm)	thickness (mm)	for device	suitable for	equiv. no.
1	692063	740	490	20	F80 KL	Henkelman	0307050

lids



Pos.	Part no.	L (mm)	B (mm)	H (mm)	for device	suitable for	equiv. no.
1	692062	475	460	75	B42/J42/H-200	Henkelman	0620010
2	691586	670	670	-	H 300 II	Henkelman	0900738

locking screws



Pos.	Part no.	TS	material	suitable for	equiv. no.
1	691565	1/4"	SS	Henkelman	0939105
2	691566	1/2"	plastic	Henkelman	0939110
3	691567	3/4"	plastic	Henkelman	0939113
4	691568	1"	plastic	Henkelman	0939115
5	691564	1/8"	SS	Henkelman	0939102

maintenance sets



Pos.	Part no.	application	size	suitable for	equiv. no.
1	691577	for air valve	1"	Henkelman	0931225
2	691575	for air valve	1 1/4"	Henkelman	0900872
3	691573	for air valve	2"	Henkelman	0931205
4	691576	for vacuum valve	1"	Henkelman	0931220
5	691574	for vacuum valve	1 1/4"	Henkelman	0900870
6	691572	for vacuum valve	2"	Henkelman	0931200

membranes



Pos.	Part no.	ø (mm)	H (mm)	suitable for	equiv. no.
1	691579	48	5	Henkelman	0931226
2	691580	50	19	Henkelman	0931400
3	691581	80	24	Henkelman	0931405
4	691578	90	1	Henkelman	0931206
5	691582	110	34	Henkelman	0931410

oil filter



Pos.	Part no.	size	suitable for	equiv. no.
1	691543	160-300	Henkelman	0939091

Pos.	Part no.	size	suitable for	equiv. no.
2	691542	63-100	Henkelman	0939090

oil separator filters with thread



Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	TS	suitable for	equiv. no.
1	691534	4	35	52	3/8"	Henkelman	0939000
2	691954	8	-	-	-	Henkelman	0939162

Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	TS	suitable for	equiv. no.
3	691536	8	40	70	1/2"	Henkelman	0939001

without thread



Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	suitable for	equiv. no.
1	691537	16	52	120	Henkelman	0939003
2	691538	21	72	128	Henkelman	0939005
3	691539	63	72	206	Henkelman	0939011

Pos.	Part no.	flow rate (m³/h)	ø (mm)	L (mm)	suitable for	equiv. no.
4	691540	100	72	248	Henkelman	0939010
5	691541	160	72	375	Henkelman	0939015

oils



Pos.	Part no.	type	content (L)	suitable for	equiv. no.
1	890248	22	1	Henkelman	0439501
2	890253	100	1	Henkelman	0439520
3	890250	CS32	0,3	Henkelman	0439503
4	890247	VG22	0,05	Henkelman	0439500

Pos.	Part no.	type	content (L)	suitable for	equiv. no.
5	890249	VG32	0,2	Henkelman	0439502
6	890251	VG32	0,5	Henkelman	0439505
7	890252	VG32	1	Henkelman	0439510

rupper bumper



Pos.	Part no.	type	suitable for	equiv. no.
1	691570	H200	Henkelman	0940205
2	691571	H300	Henkelman	0940210

Pos.	Part no.	type	suitable for	equiv. no.
3	691569	JUMBO	Henkelman	0940203

sealing bars



Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
1	691632	277	15	31	Henkelman	0300010
2	691831	277	15	31	Henkelman	0300020
3	691997	280	16	34	Henkelman	0300041
4	691998	425	16	34	Henkelman	0300215

Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
5	691816	500	16	34	Henkelman	0300337
6	691587	516	25	25	Henkelman	0380590
7	691999	525	16	35	Henkelman	0300332
8	691801	565	15	33	Henkelman	0300510

contacts for sealing bars



Pos.	Part no.	MP	type	suitable for	equiv. no.
1	691559	left	DS	Henkelman	0900170
2	691557	left	TS	Henkelman	0900152
3	691556	left/right	table DS	Henkelman	0900150

Pos.	Part no.	MP	type	suitable for	equiv. no.
4	691560	right	DS	Henkelman	0900172
5	691558	right	TS	Henkelman	0900154

service kits



Pos.	Part no.	type	suitable for	equiv. no.
1	890262	B35 / B-M 42/42XL	Henkelman	0940120
2	890261	B42 XL BA/Toucan BA	Henkelman	0940125
3	890263	F80/P80 LL	Henkelman	0940140
4	890256	J35/J42/B35	Henkelman	0940115

Pos.	Part no.	type	suitable for	equiv. no.
5	890255	JP	Henkelman	0940110
6	890264	M46-M/F/P 52	Henkelman	0940130
7	890254	MJ	Henkelman	0940100
8	890265	P2-40/50/75	Henkelman	0940160

solenoid valve assemblies



Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	for device	suitable for	equiv. no.
1	370504	1/2"	21	24	VA12	B35+SA	Henkelman	0900835
2	370505	1/2"	21	24	VA12	B42(XL)+SA	Henkelman	0900836



Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	version	for device	suitable for	equiv. no.
1	370511	1/2"	7,5	24	VA12	2 coils	MJ	Henkelman	0280025
2	370513	1/2"	12	24	VA12	2 coils	JP	Henkelman	0280027



1

2

Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	version	for device	suitable for	equiv. no.
1	370512	1/2"	21	24	VA12	2 coils	J35/J42/B35	Henkelman	0280026
2	370514	1/2"	21	24	VA12	3 coils	H200+SA	Henkelman	0280029



Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	coil type	for device	suitable for	equiv. no.
1	370500	1/2"	7,5	24	VA12	MJ	Henkelman	0900830
2	370501	1/2"	10	24	VA12	JP	Henkelman	0900831
3	370502	1/2"	21	24	VA12	J35	Henkelman	0900832
4	370503	1/2"	21	24	VA12	J42	Henkelman	0900833



1

Pos.	Part no.	TS	hose connector ø (mm)	voltage (V)	for device	suitable for	equiv. no.
1	692064	1/2"	6	24	H200	Henkelman	0280032

teflon strips



Pos.	Part no.	B (mm)	thickness (mm)	Qty	suitable for	equiv. no.
1	691526	15	0,25	MTR	Henkelman	0305505

Pos.	Part no.	B (mm)	thickness (mm)	Qty	suitable for	equiv. no.
2	693842	46	0,1	MTR	Henkelman	0305510

vacuum pumps
inspection glasses



Pos.	Part no.	TS	material	suitable for	equiv. no.
1	691561	½"	-	Henkelman	0438000
2	500988	½"	plastic	Henkelman	0438010

Pos.	Part no.	TS	material	suitable for	equiv. no.
3	691562	¾"	-	Henkelman	0438005
4	691563	1"	-	Henkelman	0438015

rotor vanes



Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
1	691992	20	14	3	Henkelman	0939056
2	691584	70	18	4	Henkelman	0939060

Pos.	Part no.	L (mm)	B (mm)	H (mm)	suitable for	equiv. no.
3	691585	100	40	4	Henkelman	0939065

vacuum pumps



Pos.	Part no.	voltage (V)	freq. (Hz)	suitable for	equiv. no.
1	500990	230	50	Henkelman	0431600001

Pos.	Part no.	voltage (V)	freq. (Hz)	suitable for	equiv. no.
2	500987	230	50	Henkelman	0430100

vacuum valves



Pos.	Part no.	connection	suitable for	equiv. no.
1	691550	1"	Henkelman	0281000
2	691554	1¼"	Henkelman	0900850

Pos.	Part no.	connection	suitable for	equiv. no.
3	691552	2"	Henkelman	0281020

miscellaneous



Pos.	Part no.	description	suitable for	equiv. no.
1	691955	flange ID \varnothing 54mm L 80mm W 80mm H 14mm	Henkelman	0400735
2	300231	potentiometer 950KOhm rotation angle 300°	Henkelman	0232100
3	692065	retaining ring spindle \varnothing 6mm thickness 0,7mm	Henkelman	0065250
4	691583	silencer ID \varnothing 51,5mm outside \varnothing 57mm H 32mm	Henkelman	0931230
5	692066	spindle ext. \varnothing 6mm L 127mm	Henkelman	0390500

vegetable slicers

cubing grids



Pos.	Part no.	type	\varnothing (mm)	seat \varnothing (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697490	PS10	210	38	10	aluminium	Sirman	40751PS10
2	697499	PS14	210	38	14	aluminium	Sirman	40751PS14
3	697501	PS20	210	38	20	aluminium	Sirman	40751PS20
4	697487	PS8	210	38	8	aluminium	Sirman	40751PS08

cutting discs blades round



Pos.	Part no.	type	\varnothing (mm)	seat \varnothing (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697303	DF5	205	19	5	aluminium	Sirman	40751DF05
2	697390	E5	206	19	5	plastic	Fimar	DISCOE5
3	697391	S1	206	19	1	plastic	Fimar	DISCOS1

blades smooth



Pos.	Part no.	type	ø (mm)	seat ø (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697504	DF1	205	19	1	aluminium	Sirman	40751DF01
2	697502	DF10	205	19	10	aluminium	Sirman	40751DF10
3	697494	DF14	205	19	14	aluminium	Sirman	40751DF14
4	697302	DF2	205	19	2	aluminium	Sirman	40751DF02
5	697503	DF3	205	19	3	aluminium	Sirman	40751DF03
6	697485	DF4	205	19	4	aluminium	Sirman	40751DF04
7	697484	DF8	205	19	8	aluminium	Sirman	40751DF08
8	697389	E1	206	19	1	plastic	Fimar	DISCOE1
9	697301	E2	206	19	2	plastic	Fimar GAM	DISCOE2 E2
10	697297	E3	206	19	3	plastic	Fimar GAM	slice thickness E3 3mm slice thickness E3 3mm

ejector discs



Pos.	Part no.	version	H (mm)	ø (mm)	seat ø (mm)	shaft adaptor (mm)	LA (mm)	suitable for	equiv. no.
1	699011	-	7	195	-	22x27	-	Angelo-Po Fimar	36G6960 36G6960
2	697294	-	17	-	25	-	41	Sirman	40751DESP
3	697292	flat	6	200	20,3	-	40	GAM	ATVDIPLAESB
4	699012	flat	6	200	21	-	40	Fimar	SL0843
5	699110	flat	10	200	50	19	39	OEM	50SCA78300
6	699016	high	25	200	21	-	40	Emmepi Fimar	808636 SA2700
7	697291	high	28	200	20,3	-	40	GAM	ATVDIPLAESA

grating discs



Pos.	Part no.	type	ø (mm)	seat ø (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697497	DT2	205	19	2	aluminium	Sirman	40751DT02
2	697489	DT3	205	19	3	aluminium	Sirman	40751DT03
3	696167	DT4	205	19	4	aluminium	Sirman	40751DT04
4	697491	DT7	205	19	7	aluminium	Sirman	40751DT07
5	697498	DT9	205	19	9	aluminium	Sirman	40751DT09
6	697496	DTV	205	19	-	aluminium	Sirman	40751DTV
7	696200	RG9	175	20	9	-	Robot Coupe	27632

stick slice discs



Pos.	Part no.	type	ø (mm)	seat ø (mm)	slice thickness (mm)	material	suitable for	equiv. no.
1	697488	DQ10	205	19	10	aluminium	Sirman	40751DQ10
2	697493	DQ4	205	19	4	aluminium	Sirman	40751DQ04
3	697495	DQ6	205	19	6	aluminium	Sirman	40751DQ06
4	697486	DQ8	205	19	8	aluminium	Sirman	40751DQ08

electrical parts

control boxes



1

2

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
1	699005	-	A2-A2L	GAM	Steuerplatine

Pos.	Part no.	voltage (V)	for device	suitable for	equiv. no.
2	699001	230	-	Fimar	SA1250

keypads

gaskets



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403004	122	52	Sirman	19563030

keypads



1

Pos.	Part no.	L (mm)	B (mm)	suitable for	equiv. no.
1	403002	120	48	Emmepi Sirman	808612 19702000

micro-switches



1

Pos.	Part no.	voltage (V)	switching capacity (A)	function	connection
1	345041	250	16	1CO	flat plug 6,3mm

momentary push switches



Pos.	Part no.	voltage (V)	switching capacity (A)	function	mounting ø (mm)
1	699002	250	16	1NC/1NO	22

PCBs



1

2

Pos.	Part no.	voltage (V)	suitable for	equiv. no.
1	400954	230	Sirman	19411007

Pos.	Part no.	voltage (V)	suitable for	equiv. no.
2	400955	230/400	Emmepi Sirman	808629 19411008

feet



1

Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)	suitable for	equiv. no.
1	697387	M5	10	36	27	Fimar	SL2674

holders



1

Pos.	Part no.	H (mm)	L (mm)	B (mm)	for device	suitable for	equiv. no.
1	696100	39	65	26	TM	Sirman	IV4010030

lids



Pos.	Part no.	material	ø (mm)	for device	suitable for	equiv. no.
1	696198	stainless steel	220	TM	Sirman	IV2280010

Food preparation equipment *vegetable slicers*

motors



1

Pos.	Part no.	voltage (V)	ph	speed (rpm)	spindle ø (mm)	WL (mm)	ø (mm)	H (mm)	BA (mm)	Lø (mm)	for device	suitable for	equiv. no.
1	500719	230	1		14	37			154		TM	Sirman	IV5050002

poly-V belts



Pos.	Part no.	profile	L (mm)	B (mm)	grooves	suitable for	equiv. no.
1	698227	J	483	18,7	8	Sirman	IV7000010

Pos.	Part no.	profile	L (mm)	B (mm)	grooves	suitable for	equiv. no.
2	697623	TB2	675	24	12	-	-

pressure levers



1

2

Pos.	Part no.	description	suitable for	equiv. no.
1	698186	plunger ø 50mm H 140mm plastic TMA	Sirman	IV98407400
2	697900	push lever L 180mm W 145mm H 140mm plastic TM	Sirman	IV4010000

spindles



1

Pos.	Part no.	L1 (mm)	L2 (mm)	D1 ø (mm)	D2 ø (mm)	total length (mm)	for device	suitable for	equiv. no.
1	696098	18,5	10,5	6	5	30,5	TM	Sirman	IV2080050

miscellaneous



1

2

3

Pos.	Part no.	description	suitable for	equiv. no.
1	696192	latch mounting distance 15mm stainless steel TM	Sirman	IV7400010
2	696099	tension spring ø 7,2mm L 19mm wire gauge ø 0,7mm	Sirman	IV75MTM
3	699000	star handle M5 ø 40mm L 54mm black	Fimar	SL1390

universal parts

ball bearings

deep-groove ball bearings 2RS



Pos.	Part no.	spindle ø (mm)	ext. ø (mm)	B (mm)	type
1	523503	5	16	5	DIN 625-2RS
2	523504	6	19	6	DIN 626-2RS
3	523505	7	22	7	DIN 627-2RS
4	523501	8	22	7	DIN 608-2RS
5	523502	9	24	7	DIN 609-2RS
6	523506	9	26	8	DIN 629-2RS
7	523507	10	26	8	DIN 6000-2RS
8	523508	10	30	9	DIN 6200-2RS
9	505011	10	30	9	DIN 6200-2RS
10	523534	12	28	8	DIN 6001-2RS
11	523509	12	32	10	DIN 6201-2RS
12	523546	12	32	16	DIN 3201-2RS
13	523011	15	32	9	DIN 6002-2RS
14	523510	15	35	11	DIN 6202-2RS
15	523526	15	42	13	DIN 6302-2RS
16	523551	17	35	10	DIN 6003-2RS

Pos.	Part no.	spindle ø (mm)	ext. ø (mm)	B (mm)	type
17	523511	17	40	12	DIN 6203-2RS
18	523516	17	47	14	DIN 6303-2RS
19	523522	20	42	12	DIN 6004-2RS
20	523512	20	47	14	DIN 6204-2RS
21	697116	20	47	20,6	DIN 3204-2RS
22	523517	20	52	15	DIN 6304-2RS
23	692033	25	47	12	DIN 6005-2RS
24	523525	25	47	12	DIN 6005-2RS
25	523513	25	52	15	DIN 6205-2RS
26	523518	25	62	17	DIN 6305-2RS
27	523541	30	55	16	DIN 6006-2RS
28	523524	30	62	16	DIN 6206-2RS
29	523528	35	62	14	DIN 6007-2RS
30	523542	40	68	15	DIN 6008-2RS
31	523515	40	80	30	DIN 5208-2RS

flange bearings



Pos.	Part no.	type	spindle ø (mm)	LA (mm)
1	693112	UCF204	20	64
2	697278	UCF205	25	70

Pos.	Part no.	type	spindle ø (mm)	LA (mm)
3	697279	UCF206	30	83

thrust ball bearings



Pos.	Part no.	spindle ø (mm)	ext. ø (mm)	B (mm)	type
1	523000	12	26	9	51101
2	523520	15	28	9	51102
3	523547	15	32	12	51202
4	514042	17	35	12	51203
5	523537	20	35	10	51104

Pos.	Part no.	spindle ø (mm)	ext. ø (mm)	B (mm)	type
6	523536	20	40	14	51204
7	523523	25	42	11	51105
8	523529	25	47	15	51205
9	523533	30	47	11	51106
10	523532	30	52	16	51206

drive belts poly-V belts



Pos.	Part no.	profile	L (mm)	B (mm)	grooves
1	693269	140	355	14	6
2	698227	J	483	18,7	8
3	693140	J	1168	30	14
4	697612	TB2	266	16	8
5	697613	TB2	295	16	8
6	697280	TB2	310	16	8
7	697615	TB2	310	20	10
8	698217	TB2	330	14	7
9	697367	TB2	330	16	8
10	697616	TB2	345	16	8
11	698219	TB2	360	16	8
12	697617	TB2	360	20	10
13	697284	TB2	380	16	8
14	698220	TB2	380	20	10
15	697699	TB2	400	16	8
16	698215	TB2	400	20	10
17	697618	TB2	400	24	12
18	697619	TB2	430	16	8
19	698126	TB2	430	20	10
20	698213	TB2	430	22	11
21	698156	TB2	430	28	14
22	698216	TB2	480	20	10
23	698221	TB2	480	22	11
24	697620	TB2	510	20	10
25	698222	TB2	526	12	6
26	697621	TB2	526	20	10

Pos.	Part no.	profile	L (mm)	B (mm)	grooves
27	693939	TB2	630	12	6
28	698000	TB2	630	24	12
29	698223	TB2	660	12	6
30	697622	TB2	675	16	8
31	697623	TB2	675	24	12
32	698157	TB2	725	24	12
33	697624	TB2	770	20	10
34	698224	TB2	1186	14	7
35	697625	TB2.34	356	37	16
36	697626	TB2.34	381	21	8
37	697627	TB2.34	406	26	9
38	697628	TB2.34	406	40	17
39	698225	TB2.34	432	14	6
40	698226	TB2.34	432	23,4	10
41	697629	TB2.34	457	24	9
42	698206	TB2.34	457	28	12
43	697630	TB2.34	483	24	10
44	697631	TB2.34	483	28	12
45	697632	TB2.34	508	24	10
46	697633	TB2.34	559	23	9
47	697634	TB2.34	559	30	13
48	697635	TB2.34	559	38	16
49	697636	TB2.34	610	19	7
50	697637	TB2.34	660	19	7
51	697638	TB2.34	711	19	7
52	697639	TB2.34	711	28	12

round belts



Pos.	Part no.	L (mm)	ø (mm)
1	693701	540	8
2	693873	560	8
3	693874	600	8
4	693705	620	8
5	693703	635	8
6	691231	640	8
7	693700	645	8

Pos.	Part no.	L (mm)	ø (mm)
8	693843	680	8
9	695277	720	6
10	691232	730	8
11	694259	750	8
12	693875	784	8
13	695278	830	6
14	693876	860	8

Pos.	Part no.	L (mm)	ø (mm)
15	693704	884	8
16	693702	895	8
17	693877	920	8
18	695298	940	6
19	695399	950	7
20	693878	950	8
21	695299	1280	6

toothed belts



Pos.	Part no.	profile	L (mm)	B (mm)	CODE
1	691427	-	160	3	6G16
2	697696	L	210	10	210L100
3	697698	L	240	13	240L050
4	504778	T10	610	16	-
5	697691	XL	130	10	130XL037

Pos.	Part no.	profile	L (mm)	B (mm)	CODE
6	697692	XL	140	10	140XL037
7	697693	XL	190	10	190XL037
8	697694	XL	200	10	200XL037
9	697695	XL	210	10	210XL037
10	697697	XL	220	10	220XL037

V-belts



Pos.	Part no.	CODE	belt width (mm)	L (mm)	H (mm)	profile
1	697641	-	5	260	3	6Y
2	697642	-	6	270	4	6Y
3	697643	-	6	280	4	6Y
4	697648	-	6	339	4	6Y
5	697650	-	6	360	4	6Y
6	697655	-	6	450	4	6Y
7	697657	-	6	500	4	6Y
8	697659	-	6	580	4	6Y
9	697660	-	6	600	4	6Y
10	697690	A18	13	457	8	A
11	695163	A24	13	610	8	A
12	695389	A26	13	660	8	A
13	695164	A29	13	737	8	A
14	697071	A32	13	813	8	A
15	697072	A42	13	1067	8	A
16	697073	A43	13	1092	8	A
17	697074	A49	13	1250	8	A
18	697075	A52	13	1320	8	A
19	697076	A56	13	1422	8	A
20	691963	AX40	13	1050	8	-
21	691635	AX63	13	1655	8	AX
22	697743	SPA 732	12,7	750	10	SPA
23	697664	T12 1/2	8	315	5	8T
24	697665	T14	8	355	5	8T
25	697666	T14 3/4	8	375	5	8T
26	697667	T15 3/4	8	400	5	8T
27	697668	T16 3/4	8	410	5	8T
28	697669	T17	8	430	5	8T
29	697670	T17 3/4	8	450	5	8T
30	697671	T18 3/4	8	475	5	8T
31	697672	T20 3/4	8	530	5	8T
32	697673	T22	8	560	5	8T
33	697674	T23	8	580	5	8T

Pos.	Part no.	CODE	belt width (mm)	L (mm)	H (mm)	profile
34	697675	T24 3/4	8	630	5	8T
35	697676	T26 1/2	8	630	5	8T
36	697677	T28	8	710	5	8T
37	697644	Y324	6	300	4	6Y
38	697645	Y343	6	320	4	6Y
39	697646	Y352	6	330	4	6Y
40	697647	Y361	6	335	4	6Y
41	697649	Y381	6	352	4	6Y
42	697651	Y394	6	372	4	6Y
43	697652	Y411	6	380	4	6Y
44	697653	Y425	6	400	4	6Y
45	697654	Y441	6	425	4	6Y
46	697656	Y495	6	475	4	6Y
47	697658	Y588	6	565	4	6Y
48	697661	Y665	6	640	4	6Y
49	697662	Y700	6	675	4	6Y
50	697663	Y714	6	695	4	6Y
51	697678	Z14	10	355	6	Z
52	697680	Z15 3/4	10	400	6	Z
53	697681	Z16 3/4	10	424	6	Z
54	697682	Z17 1/4	10	438	6	Z
55	697683	Z18	10	460	6	Z
56	697684	Z18 3/4	10	475	6	Z
57	697685	Z19 3/4	10	500	6	Z
58	697686	Z20 1/2	10	520	6	Z
59	697687	Z21 1/4	10	540	6	Z
60	693262	Z22	10	560	6	Z
61	697688	Z23 3/4	10	600	6	Z
62	691224	Z25	-	635	6	Z
63	697689	Z27	10	685	6	Z
64	691225	Z28	-	710	6	Z
65	693400	Z36	10	915	6	Z

feet



Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)
1	695612	M8	20	29	11

Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)
2	691122	M8	24	38	13



Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)	Qty (pc)
1	691652	M10	23	25	29	1
2	700875	M10	25	24	8	1
3	690832	M10	25	24	8	10
4	697331	M10	32	34	12	1

Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)	Qty (pc)
5	690833	M10	45	24	8	10
6	700710	M12	55	38	15	1
7	696094	M5	10	15	10	1



Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)	Qty (pc)
8	691264	M6	16	25	6	1
9	693947	M8	15	26	8	1
10	691344	M8	20	23	12	1
11	513284	M8	20	30	12	1

Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)	Qty (pc)
12	700873	M8	25	24	8	1
13	690830	M8	25	24	8	10
14	691118	M8	25	25	7	1



Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)	Qty (pc)
15	700874	M8	45	24	8	1

Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)	Qty (pc)
16	690831	M8	45	24	8	10



Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)
1	693791	M5	10	36	25
2	697387	M5	10	36	27
3	697757	M6	9	37	27
4	697773	M6	12	47	35

Pos.	Part no.	TS	th.le (mm)	ø (mm)	H (mm)
5	697383	M8	10	47	46
6	527255	M8	12	47	45
7	802136	M8	15	47	40

shaft gaskets



Pos.	Part no.	int. ø (mm)	ext. ø (mm)	t (mm)
1	511170	7	22	7
2	697407	8	18	6
3	527291	11	22	8
4	698239	11,91	18,24	5
5	698211	15	24	5
6	698116	15	30	7
7	691049	17	28	7
8	516246	17	35	7
9	697121	17	40	7

Pos.	Part no.	int. ø (mm)	ext. ø (mm)	t (mm)
10	697475	20	30	5
11	698001	20	35	7
12	698002	25	40	7
13	698117	25	47	7
14	698207	30	40	7
15	698123	30	62	7
16	698121	35	50	5
17	698122	40	62	7

ORDER FORM



Company/address
Company stamp

Contact

Customer number

Your order number/agency

Delivery address

Item	Part no.	Quantity	Description
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			

Place, date:

Signature:

Regarding the purchase of our spare parts, we advise as follows

Repairs on catering equipment should only be carried out by a qualified service technician and it is the buyer of the part delivered who bears the responsibility for its subsequent use or processing. The buyer must also be aware of the relevant national laws and regulations in force e.g. local gas supply. Part descriptions and pictures relating to the shape, application and other features of products are only provided for information purposes. We accept no liability for the accuracy of technical descriptions and illustrations in our catalogue and we reserve the right for any printing errors. Copies of this catalogue are only allowed with the expressed permission of the GEV GROUP.

**United Kingdom**

GEV Catering Spares Ltd.
Office 307/308
Springfield House
Springfield Business Park
Springfield Road
Grantham
NG31 7BG, United Kingdom

Tel.: +44 1476 514642
Fax: +44 1476 514640
info@gev-online.co.uk
www.gev-online.co.uk

Austria

GEV austria GmbH
Austraße 12
5110 Oberndorf bei Salzburg, Austria

Tel.: +43 6272 6688-0
Fax: +43 6272 6688-14
office@gev.at
www.gev.at

France

PCP Pièces Cuisines Professionnelles S.a.r.l.
160 rue de Palverne – ZAC de Rosarge
RN 83 Les Echets
01700 Miribel, France

Tel.: +33 4 72 26 31 01
Fax : +33 4 72 26 33 96
contact@pcp-cuisine.fr
www.pcp-cuisine.fr

Germany

GEV GmbH
Robert-Koch-Str. 3a
82152 Planegg, Germany

Tel.: +49 89 745572-0
Fax: +49 89 745572-82
bestellung@gev-online.de
www.gev-online.de

Italy

Fast ricambi srl
Via Manin, 65
31015 Conegliano (TV), Italy

Tel.: +39 0438 453586
Fax: +39 0438 455263
fastservice@fastricambi.it
www.fastricambi.it

Switzerland

GEV GmbH
Kanalstrasse 14
5745 Safenwil, Switzerland

Tel.: +41 (62) 797 25 06
Fax: +41 (62) 797 25 07
info@gev-online.ch
www.gev-online.ch

Other countries

GEV GmbH
Robert-Koch-Str. 3a
82152 Planegg, Germany

Tel.: +49 89 745572-0
Fax: +49 89 745572-83
order@gev-online.com
www.gev-online.com