



# ***GAS THERMOSTATS***

G

Gas thermostats

## *Gas thermostats*



**G.E.V. Großküchen-Ersatzteil-Vertrieb GmbH**  
Robert-Koch-Straße 3a  
82152 Planegg/Munich  
Germany

Phone: +49 (0)89 745572-0  
Fax: +49 (0)89 745572-83  
[order@gev-online.com](mailto:order@gev-online.com)  
[www.gev-online.com](http://www.gev-online.com)

Member of the  **GEV GROUP**

## Gas thermostats PEL 25/24




page 4

## Gas thermostats SABAF




page 6

## Gas thermostats COPRECI/IMIT



page 7

## Gas thermostats ROBERTSHAW



page 8

Gas thermostats

**Gas thermostats EGA**



page 10

**Gas thermostats SIT**



page 11

**Gas thermostats MP JUNKERS**



page 16




## gas thermostats PEL 25S



item	order no.	temperature (°C)	gas input	ø gas input (mm)	ø bypass nozzle (mm)	gas outlet	ø pipe outlet (mm)	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	L1/L2 (mm)	spindle (mm)
1	101441	30 - 90	M16x1,5	10	0,35	M16x1,5	10/8	M9x1	1200	6	160	21/15	
	101955	up to 140	M16x1,5	10	0,50	M16x1,5	10/8	M8x1	1200	6	120	38/15	
	101442	100 - 200	M16x1,5	10	0,35	M16x1,5	10/8	M9x1	1200	6	120	21/15	
	101906	up to 250	M16x1,5	10	1,00	M16x1,5	10/8	M8x1	1200	6	120	36/20	
	101907	up to 280	M16x1,5	10	1,00	M16x1,5	10/8	M8x1	1200	6	120	36/20	
	101991	100 - 300	M16x1,5	10	0	M16x1,5	10/8	M9x1	1200	6	100	21/15	
	101172	100 - 300	M16x1,5	10	0,35	M16x1,5	10/8	M9x1	1200	6	100	21/15	
2	101332	120 - 320	M16x1,5	10	0	M16x1,5	10/8	M9x1	1200	6	100	21/15	
	101901	50 - 300	pipe flange	-	0,35	M16x1,5	10/8	M9x1	1200	6	100	21/15	
3	101905	100 - 200	ø 21mm	-	0,35	M16x1,5	10/8	M9x1	1200	6	120	21/15	

## gas thermostats PEL 24S



item	order no.	temperature (°C)	gas input	ø gas input (mm)	ø bypass nozzle (mm)	gas outlet	ø pipe outlet (mm)	thermocouple connection	capillary length (mm)	ø sensor (mm)	length sensor (mm)	L1/L2 (mm)	spindle (mm)
1	101078	55 - 110	M20x1,5	12	0,35	M20x1,5	12/10	M9x1	1200	6	160	27/17	
	101077	110 - 220	M20x1,5	12	0,35	M20x1,5	12/10	M9x1	1200	6	120	27/17	
	101900	up to 280	M20x1,5	12	0,80	M20x1,5	12/10	M8x1	1200	6	120	31/15	
	106203	120 - 280	M20x1,5	12	0,35	M20x1,5	12/10	M9x1	1200	6	120	27/17	
	101759	100 - 300	M20x1,5	12	1,50	M20x1,5	12/10	M9x1	1200	6	100	27/17	
	101433	100 - 300	M20x1,5	12	0	M20x1,5	12/10	M9x1	1200	6	100	27/17	
	101076	120 - 320	M20x1,5	12	0,35	M20x1,5	12/10	M9x1	1200	6	100	27/17	
106192	140 - 340	M20x1,5	12	0,35	M20x1,5	12/10	M8x1	1200	6	100	27/17		
2	106193	up to 90	flange holder	-	0	flange holder	12/10	M9x1	1200	6	160		27/17
	106194	up to 110			0			M9x1	1200	6	160	27/17	
	106195	up to 210			0			M9x1	1200	6	120	27/17	
	106026	100 - 300			0			M9x1	1200	6	100	27/17	
	101159	120 - 320			0,35			M9x1	1200	6	100	27/17	
	106196	up to 350			0,35			M9x1	1200	6	100	27/17	
3	106197	120 - 280	pipe flange	-	0,35	M20x1,5	12/10	M9x1	1200	6	120	27/17	
	106198	140 - 340	ø 21mm	-	0,35	M20x1,5	12/10	M8x1	1200	6	100	27/17	

## accessories and spare parts for PEL 25S



item	order no.	description	thread	ø pipe (mm)
1	101451	union nut	M16x1,5	8
2	101300	union nut	M16x1,5	10
3	101450	olive	-	8
4	101278	olive	-	10



item	order no.	description	thread	ø pipe (mm)
1	100908	screw	M10x1	4
2	100909	screw	M10x1	6
3	101246	olive	-	4
4	101286	olive	-	6



item	order no.	description
1	101060	magnetic unit
2	106199	magnetic unit nut M8x1
	106200	magnetic unit nut M9x1
3	101880	gasket for pipe flange ø 21mm

## bypass nozzle for PEL 25



pos.	order no.	ø (mm)	pos.	order no.	ø (mm)	pos.	order no.	ø (mm)
1	106191	0	8	100428	0,65	15	100407	1,00
2	100259	0,35	9	100429	0,70	16	100435	1,05
3	100281	0,40	10	100432	0,75	17	100436	1,10
4	100414	0,45	11	100409	0,80	18	100437	1,15
5	100390	0,50	12	100410	0,85	19	100438	1,20
6	100391	0,55	13	100433	0,90	20	100413	1,65
7	100392	0,60	14	100434	0,95	21	100776	1,75

## accessories and spare parts for PEL 24S



item	order no.	description	thread	ø (mm)
1	101250	union nut	M20x1,5	10
	101251	union nut	M20x1,5	12
2	101249	olive	-	10
3	101248	olive	-	12
4	100908	screw	M10x1	4
	100909	screw	M10x1	6
5	101246	locking ring	-	4
6	101286	locking ring	-	6

## connecting flange



item	order no.	description	thread	ø (mm)
1	101240	gas connecting piece horizontal	M20x1,5	12/10
2	101241	gas connecting piece vertical	M20x1,5	12/10
3	101235	gas connecting piece horizontal	M20x1,5	12/10
4	101236	gas connecting piece vertical	M20x1,5	12/10
5	101365	gas connecting piece horizontal	M20x1,5	12



item	order no.	description	thread	ø (mm)
1	101239	fitting	3/8	10
2	101461	screw set	-	-
3	101460	o-ring	-	-
4	101331	adapter for flanged cables 12/10mm	-	-
5	106165	gasket for pipe flange ø 27mm	-	-



item	order no.	description
1	101058	magnetic unit
2	106199	magnetic unit nut M8x1
	106200	magnetic unit nut M9x1

## bypass nozzle for PEL 24



pos.	order no.	ø (mm)	pos.	order no.	ø (mm)	pos.	order no.	ø (mm)
1	106201	0	12	100627	1,00	23	100699	1,55
2	100455	0,35	13	100628	1,05	24	100250	1,60
3	100448	0,50	14	100649	1,10	25	100251	1,65
4	100458	0,60	15	100655	1,15	26	100263	1,70
5	100459	0,65	16	100659	1,20	27	100264	1,75
6	100493	0,70	17	100664	1,25	28	100265	1,80
7	100494	0,75	18	100666	1,30	29	100266	1,85
8	100497	0,80	19	100667	1,35	30	100267	1,90
9	100546	0,85	20	100674	1,40	31	100268	1,95
10	100597	0,90	21	100677	1,45	32	100273	2,00
11	100598	0,95	22	100679	1,50			

## gas thermostats SABAF



item	order no.	temperature (°C)	gas input	ø gas input (mm)	ø bypass nozzle (mm)	gas outlet 1	gas outlet 2	thermocouple connection	capillary length (mm)	ø sensor (mm)	length sensor (mm)	L1/L2 (mm)	spindle (mm)
1	101679	300	pipe flange	-	0,35	3/8"ET/10mm	M13x1 ID/8mm	M8x1(2x)	850	4	150	34/14	
	101837	300	pipe flange	-	0,45	3/8"ET/10mm	M13x1 ID/8mm	M8x1(2x)	850	4	140	34/14	
2	101692	300	M13x1	8	0,50	3/8"ET/10mm	-	M8x1	850	4	140	34/14	
	101173	300	M13x1	8	0,80	3/8"ET/10mm	-	M8x1	850	4	140	37/14	
3	101687	300	pipe flange	-	0,45	M13x1 ID/8mm	-	M8x1	850	4	140	17/12	
	101886	300	pipe flange	-	0,52	M13x1 ID/8mm	-	M8x1	850	4	140	17/12	
	101181	300	pipe flange	-	0,46	M13x1 ID/8mm	-	M8x1	850	4	150	45/27	

G

Gas thermostats



item	order no.	temperature (°C)	gas input	ø gas input (mm)	ø bypass nozzle (mm)	gas outlet 1	gas outlet 2	thermocouple connection	capillary length (mm)	ø sensor (mm)	length sensor (mm)	L1/L2 (mm)	spindle (mm)
1	101694	300	pipe flange	-	0,38	M13x1 ID/8mm	-	M8x1	850	4	150	29/29	
	101695	300	pipe flange	-	0,52	M13x1 ID/8mm	-	M8x1	850	4	150	29/29	
2	101836	300	pipe flange	-	0,45	3/8"ET/10mm	M13x1 ID/8mm	M8x1 (2x)	850	4	140	34/14	
3	101175	300	pipe flange	-	0,35	3/8"ET/10mm	M13x1 ID/8mm	M8x1 (2x)	850	4	150	27/13	

## accessories and spare parts for SABAF




item	order no.	description	thread	ø pipe (mm)
1	101476	union nut	M13x1	8
	101478	union nut	3/8"	10
2	101477	tube nut	M13x1	8
3	101277	olive	-	8
	101278	olive	-	10




item	order no.	description
1	101375	fixing flange
2	693074	pipe
3	101376	flange gasket
4	101351	flange bracket
5	101751	flange bracket
6	346333	micro switch

## gas thermostats COPRECI/IMIT



item	order no.	producer	temperature (°C)	pipe input	ø pipe input (mm)	ø bypass nozzle (mm)	gas outlet	pilot burner connection	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	L1/L2 (mm)	spindle (mm)
1	101533	Copreci	110	pipe flange	-	0,35	3/8"	1/8"	M8x1	1000	7	150	33/12	
	109534	Copreci	300	pipe flange	-	0,50	3/8"	1/8"	M8x1	1100	4	84	33/12	
	109051	Copreci	300	pipe flange	-	0,60	3/8"	1/8"	M8x1	1100	4	84	33/12	
2	106016	Imit	300	flange holder	-	0,45	1/4"	-	M8x1	840	4	150	23/11	


## accessories and spare parts for COPRECI/IMIT



item	order no.	description	item	order no.	description
1	101060	magnetic unit	3	101376	flange gasket
2	101538	flange bracket	4	101537	flange gasket



## gas thermostats ROBERTSHAW



item	order no.	temperature (°C)	temperature (°F)	gas input/ gas outlet	pipe input/ pipe outlet	capillary length (mm)	ø sensor (mm)	length sensor (mm)	gland	L1 (mm)	no. Robertshaw	spindle (mm)
	580054	26 - 93	80 - 200	M11x1 ID	1/4"*	610	9,3	130	3/8"	21	GSE 070240000	
	580051	93 - 190	200 - 375	M11x1 ID	1/4"*	460	6,4	320	1/4"	23	GSE 020180000	
	580052	93 - 190	200 - 375	M11x1 ID	1/4"*	610	9,3	130	3/8"	21	GSH 30240000	
1	580041	93 - 204	200 - 400	M11x1 ID	1/4"*	760	9,3	130	1/4"	21	GSA 60301800	
	580053	93 - 204	200 - 400	M11x1 ID	1/4"*	1530	9,3	130	3/8"	21	GSF 90602300	
	580055	93 - 190	200 - 375	3/8" ID	-	1830	8	190	-	47	GSE 030720000	
	580056	65 - 287	150 - 550	3/8" ID	-	1400	5	390	-	21	FDTOE 30254	
2	580057	up to 287	low - 550	1/2" ID	-	1400	5	390	-	21	FDTE 010154	
	580058	65 - 287	150 - 550		-	1400	5	390	-	21		
	580059	93 - 204	200 - 400	3/8" ID	-	600	8	250	-	21	FDL 30136	
3	580060	65 - 287	150 - 550	1/2" ID	-	1250	5	390	-	21	FDO 10748	

\*1/4" pipe (american) = 6,5mm


### G

### Gas thermostats



item	order no.	temperature (°C)	temperature (°F)	gas input/gas outlet	pipe input/pipe outlet	capillary length (mm)	ø sensor (mm)	sensor length (mm)	L1/2 (mm)	type	spindle (mm)
1	580061	100 - 300	212 - 572	flange holder	3/8"	720	5	200	25/15	RTGJ	
2	580062	93 - 287	200 - 550	flange holder	7/16" pipe	1200	5	290	-	BJW	-





pos.	order no.	temperature (°C)	gas input/ gas outlet	gas input/ pipe outlet	capillary length (mm)	ø sensor (mm)	sensor length (mm)	gland	thermocouple connection	type
1	580063	50 - 110	3/4"	3/4"	900	9,5	149	3/8"	ASA 11/32	RGIST 1
	580064	90 - 190	3/4"	3/4"	1200	6	160	3/8"	ASA 11/32	RGIST 2x160
	580065	100 - 320	3/4"	3/4"	900	3,9	223	-	ASA 11/32	RGIST 3
	580066	100 - 450	3/4"	3/4"	900	3,9	210	-	-	RGIST 4

## accessories and spare parts for ROBERTSHAW



item	order no.	description	thread	ø pipe (mm)
1	106111	tube nut with olive	M11x1	6
	106109	tube nut with olive	M11x1	1/4"
2	106110	union screw	M11x1	1/4"
3	101263	slotted nut for thermocouple	ASA 11/32	-
4	101481	olive	-	1/4" CCT


## gas thermostats EGA



item	order no.	type	temperature (°C)	gas input	ø gas input (mm)	gas outlet	ø pipe outlet (mm)	thermocouple connection	temperature sensor
1	nla*	25213	30 - 100	M15x1	10	3/8"	10	M8x1	type 1
	nla*	25213	100 - 200	M15x1	10	3/8"	10	M8x1	type 2
	nla*	25213	100 - 250	M15x1	10	3/8"	10	M8x1	type 3
	nla*	25213	100 - 300	M15x1	10	3/8"	10	M8x1	type 3
	nla*	25213	100 - 300	M15x1	10	M17x1	12	M8x1	type 3
2	nla*	21495	100 - 200	M15x1	10	3/8"	10	M8x1	type 4
3	nla*	21383	100 - 200	M18x1,5	12	M18x1,5	12	M8x1	type 3
	nla*	21383	120 - 300	M18x1,5	12	M18x1,5	12	M8x1	type 3

\*no longer available

## accessories and spare parts for EGA




item	order no.	temperature (°C)	capillary length (mm)	ø sensor (mm)	sensor length (mm)	application	type gas thermostat	gland	type temperature sensor
1	102743	up to 125	900	8	160	bain marie, oven, pasta cooking unit		-	1
2	102135	up to 200	900	5	150	Fryer	25213 21383	M12x1	2
	102133	up to 320	900	8	90	oven		-	3
3	102134	up to 320	1250	8	90	grill plate baking tipping pan		-	3
4	102197	up to 200	900	5	135	Fryer	21495	M12x1	4




item	order no.	description
1	101230	magnetic unit nut M8x1
	101231	magnetic unit nut M9x1
	101233	magnetic unit nut M10x1
2	101060	magnetic unit
3	101058	magnetic unit

## gas thermostats BABYSIT



item	order no.	temperature (°C)	gas input	gas outlet	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	no. Sit
1	101103	manual	3/8"	3/8"	M9x1	without thermostatic control			0.660.190
	106031	30 - 90	3/8"	3/8"	M9x1	1000	6	230	0.660.193
2	101104	30 - 110	3/8"	3/8"	M9x1	1000	6	237	0.660.806
	101889	30 - 110	3/8"	3/8"	M9x1	1000	6	237	0.660.802
	101105	75 - 315	3/8"	3/8"	M9x1	1000	5	185	0.660.606

## gas thermostats AC2/AC3



item	order no.	temperature (°C)	gas input	gas outlet	thermocouple connection	pressure controller	no. Sit
1	101439	20 - 70	3/8"	3/8"	M9x1	-	0.610.016
2	101440	30 - 70	1/2"	1/2"	M9x1	3 - 18 mbar	0.610.001

## accessories and spare parts for BABYSIT, controller AC2/AC3




item	order no.	description	item	order no.	description
1	100001	piezoelectric igniter	5	102875	minimum adjusting screw ø 0,70mm
2	101055	magnetic unit	6	100904	locking screw ø 4mm
3	100903	magnetic unit nut	6	100905	locking screw ø 6mm
4	101333	stuff 3/8" with o-ring	7	101273	olive ø 12mm
5	102874	minimum adjusting screw without hole	8	101276	screw connection 3/8" - ø 12mm





1




2




3

item	order no.	temperature (°C)	gas input	gas outlet	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	sensor (p.14)	pressure controller	gland	no. Sit
3	101106	manual	1/2"	3/8"	M9x1	-	-	-	-	-	-	0.710.106
5	101431	13 - 38	1/2"	1/2"	M10x1	1050	8	120	type E1	yes	-	0.710.125
2	101910	20 - 90	1/2"	3/8"	M9x1	1050	14,5	19	type F2	yes	-	0.710.852
4	101432	30 - 90	1/2"	1/2"	M9x1	1050	8	100	type E2	yes	-	0.710.199
1	101130	30 - 100	1/2"	3/8"	M9x1	1050	5	125	type A1	no	-	0.710.850
2	101088	30 - 100	1/2"	3/8"	M9x1	1050	5	125	type A1	yes	-	0.710.851
6	106030	40 - 110	1/2"	3/8"	M9x1	1050	5	125	type A1	yes	-	0.710.817
7	101689	40 - 110	1/2"	3/8"	M9x1	1050	5	125	type A1	no	-	0.710.819
2	101912	50 - 190	1/2"	3/8"	M9x1	1050	14,4	14,5	type F1	yes	-	0.710.752
	101131	50 - 190	1/2"	3/8"	M9x1	1200	5	95	type A2	no	-	0.710.750
1	101135	110 - 190	1/2"	3/8"	M9x1	1050	6	105	type A3	no	-	0.710.756
	101434	110 - 190	1/2"	3/8"	M9x1	1200	5	105	type G1	no	-	0.710.758
	101437	110 - 190	1/2"	3/8"	M9x1	1050	6	105	type A3	yes	-	0.710.757
2	101114	110 - 190	1/2"	3/8"	M9x1	1050	14,4	26	type F3	yes	-	0.710.754
1	101678	110 - 190	1/2"	3/8"	M9x1	1050	14,4	26	type F3	no	-	0.710.760




4



5




6



7



8




9

item	order no.	temperature (°C)	gas input	gas outletc	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	sensor (p.14)	pressure controller	gland	no. Sit
1	101385	60 - 200	3/8"	3/8"	M10x1	1050	5	95	type D2	no	M14x1,5	0.710.724
8	106029	120 - 200	3/8"	3/8"	M9x1	1050	6	105	type D1	no	M14x1,5	0.710.743
1	101132	100 - 340	1/2"	3/8"	M9x1	1050	5	70	type B1	no	-	0.710.650
1	101134	100 - 340	1/2"	3/8"	M9x1	1800	5	70	type B1	no	-	0.710.652
2	101438	100 - 340	1/2"	3/8"	M9x1	1050	5	70	type B1	yes	-	0.710.651
11	101796	100 - 340	1/2"	3/8"	M9x1	1800	5	70	type B1	yes	-	0.710.657
1	101435	100 - 340	1/2"	3/8"	M9x1	1050	4	72	type C1	no	-	0.710.654
8	102873	140 - 380	1/2"	3/8"	M9x1	1050	4	72	type C2	no	-	0.710.648
9	101768	160 - 380	3/8"	3/8"	M10x1	1050	5	68	type B2	no	-	0.710.618
10	106018	160 - 380	1/2"	3/8"	M10x1	1050	5	68	type B2	yes	-	0.710.656
12	102872	160 - 380	3/8"	3/8"	M10x1	1050	5	68	type B2	no	-	0.710.619



10




11



12


## accessories and spare parts for MINISIT



item	order no.	temperature (°C)	capillary length (mm)	ø sensor	length sensor (mm)	application	sensor type
1	102106	13 - 38	1050	8mm	120	oven	E1
2	106223	20 - 90	1050	1/4"	19	bain marie	F2
1	102117	30 - 90	1050	8mm	100	bain marie	E2
3	102100	30 - 100	1050	5mm	125	bain marie	A1
	102103	50 - 190	1050	5mm	95	fryer	A2
2	nla**	50 - 190	1050	1/4"	14,5	fryer	F1
	102104	110 - 190	1050	1/4"	26	fryer	F3
4	102105	110 - 190	1200	5mm	105	fryer	G1
3	102118	110 - 190	1050	6mm	105	fryer	A3
	102844*	60 - 200	1050	5mm	95	fryer	D2
2	106225	120 - 200	1050	6mm	105	fryer	D1
	102102	100 - 340	1050	5mm	70	oven/grill	B1
5	102107*	100 - 340	1050	4mm	72	oven/grill	C1
	106226	140 - 380	1050	4mm	72	oven/grill	C2
	106227	160 - 380	1050	5mm	68	oven/grill	B2

\*capillary pipe and sensor, CNS

\*\*no longer available



item	order no.	description
1	101136	piezoelectric igniter with slot cover
2	101137	slot cover
3	100001	piezoelectric igniter



item	order no.	description	thread
1	101505	connecting flange	3/8"
2	101504	connecting flange	1/2"
3	101516	screw for flange holder	-
4	101517	screw for flange holder	1/2"
5	100809	o-ring	-



item	order no.	description
1	110068	knob
2	101053	magnetic unit M9x1
	101054	magnetic unit M10x1



item	order no.	description	internal thread	external thread
1	101267	reducer	3/8"	1/2"
2	101270	connection fitting	3/8"	3/8"
3	101271	connection fitting	1/2"	3/8"
4	101272	connection fitting	1/2"	3/8"



item	order no.	description	thread	ø pipe (mm)
1	101275	union screw	1/2"	16
	101276	union screw	3/8"	12
2	101274	locking ring	-	16
	101273	locking ring	-	12
3	100904	locking screw	M10x1	4
	100905	locking screw	M10x1	6
4	100820	gland	M14x1,5	-



## gas thermostats EUROSIT



item	order no.	temperature (°C)	gas input	gas outlet	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	no. Sit
1	101199	13 - 38	3/8"	3/8"	M10x1	1000	8	120	0.630.025
	101413	30 - 100	3/8"	3/8"	M9x1	1000	5	120	0.630.325
	101188	110 - 190	3/8"	3/8"	M9x1	1000	4	205	0.630.332
	101992	110 - 190	3/8"	3/8"	M9x1	1000	4	205	0.630.337
	101409	40 - 280	3/8"	3/8"	M9x1	1000	4	72	0.630.328
2	101696	60 - 300	3/8"	3/8"	M9x1	1000	4	72	0.630.330
	101915	80 - 320	3/8"	3/8"	M9x1	1000	4	72	0.630.327
	101700	100 - 340	3/8"	3/8"	M9x1	1000	4	72	0.630.331
	101125	100 - 340	3/8"	3/8"	M9x1	1000	4	72	0.630.326
	106035	100 - 340	3/8"	3/8"	M9x1	1000	4	72	0.630.336
	102870	140 - 380	3/8"	3/8"	M9x1	1000	4	72	0.630.205
3	101769	100 - 340	3/8"	3/8"	M10x1	1000	4	72	0.630.206

## accessories and spare parts for EUROSIT




item	order no.	description	suitable for	item	order no.	description	suitable for
1	101358	cover with piezoelectric igniter		5	101711	adapter for knob ø 10x8mm	Zanussi
2	101392	adapter for knob		6	101712	adapter for knob ø 10x8mm	Olis
3	101390	spindle ø 6x4,6mm	Zanussi/Mareno	7	101816	adapter for knob ø 10x8mm	Mareno
	110357	spindle ø 8x6,5mm	Zanussi/Baron	8	113022	adapter for knob ø 10x8mm	Fagor
4	110358	adapter for knob ø 10x8mm	Zanussi				




item	order no.	description
1	101050	magnetic unit
2	101273	olive ø 10mm
3	101276	screw connection 3/8"/ø 12mm
4	100904	locking screw ø 4mm
	100905	locking screw ø 6mm
5	101333	stuff 3/8" with o-ring

## gas thermostats MP/JUNKERS



item	order no.	temperature (°C)	gas input	gas outlet	pressure controller	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	no. Junkers/MP
1	106216	30 - 110	-	-	no	M10x1	-	-	-	7743-610-501
	101167	135 - 200	3/8" elbow	3/8" straight	no	M10x1	920	6	220	7743-633-201
	106215	170 - 300	3/8" straight	3/8" straight	no	M10x1	820	6	100	7743-633-202
2	106217	30-110	-	-	yes	M10x1	-	-	-	7743-610-601
	101177	135 - 200	3/8" elbow	3/8" straight	yes	M10x1	920	6	220	7743-643-201
	106024	170 - 300	3/8" straight	3/8" straight	no	M10x1	820	6	100	7743-643-402

## accessories and spare parts for MP/JUNKERS




item	order no.	description
1	100039	piezoelectric igniter for 106024
2	101060	magnetic unit
3	101276	screw connection 3/8"/ø 12mm
4	101273	olive ø 12mm
5	102137	sensor 135 - 200°C for 101167 + 101177
	101407	sensor 130 - 300°C for 106024 + 106215
	102154	sensor 30 - 110°C for 106216 + 106217

## gas thermostats MERTIK



item	order no.	temperature (°C)	gas input bottom	gas input edgewise	gas outlet bottom	gas outlet edgewise	thermocouple connection	capillary length (mm)	ø sensor (mm)	length sensor (mm)	pressure controller	gland	MERTIK-no.
1	101966	30 - 110	-	3/8"	-	3/8"	M9x1	720	6	80	-	-	GV31T-C2AKA2K0A0
2	101786	30 - 110	3/8"	3/8"	3/8"	3/8"	M10x1	720	6	80	-	-	GV30-C5AKH2C0
	101982	110 - 190	3/8"	3/8"	3/8"	3/8"	M9x1	720	4	160	5 - 40mbar	-	GV31T-C5AXE2K0Y0
1	101979	110 - 190	3/8"	-	-	3/8"	M9x1	720	4	165	5 - 40mbar	-	GV31T-C3AXE2K0Y0
	101746	100 - 195	3/8"	3/8"	3/8"	3/8"	M10x1	720	6	70	-	1/4"	GV30-C5AÜA2C000
2	106222	100 - 195	3/8"	3/8"	3/8"	3/8"	M10x1	720	6	70	-	1/4"	GV30-C5AÜA2C0L0
	101959	100 - 340	3/8"	-	-	3/8"	M9x1	720	4	68	2,5 - 20mbar	-	GV30T-C3A7A2K6
	101957	100 - 340	3/8"	-	-	3/8"	M9x1	720	4	68	-	-	GV30T-C3A7A2K6A0/1
1	101960	100 - 340	3/8"	-	3/8"	-	M9x1	720	4	72	-	-	GV31T-C1A7AGK000
	106205	100 - 340	3/8"	-	3/8"	-	M9x1	720	4	68	-	-	GV30T-C1A7AMK6Z0
	101745	100 - 340	3/8"	3/8"	3/8"	3/8"	M10x1	720	4	68	-	-	GV30T-C5A7A2C0
2	101744	100 - 340	3/8"	3/8"	3/8"	3/8"	M10x1	720	4	68	-	-	GV30T-C1A7AGC000


## accessories and spare parts for MERTIK



item	order no.	description
1	101276	screw connection
2	101273	olive
3	106221	magnetic unit




## gas thermostats STN3R



pos.	order no.	temperature (°C)	gas input	gas outlet	capillary length (mm)	ø sensor (mm)	sensor length (mm)
1	106207	110	1/2"	1/2"	1200	6,5	200
2	106208	200	1/2"	1/2"	1200	6,5	140
3	106209	300	1/2"	1/2"	1200	6,5	130
1	106210	450	1/2"	1/2"	1200	6,5	250

## accessories and spare parts for STN3R



item	order no.	description
1	106211	knob STOP
2	106212	regulating knob 2 - 8



